



PACIFIC
WHOLESALE DISTRIBUTORS

Custom Made Blinds Manual Internal Applications

**Venetians
Cellulars
Transitions**

October 2021

Version 2021.3

T +61 2 9680 7999 | F +61 2 9680 7488

E support@pacificwholesale.com.au | W www.pacificwholesale.com.au

TERMS AND CONDITIONS OF TRADING

1st January 2020

Payment Terms

Strictly net 30 days, if there is a problem with payment, please contact us.

Pacific Wholesale Distributors reserve the right to:

1. Refuse delivery to any overdue account.
2. Charge interest on overdue accounts.
3. Refuse credit.

Delivery Terms/Freight

Sydney Metropolitan \$50.00 – Order value below \$500

Regional & Interstate \$75.00 – Order value below \$500

Orders that exceed these values will be Free Into Store (FIS).

The additional freight charges are below;

Charge Type	Details
Tail Gate	\$42.50 per lift (2 lifts/\$85 minimum charge)
Hand/Manual Unload	\$65 per 30 minutes
Rejected/Futile/Un-Deliverable Delivery	\$70
Waiting Time	\$60 after first 30 minutes
Residential Delivery	\$100
Post Bag	\$15
Overnight Express Post Bag	\$25

GST

GST is charged on all items at a rate of 10%.

All prices quoted in this product catalogue or additional prices **do not include GST**.

Claims

1. All credit claims must be in writing, including the relevant invoice numbers.
2. Claims must be submitted within 7 days of receipt of goods.
3. Goods may not be returned for credit without prior authorisation.
4. Pacific Wholesale Distributors will only replace faulty stock and will accept no further liability.
5. All returns are subject to a 20% re-stocking fee.

Title

Property title in all goods remains with Pacific Wholesale Distributors until the goods are paid for in full.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Contents

1.	Introduction	3
2.	Custom Made Blinds	4
3.	Custom Made Venetian Blinds	5
4.	Custom Made Cellular Blinds.....	11
5.	Custom Made Transition Shades	19
6.	Measuring	25
7.	Ordering Process	27
8.	Special Requirement Windows & Options	29
9.	Sales Aids	35
10.	Custom Made Blinds Remake Process	37
11.	Care and Maintenance	38
12.	Custom Made Blinds Questions & Answers	40
13.	Custom Made Blinds Reference Chart	41

1. Introduction

The Custom Made Blinds Range offers an extensive range of window furnishing options to suit any application, with a wide range of product, material, and colour choices.

Elegant and stylish Custom Made Blinds will add value to a home and will enhance the living spaces. The vast range of Custom Made Blinds ensures an easy solution for all applications. With the added advantage of being energy efficient too, which helps to keep homes cooler in summer and warmer in winter.

Supporting this great range are swatches and sales aids that can be used by all sales and showroom staff when promoting the Custom Made Blind range, please refer to [Sales Aids](#).



2. Custom Made Blinds

What are Custom Made Blinds?

- Custom Made Blinds offer a range of solutions for window coverings.
- Custom Made Blinds have been designed to be aesthetically pleasing following the latest trends and colours.
- Custom Made Blinds are made to your specifications to ensure a perfect fit for every application.
- Custom Made Blinds come with safety devices to comply with Australian Child Safety Standards.

Custom Made Blinds Range:

All Custom Made Blinds offer the above advantages with specific features according to the product types as follows:

- ✓ Venetian Blinds
 - 50mm and 63mm Venetians
 - 50mm and 63mm PS Privacy Venetians


- ✓ Cellular Blinds
 - 25mm Single Cell
 - 38mm Single and Double Cell
 - 45mm Single Cell

- ✓ Transition Shades
 - Multi Shades
 - Triple Shades

3. Custom Made Venetian Blinds

3.1 50mm & 63mm PS Venetian Blinds

- The 50mm and 60mm PS Venetian Blind slats are manufactured from compressed polystyrene; this has been tested to withstand temperatures of up to 75 Degrees. (*PS Slat withstands much higher temperatures than PVC*).
- The 50mm and 63mm PS Venetian Blind uses a 51.5mm x 57.5mm roll formed steel painted head rail. The end mounts and centre brackets are made of steel to provide strength, and are painted to match the colour of the head rail.
- 2.2mm non-stretch cord is provided for slat rotation.
- Slat tilting is controlled by a solid cast body wand tilter with a strong metal tilt drive insert. A metal bodied cord lock is also used to ensure product longevity.
- PS slats are water resistant making them ideal for wet areas, and are also resistant to chipping and cracking.
- To ensure privacy, the PS Venetian Blind is manufactured using a 42mm pitched ladder braid, which creates a generous overlap of the slats when the blind is closed.
- Ladder braid, plastic components have all been colour matched to the slat.
- An 85mm decorative fascia with concealed metal mounting clips is standard with PS Venetian blinds.
- A trapezoid bottom rail provides improved closure.
- Clear polycarbonate hold down clips are provided as an option, to stabilise the bottom rail in the window.




For details on the Colours for Venetians slat/blades, please refer to the Custom Made Blind Reference Chart

3.2 50mm & 63mm PS Venetian Blinds Options & Parts


Hold Down Clips

- Holds down clips made from reinforced polycarbonate plastic and are optional at no extra cost.
- Holds down clips are an ideal option for venetian blinds that are used on doors and windows which can be opened. They will help prevent the blinds from swinging due to the wind.



Bottom Rails

- All PS and Privacy venetian blinds have a unique trapezoid shaped bottom rail which assists with smoother tilting and closing operation.






Fascia

- A standard 85mm decorative fascia is supplied with PS and PS Privacy venetian blinds. These come with concealed metal mounting clips.
- Common fascia's are also available when installing two or more blinds together in the same opening.
- The maximum length for a single fascia is 2700mm. Fascias longer than 2700mm will be supplied as separate pieces, which can be connected with a metal joiner supplied.

Safety Features

- All venetian blinds will have a colour matched plastic breakaway safety tassel as part of lift cord system. This safety tassel is designed to break apart to stop a loop from forming which is a strangulation hazard. This complies with Child Safety Regulations.
- All venetian blinds are supplied with clear polycarbonate cord cleats to tie off the cord when the blinds are raised.
- Warning labels are also attached to the blinds to alert consumers to the possible risks in the blind operation. This complies with Child Safety Regulations.
- The installer is required by law to ensure all safety devices are installed correctly and they must also attach a signed sticker or tag as per "Fitter Requirements" by law.




3.3 50mm & 63mm PS Venetian Blinds Stack Heights

Below are the standard stack heights for each blind drop.

Blind Drop	Stack Height
500mm	104mm
1000mm	144mm
1500mm	184mm
2000mm	224mm
2500mm	264mm
3000mm	304mm

3.4 50mm & 63mm PS Privacy Venetian Blinds

- The 50mm and 63mm PS Privacy Blind offers all the benefits of the 50mm and 63mm PS Venetian blind range.
- The 50mm and 63mm PS Privacy Blind has no punch holes in the slat, and the ladder runs on the outer edge of the slats. This design provides greater privacy and light filtering to the standard PS Venetian Blinds.




For details on the Colours for Venetians slat/blades, please refer to the [Custom Made Blind Reference Chart](#)

3.5 50mm & 63mm PS Privacy Venetian Blinds Options & Parts


Hold Down Clips

- Holds down clips made from reinforced polycarbonate plastic and are optional at no extra cost.
- Holds down clips are an ideal option for venetian blinds that are used on doors and windows which can be opened. They will help prevent the blinds from swinging due to the wind.



Bottom Rails

- All PS and Privacy Timber venetian blinds have a unique trapezoid shaped bottom rail which assists with smoother tilting and closing operation.






Fascia

- A standard 85mm decorative fascia is supplied with PS and PS Privacy venetian blinds. These come with concealed metal mounting clips.
- Common fascia's are also available when installing two or more blinds together in the same opening.
- The maximum length for a single fascia is 2700mm. Fascias longer than 2700mm will be supplied as separate pieces, which can be connected with a metal joiner supplied.

Safety Features

- All venetian blinds will have a colour matched plastic breakaway safety tassel as part of lift cord system. This safety tassel is designed to break apart to stop a loop from forming which is a strangulation hazard. This complies with Child Safety Regulations.
- All venetian blinds are supplied with clear polycarbonate cord cleats to tie off the cord when the blinds are raised.
- Warning labels are also attached to the blinds to alert consumers to the possible risks in the blind operation. This complies with Child Safety Regulations.
- The installer is required by law to ensure all safety devices are installed correctly and they must also attach a signed sticker or tag as per "Fitter Requirements" by law.



3.6 50mm & 63mm PS Privacy Venetian Blinds Stack Heights

Below are the standard stack heights for each blind drop.

Blind Drop	Stack Height
500mm	104mm
1000mm	144mm
1500mm	184mm
2000mm	224mm
2500mm	264mm
3000mm	304mm

4. Custom Made Cellular Blinds

4.1 Cellular Blinds

- The Cellular Blinds have small unobtrusive bottom rails.
- The Cellular Blinds are available in both Blockout and Translucent Fabrics, in a wide range of colours and textures.
- The 25mm and 45mm Cellular Blinds are available in Single Cell only.
- The 38mm Cellular Blinds are available in Single Cell and Double Cell.
- The advantage of a double cell blind is they have better insulation properties.
- Please see below for Rail sizes.

Blind Operation Type & Rail Sizes	25mm	38mm	45mm
	W x H	W x H	W x H
Head Rail - Standard (corded), Corded Day & Night, Corded Top Down Bottom Up	2.70cm x 1.70cm	4.72cm x 2.95cm	5.40cm x 2.95cm
Head Rail - Cordless, Cordless Top Down Bottom Up, Cordless Day & Night	4.72cm x 2.95cm	4.72cm x 2.95cm	5.40cm x 4.35cm
Head Rail - Clutch, Clutch Top Down Bottom Up, Clutch Day & Night, Motorised	4.75cm x 4.35cm	4.75cm x 4.35cm	5.40cm x 4.35cm
Middle Rail - Day & Night, Top Down Bottom Up for Corded, Clutch, Cordless, Motorised	2.70cm x 1.10cm	4.13cm x 1.10cm	4.72cm x 1.10cm
Bottom Rail - All options (except Skylight)	2.70cm x 1.20cm	4.02cm x 1.60cm	4.72cm x 1.60cm
Head Rail - Cordless Skylight, Wireless Remote Skylight		4.75cm x 4.35cm	
Middle Rail - Wireless Remote Skylight		4.13cm x 1.60cm	
Bottom Rail - Cordless Skylight		4.13cm x 1.10cm	
Bottom Rail - Wireless Remote Skylight		4.75cm x 4.35cm	


Head Rails are matched to the closest Blind colour possible. No fabric inserts are used.

Cellular Blinds have a range of options to suit operation requirements:


- Standard Cord Control
- Clutch Control
- Cordless
- Motorised – Battery Operated Wand Control or Remote Control
- Motorised – Hardwired Wand Control or Remote Control

For details on textures and colours for Cellular Blinds please refer to the [Custom Made Blind Reference Chart](#)

Example of a Single Cell




Example of a Double Cell




Cellular Blinds have a range of **control options**:

- Standard Cord Control




A standard cord lock system that raises or lowers the bottom rail.

- Clutch Control




Continuous looping cord – pull down the front of the cord to raise the blind or pull down the back of the cord to lower the blind.

- Cordless Control



The ultimate child safe solution - there are no visible cords. Use the blind handle on the bottom rail to raise or lower the blind. The blind will stay in the desired position when you let go.

- Motorised Wand or Remote (Battery or Wired) Control



Raise or lower the blind with a touch of a button on the wand control or remote. Available in either battery or hard-wired solutions. *2m or 3m wired extension cables are available on request.*

Cellular Blinds range offers additional **functional design options**:

- Day and Night

Provides both Translucent and Blockout fabrics in one blind, allowing complete control and functionality.

Available in Corded, Cordless, Clutch and Motorised control systems.


There will be an additional bottom rail in this blind option.

Please note: these are charged as one Translucent and one Blockout blind with an additional surcharge.


'DAY' – allows the Translucent blind to show.

'NIGHT' – allows the Blockout blind to show.


Corded



Clutch



Cordless





- Top Down Bottom Up
Allows the blind to be raised from the bottom and lowered from the top, providing superior privacy and light control.
Available in Corded, Cordless, Clutch and Motorised control systems.
Please note that there will be an additional rail in this blind option.



'TOP DOWN' - allows the blind to be lowered from the top.

'BOTTOM UP' - allows the blind to be raised from the bottom.



Corded



Clutch



Cordless



Cellular Blinds Day Night and Top Down Bottom Up have the following operational options:

For Day Night, the Day Blind can be on the top or the bottom and this is the same for the Night Blind.

For **Clutch**, the options are:

Top Left, Bottom Right (*LR, two control cords*) – the Left cord controls the middle rail, the Right cord controls the bottom rail.

Top Right, Bottom Left (*RL, two control cords*) – the Right cord controls the middle rail, the Left cord controls the bottom rail.

Left – one control cord (on the Left) which controls both functions (it controls the middle and bottom rails). It cannot be made with two control cords on the Left.

Right – one control cord (on the Right) which controls both functions (it controls the middle and bottom rails). It cannot be made with two control cords on the Right.

For Corded, it can be made with LR (two control cords), RL (two control cords), LL (two control cords) or RR (two control cords).

For **Corded**, the options are:

Top Left, Bottom Right (*LR, two control cords*) – the Left cord controls the middle rail, the Right cord controls the bottom rail.

Top Right, Bottom Left (*RL, two control cords*) – the Right cord controls the middle rail, the Left cord controls the bottom rail.

Both Left (*LL, two control cords*) – two cords on the Left side, the Leftmost cord controls the middle rail, the other cord controls the bottom rail.

Both Right (*RR, two control cords*) – two cords on the Right side, the Rightmost cord controls the middle rail, the other cord controls the bottom rail.

4.2 Cellular Blinds Stack Heights

Below are the standard stack heights for each Cellular blind drop.

Blind Drop	Stack Height
500mm	47mm
1000mm	60mm
1500mm	70mm
2000mm	80mm
2500mm	91mm
3000mm	100mm

4.3 Cellular Blinds Cord Length (Only for Standard Corded Blinds)

Below are the standard cord lengths for each Cellular blind drop.

Blind Drop	Chain Length
Up to 849mm	425mm
850 – 1199mm	425mm ~ 600mm
1200 – 1499mm	600mm ~ 750mm
1500 – 1799mm	750mm ~ 900mm
1800 – 2299mm	900mm ~ 1150mm
Over 2300mm	Half of the Blind Drop

4.4 Cellular Blinds Wand Sizes (Only For Motor Operated Blinds)

Below are the standard wand sizes for each Cellular blind drop.


When customer does not specify the Wand length, the Standard Wand length will be:

Drop less than 2400mm: Wand length 830mm

Drop bigger than 2400mm: Wand length 1580mm

Hold Down Clips



- Holds down clips made from reinforced polycarbonate plastic and are optional at no extra cost.
- Holds down clips are an ideal option for Cellular blinds that are used on doors and windows which can be opened. They will help prevent the blinds from swinging due to the wind. Hold down clips are available for Outside Mount only.



Safety Features

- All Cellular Corded blinds are supplied with clear polycarbonate cord cleats to tie off the cord when the blinds are raised.

Warning labels are also attached to the blinds to alert consumers to the possible risks in the blind operation. This complies with Child Safety Regulations.



5. Custom Made Transition Shades

- Transition Shades allow the control of sunlight and privacy without having to raise the blind.
- Transition Shades offer two different ranges:
 - Multi Shade Transition Shade Range
 - Triple Shade Transition Range
- The Transition range offers a variety of fabric types.
- The fabrics are available in a variety of finishes and offer an extensive range of colours.
- The headbox, chain control, bottom rail and chain are available in a variety of colours to suit any decor.
- Stainless steel chain options are available.
- Fabric inserts are an option for the headbox, allowing the matching fabric to be inserted as a feature.

The Transition Shade range consists of a comprehensive range of fabrics. For details on all the fabric types, colours and options please refer to the [Custom Made Blind Reference Chart](#).



5.1 Transition Shades

Options & Parts

Headbox

- The headbox is available in:
 1. Beige
 2. Black
 3. Dark Brown
 4. Grey
 5. Ivory
 6. Light Brown
 7. White
- The headbox is also available with a fabric insert, which allows the matching fabric to be inserted as a feature.

Chain Controls

- Chain Controls are available in White, Ivory, Beige, Grey, Light Brown, Dark Brown or Black.

Chain

- Chain colour will be matched to the headbox colour unless Stainless Steel is selected.
- Chain is available in White, Ivory, Beige, Grey, Light Brown, Dark Brown, Black or Stainless Steel.

Bracket (for Headbox)



Topside of Bracket




Underside of Bracket




Face Fit Bracket

Bottom Rail

- When Jacquard Weave Shades are ordered, the bottom rail and end caps will be supplied in black or white only. The fabric will be inserted as a feature.



- For all other fabric types (other than Jacquard Weave), the bottom rail and end caps will be supplied to match the headbox (either in White, Ivory, Beige, Grey, Light Brown, Dark Brown or Black).



Blind Dimensions




For minimum and maximum widths and heights please refer to the [Custom Made Blind Reference Chart](#).

Maximum width and height is dependent on the fabric and style type chosen.

Safety Features

- All Transition Shades are supplied with clear cord hold down clips so the chain will be secure when the Shades are raised.

Warning labels are also attached to the Shades to alert consumers to the possible risks in the Shade's operation. This complies with Child Safety Regulations.



5.2 Chain Length

Below are the standard chain lengths for each blind drop.

Please note: if required, a specific chain length can be specified when ordering.

Blind Drop	Chain Length
Up to 849mm	500mm
850 – 1199mm	750mm
1200 – 1499mm	1000mm
1500 – 1799mm	1200mm
1800 – 2299mm	1500mm
Over 2300mm	2000mm

5.3 Multi Shade Transition Range



- Multi Shade Textured
- Multi Shade Privacy/Blockout Woven
- Multi Shade Privacy/Blockout Standard
- Multi Shade Premium Blockout Woven
- Multi Shade Jacquard Weave
- Multi Shade Premium Blockout
- Multi Shade Premium Room Darkening
- Multi Shade Premium Woven Room Darkening

For fabric colours, types, options and specifications please refer to the [Custom Made Blind Reference Chart](#).

5.4 Triple Shade Transition Range



- Triple Shade Standard

For fabric colours, types, options and specifications please refer to the [Custom Made Blind Reference Chart](#).


6. Measuring

Please note; when blinds are ordered near the maximum size specifications, the weight can affect the operation of the blind.

6.1 Recess Fit

Recess Fit

- ✓ The blind is to be installed in the recess or reveal of the opening.
- ✓ When measuring in a recess it is important to measure both the width and the drop at three points (*please see below*). The reason for taking three measurements in each direction is to allow for any problem that may occur if the window is out of square. The **smallest measurement is the one that is required**.



Width Measurements

Measurements taken at the top, centre and bottom of the opening and the **smallest of these three measurements will be the width measurement**.

Drop Measurements


Measurements taken from the left, centre and right sides of the opening and the **smallest of these three measurements will be the drop measurement**.

As per any blind, you can make your own measuring deductions. Ensure that you supply the finished **ACT** (Actual Size) on your order/worksheet. If you would like the factory to make the allowances mark your order **NAM (No Allowances Made)** and the factory will make standard industry deductions, depending on the product ordered.

6.2 Face Fit

Face Fit

- ✓ The blind is to be installed on the face/outside surface or architrave surrounding the window.



Width Measurement

Measure from the outside edge to the outside edge of the architrave across the width of the window. On a window opening where there is no architrave or window surround, be sure that you measure the blind 100mm above the window opening and that you extend 50mm either side to ensure that light gaps are minimised.

Drop Measurement

Measure vertically from the top of the architrave to the bottom of the architrave, or to the desired finished length. Where the window is not a full length window, the width and drop measurements are taken as the finished or actual size of the blind.

As per any blind, you can make your own measuring deductions. Ensure that you supply the finished **ACT (Actual Size)** on your order/worksheet. If you would like the factory to make the allowances mark your order **NAM (No Allowances Made)** and the factory will deduct 10mm off the drop for a face fit blind.

Please note: The standard return on a fascia is a 67mm as an internal measurement. The smallest return is a 25mm internal measurement. Unless otherwise requested, all returns will be made at the standard size (67mm). If returns are required to go back to the wall surface, then the architrave depth measurement should be noted on the order form.
e.g.: Standard return (67mm) + 20mm architrave depth = 87mm.

7. Ordering Process

All orders for Custom Made Blinds **MUST** be submitted electronically using the latest version of Pacific Wholesale Distributors Custom Made Blinds Order Forms.

References to the Custom Made Blinds Order Forms will be made throughout this manual. If you do not have the latest version of Pacific Wholesale Distributors Custom Made Blinds Order Forms, please contact the office at support@pacificwholesale.com.au and request a copy today.

Please see an example of the Pacific Wholesale Distributors Custom Made Blinds Order Forms on the following pages:



50mm & 63mm Venetian Blinds

STORE NAME:	0
CUSTOMER NAME:	0
DELIVERY ADDRESS:	0
WORKSHEET # / PO #:	0
DATE:	01/01/1900
<i>Order Requirements Alex</i>	

PWD ORDER NO.:	SALES ORDER NO.:
Phone: +612 8850 9301	Fax: +612 9680 7488

Item #	Room Location	Qty	Product	Colour	Gross Open Width	Gross Open Height	Window Type	Fitting	Allowance	Cord Lock	Tilt	Hold Down	Fascia	Cut Out	Cut Out Height Left	Cut Out Width Left	Cut Out Height Right	Cut Out Width Right	Special Comments	
1																				
2																				
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				
13																				
14																				
15																				
16																				
17																				
18																				
19																				
20																				
21																				
22																				
23																				

Page 1

8. Special Requirement Windows & Options

There is a large variety of options that can be supplied for windows with special requirements. Some of these include: Bay Windows, Corner Windows, and Cut Outs for Venetian Blinds. Every requirement is different due to the product type and the application. This section will help to outline the details and special requirements needed to manufacture these types of blinds.

8.1 Bay Window Allowances


Face Fit

When measuring a bay window, it is important to measure the width hard into the corner for all three blinds. You will also need to take the angle measurement. When ordering, be sure to indicate each blind clearly on the worksheet and order them as NAM, so the necessary deductions will be made by the factory. To avoid chain control tangling, it is suggested that the controls for Blind A and C are placed on the outside of the window, and for Blind B ensure that there is a suitable fixing point for the safety cleat on a mullion/skirting board.

Recess Fit


There are two options when measuring in a window recess.

Front of Recess



Note: Bay windows can also be measured with the blinds placed at the front or back of the recess.


Back of Recess



Note: If the blinds are not clearly marked NAM (*No Allowances Made*) it will be assumed that the sizes given are finished sizes.

8.2 Bay Window Order Form

The below Bay Window worksheet can be found on our order form.
Please make sure this form is completed when ordering this window type.

		CMB BAY WORKSHEET									
<i>Please check all the necessary information is on the Order before submitting.</i>		STORE NAME: 0		ACCOUNT NAME: 0							
		WORKSHEET # / PO #: 0		DATE: 0/01/1900							
		PHONE: +61 2 8850 9301	EMAIL TO: cmborders@pacificwholesale.com.au								
		FAX: + 61 2 9680 7488	ENQUIRIES: cmborders@pacificwholesale.com.au								
											
Room Location	Product	Recess / Face	Allowance ACT / NAM	If Recess: Front/Back Measure	Angle (°)	Measurements (mm)					
						A	B	C	D	E	Drop

8.3 Corner Window



When measuring into a corner it is important to measure the width hard into the corner for both blinds. One blind will then become the “*Thru*” and the other the “*Butt*” blind. When ordering please indicate which blind is the “*Thru*” blind NAM and which blind is the “*Butt*” blind NAM, so the factory can make the necessary deductions. To avoid the controls tangling it is suggested that the controls are not placed in the corner of the window.

Recess

There are two options when measuring in a window recess.



Front of Recess

When measuring at the front of the recess, measure the width hard into the corner and the factory will take appropriate deductions required to allow for the “*Butt*” blind. Be sure to clearly note on the corner diagram worksheet which is the “*Thru*” blind and which is the “*Butt*” blind.





Back of Recess

Check for any obstructions to the blinds when placing them at the back of the recess. Also, please indicate which blinds are the "Thru" and "Butt" so the correct deductions can be taken by the factory.



8.4 Corner Window Order Form

The "Thru" and "Butt" window worksheet can be found on our order form. Please make sure this form is completed when ordering this window type.

		CMB CORNER WORKSHEET							
<i>Please check all the necessary information is on the Order before submitting.</i>		STORE NAME:	0						
		ACCOUNT NAME:	0						
		WORKSHEET # / PO #:	0						
		DATE:	0/01/1900						
PHONE:	+61 2 8850 9301	EMAIL TO:	cmborders@pacificwholesale.com.au						
FAX:	+ 61 2 9680 7488	ENQUIRIES:	cmborders@pacificwholesale.com.au						
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>LEFT HAND CORNER (LH)</p>  </div> <div style="text-align: center;"> <p>RIGHT HAND CORNER (RH)</p>  </div> </div>									
Room Location	Product	Left Hand Or Right Hand	Recess / Face	Allowance ACT / NAM	Butt / Thru	If Recess: Front/Back Measure	Measurements (mm)		
							A	B	Drop

8.5 Cut Outs - Only for PS Venetians

If a cut out is required, please specify the height from the bottom of the door or frame to the top and bottom of the cut out. If the cut out is difficult or more than one cut out on each side is required, then a drawing will be required by the factory.

Please ensure all cells for the cut-out options have been completed before sending through the order.



Gross Open Width	Gross Open Height	Cut Out	Cut Out Height Left	Cut Out Width Left	Cut Out Height Right	Cut Out Width Right
2200	2000	Yes			1100	30

- A. Overall Blind Height
- B. Overall Blind Width
- C. Depth of Cut Out
- D. Cut Out Width

9. Sales Aids

Swatches

We have introduced a range of Sales Aids and swatches that will assist sales people when promoting the Custom-Made Blind Range.

These can be ordered by emailing your order to support@pacificwholesale.com.au


An electronic Sales Aids order form is available.

Please email support@pacificwholesale.com.au and request a Sample Swatches order form to be emailed.

Please see below for the options available.

9.1 50mm and 63mm PS Venetian

\$POA each



9.2 Cellular Blinds Folder

\$POA each




Includes:

- Cellular Blind Cell samples.
- Fabric swatches (all available textures and colours).
- Product information which includes control and functional design options.

13.7 Transition Shades Folder

\$POA each




Includes:

- Transition Shades fabric swatches (all available textures and colours).

10. Custom Made Blinds Remake Process

In the event of a Custom Made Blind being received with a defect, the following information must be emailed to support@pacificwholesale.com.au

1. A copy of the original order form.
2. A new order form, clearly showing the blind(s) that need remaking. Please specify that the order is a **remake** – failure to do so may result in the original order being placed as a new order at full charge.
3. A detailed description specifying exactly what the concern is and exactly what blind or component needs remaking. Failure to clearly specify this information may result in a longer lead time.
4. Supporting photographs illustrating any concerns. For example – if the blind supplied was cut to short, then you must provide photographs which show a tape measure being held against the blind, to clearly illustrate the size it was supplied at.



11. Care and Maintenance

Proper care and maintenance will increase the life of your investment.

CAUTION:

Never use harsh cloths, harsh abrasives, chlorine or ammonia based chemicals or cleaners on the Blinds surfaces as they may affect their appearance, longevity and warranty.

Please note: to avoid creating a possible strangulation hazard for children, any corded internal window covering must be installed in such a way that a loose cord cannot form a loop 220mm or longer at a height of less than 1600mm above floor level.

Please also note: in accordance with this safety legislation, the installation of these products must adhere to the following procedures to avoid creating a possible strangulation hazard for children:

- Check there are no loose cords that a child can reach from the floor, cot, bed or by climbing furniture
- Tie any cords out of reach
- Move any furniture that a child can use to climb on to access operational cords
- Do not remove any child safety locks, or warning tags as per the below image.



11.1 Venetian Blinds

Venetian Blinds should be raised and lowered at least once every 2 months to ensure the mechanisms are working properly. Excessive raising and lowering of Venetian Blinds will place unnecessary strain on components and cause premature wear.

Venetian Blinds are designed to be tilted to filter incoming light and closed for privacy. Venetian Blinds should be dusted regularly using a clean soft cloth, feather duster or a vacuum cleaner with a brush attachment to remove accumulated dust. To clean, move along the slats, with the blind in the lowered position, tilt slats (*not entirely closed*) first one way and then tilt the other way to dust both sides and to ensure you reach the top and bottom surfaces of the slats.

If spraying insecticides or any harmful chemicals the blinds must be placed in a raised position. These chemicals **must not** come in contact with the blinds.

Any moving, sliding or pivoting parts should be sprayed using a food grade silicone spray, do not use any abrasive petroleum lubrications.

11.2 Cellular Blinds

Cellular Blinds should be dusted regularly using a clean soft cloth, feather duster or a vacuum cleaner with a brush attachment to remove accumulated dust. Tougher stains can be removed using a neutral soap on a damp cloth.

If spraying insecticides or any harmful chemicals the blinds must be placed in a raised position. These chemicals **must not** come in contact with the blinds.

Any moving, sliding or pivoting parts should be sprayed using a food grade silicone spray, do not use any abrasive petroleum lubrications. Ensure that silicone spray does not come into direct contact with the fabric as this could cause permanent staining.

11.3 Transition Shades

Transition Shades should be dusted regularly down both sides of the blade, with a soft clean cloth, feather duster or a vacuum cleaner with a brush attachment to remove all accumulated dust. Other stains or marks can be removed using a neutral soap on a damp cloth.

12. Custom Made Blinds Questions & Answers

Q: What is NAM?

A: No Allowance Made – this means you provide the opening size when ordering your blinds and the factory will make the deductions required. Please refer to the [Ordering and Measuring Process](#).

Q: What is ACT?

A: Actual Size – this means you have made the necessary deductions when ordering your blinds and the factory will make no deductions. Please refer to the [Ordering and Measuring Process](#).

Q: Can I order a different sized operating Chain or Wand?

A: Yes. If you require a longer or shorter wand, then please specify this in the “Special Comments” section of your order form.

Q: Can I split the controls for Venetian Blinds?

A: Yes, you can have controls split. This is recommended for easier access and operation of the blinds. Specify what side out you would like each control on at the time of placing your order.

Q: Do I need pictures of faulty goods?

A: Yes, as these are vital facts which the factory requires to support your claim, and they also help to establish what needs to be replaced in order to achieve a quick resolution. Please refer to the [Custom Made Blinds Remake Process](#).

Q: Do you need the goods back once we have replaced them?

A: Not unless requested by Pacific.

Q: What's my lead time on Custom Made Blinds?

A: Between 4 and 6 weeks from order confirmation (*i.e. once all information received on the order form is correct and complete without further questions*).

13. Custom Made Blinds Reference Chart

Please refer to the following pages.

Material	Venetian Blind			
Custom Made Blind Range	50mm PS Slat	50mm PS Privacy Slat	63mm PS Slat	63mm PS Privacy Slat
Size	Blade Sizes			
50mm	✓	✓		
63mm			✓	✓
	Window Types			
Standard	✓	✓	✓	✓
Side By Side	✓	✓	✓	✓
Corner A Butt	✓	✓	✓	✓
Corner A Thru	✓	✓	✓	✓
Corner B Butt	✓	✓	✓	✓
Corner B Thru	✓	✓	✓	✓
Bay A	✓	✓	✓	✓
Bay B	✓	✓	✓	✓
Bay C	✓	✓	✓	✓
	Blind Heights			
Minimum Blind Height	200mm	200mm	200mm	200mm
Maximum Blind Height	3000mm	3000mm	3000mm	3000mm
	Blinds & Window Widths			
Minimum Blind Width	222mm	222mm	222mm	222mm
Maximum Blind Width	3000mm	3000mm	3000mm	3000mm
Maximum Window Width For Single Blind Option	3000mm	3000mm	3000mm	3000mm
	Fitting Method			
Face Fit	✓	✓	✓	✓
Recess Fit	✓	✓	✓	✓
	Fascia/Pelmet Options			
Fascia/Pelmet Standard Or Option	Standard	Standard	Standard	Standard
Colours	Matched To Blind Colour			
Size	85mm	85mm	85mm	85mm
	Special Options Available			
Door Cutouts	✓	✓	✓	✓
Multiple Blinds	✓	✓	✓	✓
Suitable For Wet Areas	✓	✓	✓	✓
	Additional Options Available			
Other Options	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested

Material		Venetian Blind			
Custom Made Blind Range		50mm PS Slat	50mm PS Privacy Slat	63mm PS Slat	63mm PS Privacy Slat
Selling Features		<i>Wide Range Of Colours</i>	<i>Superior Privacy & Light Shielding</i>	<i>Wide Range Of Colours</i>	<i>Superior Privacy & Light Shielding</i>
		Material			
Material		Polystyrene PS	Polystyrene PS	Polystyrene PS	Polystyrene PS
		Advantages			
Termite Proof		✓	✓	✓	✓
Insulative Properties <i>Keeps Homes Both Cooler In Summer & Warmer In Winter</i>		✓	✓	✓	✓
Repels Moisture		✓	✓	✓	✓
Colour	Finish	Colour Options			
Colour	<i>Painted</i>	Antique White V140 Arctic Snow Plain PS103-P Ivory Plain PS207-P Shaded Grey P305 Silver Button P304 White V186	Antique White V140 Arctic Snow Plain PS103-P Ivory Plain PS207-P Shaded Grey P305 Silver Button P304 White V186	Antique White V140 Arctic Snow Plain PS103-P White V186	Antique White V140 Arctic Snow Plain PS103-P White V186
	<i>Printed</i>	Desert PT-06-02PS Sienna PT06-350PS	Desert PT-06-02PS Sienna PT06-350PS	Sienna PT06-350PS	Sienna PT06-350PS

Blind Type		Single Cellular											Double Cellular													
		Single Cellular Blinds Are Available In 25mm, 38mm Or 45mm											Double Cellular Blinds Are Available In 38mm													
		Corded			Cordless			Clutch			Motorised			Corded			Cordless			Clutch			Motorised			
Operation Type		Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	
Size		Blade Sizes																								
25mm		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
38mm		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
45mm		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		Window Types																								
Standard		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Side By Side		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Corner A Butt		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Corner A Thru		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Corner B Butt		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Corner B Thru		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Bay A		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Bay B		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Bay C		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		Blind Heights																								
Minimum Blind Height	25mm	200mm	300mm	200mm	200mm	300mm	200mm	200mm	300mm	200mm	200mm	200mm	200mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Maximum Blind Height		2500mm	2500mm	2500mm	2100mm	2100mm	2100mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Minimum Blind Height	38mm	200mm	300mm	200mm	200mm	300mm	200mm	200mm	300mm	200mm	200mm	200mm	200mm	200mm	600mm	200mm	600mm	600mm	600mm	600mm	600mm	600mm	600mm	600mm	600mm	
Maximum Blind Height		3600mm	3600mm	3600mm	2100mm	2100mm	2100mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	2500mm	2500mm	2500mm	2100mm	2100mm	2100mm	2500mm	2500mm	2500mm	2500mm	2500mm	
Minimum Blind Height	45mm	200mm	300mm	200mm	200mm	300mm	200mm	200mm	300mm	200mm	200mm	200mm	200mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Maximum Blind Height		3600mm	3600mm	3600mm	2100mm	2100mm	2100mm	3000mm	300mm	3000mm	3000mm	3000mm	3000mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
		Maximum Total Square Metre's Per Blind																								
25mm Blind		7.5m ²	4.56m ²	7.5m ²	5.04m ²	5.04m ²	5.04m ²	7.5m ²	6.4m ²	7.32m ²	7.5m ²	7m ²	7.5m ²	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
38mm Blind		10.8m ²	5.5m ²	10.8m ²	5.04m ²	4.04m ²	4.04m ²	9m ²	6.4m ²	7.32m ²	9m ²	7m ² Blockout & Translucent 7m ² Blockout & Lattice 5.50m ² Blockout & Woven	9m ²	7.5m ²	4.56m ²	7.5m ²	5.04m ²	5.04m ²	5.04m ²	7.5m ²	6.4m ²	7.32m ²	4.75m ² Blockout 7m ² Translucent	4.50m ²	5.0m ² Blockout 7.0m ² Translucent	
45mm Blind		10.8m ²	5.5m ²	10.8m ²	5.04m ²	4.04m ²	4.04m ²	9m ²	6.4m ²	7.32m ²	9m ²	7m ² Blockout & Translucent 7m ² Blockout & Lattice 5.50m ² Blockout & Woven	9m ²	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
		Blind Widths																								
Minimum Blind Width		200mm	450mm	450mm	350mm	750mm	750mm	300mm	570mm *	570mm *	710mm (Battery) 620mm (Hardwired)	910mm - 1200mm (Battery) 850mm - 1000mm (Hardwired)	910mm - 1200mm (Battery) 850mm - 1000mm (Hardwired)	200mm	450mm	450mm	250mm	550mm	550mm	300mm	570mm *	570mm *	710mm (Battery) 620mm (Hardwired)	910mm - 1200mm (Battery) 850mm - 1000mm (Hardwired)	910mm - 1200mm (Battery) 850mm - 1000mm (Hardwired)	
Maximum Blind Width		3000mm	3000mm	3000mm	2400mm	2100mm	2400mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	2400mm	2400mm	2400mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	
		Fitting Method																								
Face Fit		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Recess Fit		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		Head Rail/Fascia/Pelmet Options																								
Fascia/Pelmet Standard Or Option		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	
Colours		Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	
Fabric Insert		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
		Special Options Available																								
Door Cutouts		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
Multiple Blinds		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Suitable For Wet Areas		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
Notes		* Clutch Day Night & Top Down Bottom Up, One Control Cord minimum widths are; 600mm (Height < 2000mm), 700mm (Height ≥ 2000mm). Motorised Day Night & Motorised Top Down, Bottom Up Minimum Widths: 910mm (Battery - Simple Touch Wand) 850mm (Hardwired - Simple Touch Wand) 1200mm (Battery - Simple Touch Wireless Remote) 1000mm (Hardwired - Simple Touch Wireless Remote)																								

Blind Type	Single Cellular												Double Cellular											
	Single Cellular Blinds Are Available In 25mm, 38mm Or 45mm												Double Cellular Blinds Are Available In 38mm											
Operation Type	Corded			Cordless			Clutch			Motorised			Corded			Cordless			Clutch			Motorised		
	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up
Selling Features																								
Selling Features	Smaller Headbox Insulation Ideal For Smaller Drops	Light Filtering & Blackout Configuration Smaller Headbox Insulation Ideal For Smaller Drops	Increased Level Of Control & Privacy Smaller Headbox Insulation Ideal For Smaller Drops	No Chains Or Cords Easy Operation Child Safe Insulation	Light Filtering & Blackout Configuration No Chains Or Cords Easy Operation Child Safe Insulation	Increased Level Of Control & Privacy No Chains Or Cords Easy Operation Child Safe Insulation	Clutch Assisted Operation Insulation	Light Filtering & Blackout Configuration Clutch Assisted Operation Insulation	Increased Level Of Control & Privacy Clutch Assisted Operation Insulation	Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Light Filtering & Blackout Configuration Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Increased Level Of Control & Privacy Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Smaller Headbox Increased Insulation Ideal For Smaller Drops	Light Filtering & Blackout Configuration Smaller Headbox Increased Insulation Ideal For Smaller Drops	Increased Level Of Control & Privacy Smaller Headbox Increased Insulation Ideal For Smaller Drops	No Chains Or Cords Easy Operation Child Safe Increased Insulation	Light Filtering & Blackout Configuration No Chains Or Cords Easy Operation Child Safe Increased Insulation	Increased Level Of Control & Privacy No Chains Or Cords Easy Operation Child Safe Increased Insulation	Clutch Assisted Operation Increased Insulation	Light Filtering & Blackout Configuration Clutch Assisted Operation Increased Insulation	Increased Level Of Control & Privacy Clutch Assisted Operation Increased Insulation	Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Light Filtering & Blackout Configuration Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Increased Level Of Control & Privacy Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation
Advantages																								
Insulative Properties Keeps Homes Both Cooler In Summer & Warmer In Winter	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fade Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Child Safe	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Dust Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mould Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Repels Moisture	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PVC Free	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fabric Options																								
Blockout Standard	25mm, 38mm & 45mm Single Cell Only Cotton		Fawn Federal Blue Gray Sheen Jean Blue Ocher Onion Pink Flamingo Pongee Royal Purple			38mm Single Cell Only Anthracite Aqua Glass Buff Yellow Clash Gray Crystal Pink Dark Chocolate			Gray Ridge Ironstone Orion Blue Raycraft Battle Green Sticks & Stones White Dove			45mm Single Cell Only Antique Red Bottle Of Bordeaux Fresh Brew In The Navy Poppysed Stormy Sky			Alabaster Cotton Jean Blue									
Blockout Bamboo Print	25mm, 38mm & 45mm Single Cell Only		38mm Single Cell Only Antique Pewter Avocado Dark Chocolate Dark Gray B			Gray Sheen Jean Blue Pongee Royal Gray Sticks & Stones			N/A															
Translucent Standard	25mm, 38mm & 45mm Single Cell Only Cotton		Bordeaux Cocoa Fawn Ironstone Royal Gray Snow White Spring Green Stone Red			38mm Single Cell Only Ironstone Pier Raycraft Battle Green Royal Mist Gray Sticks & Stones Warm Cocoa			45mm Single Cell Only Antique Red Bottle Of Bordeaux Fresh Brew In The Navy Poppysed Stormy Sky			Agate Red Alabaster Avocado Black Cocoa Cotton Cream Gray Sheen Ironstone Jean Blue Mauk Pongee Rougeate Royal Purple Sangria Snow White Stone Red Sweetmint Water Green Wisteria												
Translucent Bamboo Print	25mm, 38mm & 45mm Single Cell Only		38mm Single Cell Only Antique Pewter Avocado Dark Chocolate Dark Gray B			Gray Sheen Jean Blue Pongee Royal Gray Sticks & Stones			N/A															
Translucent Crepe Woven	25mm, 38mm & 45mm Single Cell Only		38mm Single Cell Only Chocolate Caramel A Milk A Cotton Espresso A Fawn A Fire Brick A			Light Aquamarine Light Olive Green Milk A Royal Gray A Sangria A Tumbledweed			N/A															
Translucent Crush	25mm, 38mm & 45mm Single Cell Only		38mm Single Cell Only Cocoa Cotton Fawn White Dove Winter White			N/A																		
Translucent Linen	25mm, 38mm & 45mm Single Cell Only		38mm Single Cell Only Agate Red Avocado Cocoa Jean Blue Royal Gray Royal Purple			N/A																		
Translucent Lux-Linen	25mm, 38mm & 45mm Single Cell Only		45mm Single Cell Only Chantilly Lace Cotswold Cotton Hazy Skies Royal Gray A Tous Toupe			N/A																		
Translucent Marble	25mm, 38mm & 45mm Single Cell Only		45mm Single Cell Only Amazing Worldly Gray Gray Onlie Gray Border Passive Worldly Gray			N/A																		
Translucent Paisley	25mm, 38mm & 45mm Single Cell Only		Bordeaux Cocoa Fawn Pongee Royal Purple			N/A																		
Translucent Sala	25mm, 38mm & 45mm Single Cell Only		45mm Single Cell Only Argos White Gray White			Passive White Stone Harbour Stormy Gray			N/A															
Translucent Sheer	25mm, 38mm & 45mm Single Cell Only		Alabaster Cocoa Cotton			Fawn Gray Sheen Pink Flamingo Snow White			45mm Single Cell Only Gray Sheen			N/A												
Translucent Sheer A	25mm, 38mm & 45mm Single Cell Only		38mm Single Cell Only Cotton Alabaster			Gray Sheen Snow White			N/A															
Translucent Slub Woven	25mm, 38mm & 45mm Single Cell Only		38mm Single Cell Only Alabaster Black Cocoa Cotton Gray Sheen			N/A																		
Translucent Thatched	25mm, 38mm & 45mm Single Cell Only		25mm & 38mm Single Cell Only Avocado Cocoa Fawn Pongee Terra Cotta			N/A																		
Translucent Woodgrain	25mm, 38mm & 45mm Single Cell Only		45mm Single Cell Only Accessible Beige Amazing Gray Gray Matters Gray Screen Tony Taupe			N/A																		
Translucent Woven	25mm, 38mm & 45mm Single Cell Only		Avocado Cocoa Cotton Fawn Onion			38mm Single Cell Only Anthracite Antique Pewter French Press Ironstone White Dove			N/A															
Day Night Option Available																								
Day Night Colours	Day Night Can Be Ordered With Any Combination Of The Same Cell Size Blockout & Translucent Colours.																							

Product		Transition Blind								
Blind Type		Multi Shade							Triple Shade	
Custom Made Blind Range		Privacy/Blockout Standard	Privacy/Blockout Woven	Jacquard Weave	Premium Blockout	Premium Blockout Woven	Premium Room Darkening	Premium Woven Room Darkening	Textured	Standard
Window Types										
Standard		✓	✓	✓	✓	✓	✓	✓	✓	✓
Side By Side		✓ *	✓ *	✓ *	✓ *	✓ *	✓ *	✓ *	✓ *	✓ *
Corner A Butt		x	x	x	x	x	x	x	x	x
Corner A Thru		x	x	x	x	x	x	x	x	x
Corner B Butt		x	x	x	x	x	x	x	x	x
Corner B Thru		x	x	x	x	x	x	x	x	x
Bay A		x	x	x	x	x	x	x	x	x
Bay B		x	x	x	x	x	x	x	x	x
Bay C		x	x	x	x	x	x	x	x	x
Blind Heights										
Minimum Blind Height		300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm
Maximum Blind Height		3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm
Blind Widths										
Minimum Blind Width		300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm
Maximum Blind Width		2800mm	2800mm	2800mm	3000mm	3000mm	3000mm	3000mm	2600mm	2800mm
Maximum Window Width For Single Blind Option		2800mm	2800mm	2800mm	3000mm	3000mm	3000mm	3000mm	2600mm	2800mm
Fitting Method										
Face Fit		✓	✓	✓	✓	✓	✓	✓	✓	✓
Recess Fit		✓	✓	✓	✓	✓	✓	✓	✓	✓
Head Box Options										
Beige	Colour	✓	✓	✓	✓	✓	✓	✓	✓	✓
Black		✓	✓	✓	✓	✓	✓	✓	✓	✓
Dark Brown		✓	✓	✓	✓	✓	✓	✓	✓	✓
Grey		✓	✓	✓	✓	✓	✓	✓	✓	✓
Ivory		✓	✓	✓	✓	✓	✓	✓	✓	✓
Light Brown		✓	✓	✓	✓	✓	✓	✓	✓	✓
White		✓	✓	✓	✓	✓	✓	✓	✓	✓
Fabric Insert Option		✓	✓	✓	✓	✓	✓	✓	✓	✓
Bottom Rail Options										
Beige	Colour	✓	✓	x	✓	✓	✓	✓	✓	✓
Black		✓	✓	✓	✓	✓	✓	✓	✓	✓
Dark Brown		✓	✓	x	✓	✓	✓	✓	✓	✓
Grey		✓	✓	x	✓	✓	✓	✓	✓	✓
Ivory		✓	✓	x	✓	✓	✓	✓	✓	✓
Light Brown		✓	✓	x	✓	✓	✓	✓	✓	✓
White		✓	✓	✓	✓	✓	✓	✓	✓	✓
Special Options Available										
Door Cutouts		x	x	x	x	x	x	x	x	x
Motorisation		✓	✓	✓	✓	✓	✓	✓	✓	✓
Multiple Blinds		✓	✓	✓	✓	✓	✓	✓	✓	✓
Notes	<p>* Side By Side Transition Blinds will be made with manufacturing tolerances. * Motorisation is available with a 1 channel remote, or 2, 5 and 15 channels by special request.</p>									

Product	Transition Blind								
Blind Type	Multi Shade								Triple Shade
Custom Made Blind Range	Privacy/Blockout Standard	Privacy/Blockout Woven	Jacquard Weave	Premium Blockout	Premium Blockout Woven	Premium Room Darkening	Premium Woven Room Darkening	Textured	Standard
Selling Features	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Woven Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Weave Fabric	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Woven Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Room Darkening Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Room Darkening Fabric Woven Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Largest Range Of Colour Options Textured Pattern	Maintain Privacy While Allowing Light
Fabric Material Properties									
Finish	Blockout Standard	Blockout Woven	Jacquard Weave	Premium Blockout	Blockout Woven	Premium Room Darkening	Premium Woven Room Darkening	Textured	Standard
Composition	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	70% Polyester & 30% RM
Colour Fastness	7 to 8	6 to 8	6 to 8	6 to 7	7 to 8	6 to 7	6 to 7	7 to 8	7 to 8
Fabric Weight Per m ²	163g (+/- 5%)	227g (+/- 5%)	132g (+/- 5%)	193g (+/- 5%)	172g (+/- 5%)	140g (+/- 5%)	140g (+/- 5%)	120g (+/- 5%)	207g (+/- 5%)
Advantages									
Insulative Properties <i>Keeps Homes Both Cooler In Summer & Warmer In Winter</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fade Retardant	✗	✗	✗	✗	✗	✗	✗	✗	✗
Dust Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mould Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓
Repels Moisture	✓	✓	✓	✓	✓	✓	✓	✓	✓
Colours									
Colour	Almond BL902 Bark BL912 Chalk BL901 Ginger BL905 Iron Ore BL904 Midnight BL913 Musk BL903 Otter BL907 Steel BL911	Bonsai B1007 Bracken B1008 Cherrywood B1011 Fossil B1003 Mercury B1005 Meringue B1001 Onyx B1012 Sorbet B1004 Spun Sugar B1002 Thistle B1009 Walnut B1010	Maple LV104 Polar LV101 Rhodium LV103 Slate LV107 Soot LV106 Straw LV102	Champagne BL3004 Dark Pebble BL3007 Dusk BL3005 Oak BL3006 Oatmeal BL3003 Silver BL3001 Warm Grey BL3002	Cold Metal BL2004 Desert Sand BL2003 Espresso BL2008 Honeycomb BL2006 Latte BL2002 Natural BL2001 Slate BL2005 Walnut BL2007	Chocolate BL212 Cotton BL201 Grey BL207 Macadamia BL202 Metal BL208 Sand BL203 Taupe BL210	Ash B512 Autumn B505 Haze B514 Ivory B501 Light Bark B504 Marshmallow B511 Mocha B506 Peacock B503 Safari B513 Sandstone B502 Storm B515	Acorn B123 Alabaster B102 Baby Blue B120 Baby Pink B116 Blue Fizz B106 Charcoal B112 Cheesecake B114 Chinchilla B110 Earth B111 Grape B115 Ivory B121 Lime B108 Marble B109 Mint B119 Mocha B122 Peach B103 Pink Fizz B105 Platinum B125 Pumice B107 Rustic B118 Smoke B124 Snowy B101 Tan B117 Violet B104	Blue Lagoon S607 Chocolate S611 Desert S605 Eggshell S603 Ghost White S601 Popped Corn S602 Purple S609 Titanium S606