

Material	Venetian Blind			
Custom Made Blind Range	50mm PS Slat	50mm PS Privacy Slat	63mm PS Slat	63mm PS Privacy Slat
Size	Blade Sizes			
50mm	✓	✓		
63mm			✓	✓
	Window Types			
Standard	✓	✓	✓	✓
Side By Side	✓	✓	✓	✓
Corner A Butt	✓	✓	✓	✓
Corner A Thru	✓	✓	✓	✓
Corner B Butt	✓	✓	✓	✓
Corner B Thru	✓	✓	✓	✓
Bay A	✓	✓	✓	✓
Bay B	✓	✓	✓	✓
Bay C	✓	✓	✓	✓
	Blind Heights			
Minimum Blind Height	200mm	200mm	200mm	200mm
Maximum Blind Height	3000mm	3000mm	3000mm	3000mm
	Blinds & Window Widths			
Minimum Blind Width	222mm	222mm	222mm	222mm
Maximum Blind Width	3000mm	3000mm	3000mm	3000mm
Maximum Window Width For Single Blind Option	3000mm	3000mm	3000mm	3000mm
	Fitting Method			
Face Fit	✓	✓	✓	✓
Recess Fit	✓	✓	✓	✓
	Fascia/Pelmet Options			
Fascia/Pelmet Standard Or Option	Standard	Standard	Standard	Standard
Colours	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour
Size	85mm	85mm	85mm	85mm
	Special Options Available			
Door Cutouts	✓	✓	✓	✓
Multiple Blinds	✓	✓	✓	✓
Suitable For Wet Areas	✓	✓	✓	✓
	Additional Options Available			
Other Options	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested

Material		Venetian Blind			
Custom Made Blind Range		50mm PS Slat	50mm PS Privacy Slat	63mm PS Slat	63mm PS Privacy Slat
Selling Features		<i>Wide Range Of Colours</i>	<i>Superior Privacy & Light Shielding</i>	<i>Wide Range Of Colours</i>	<i>Superior Privacy & Light Shielding</i>
		Material			
Material		Polystyrene PS	Polystyrene PS	Polystyrene PS	Polystyrene PS
		Advantages			
Termite Proof		✓	✓	✓	✓
Insulative Properties <i>Keeps Homes Both Cooler In Summer & Warmer In Winter</i>		✓	✓	✓	✓
Repels Moisture		✓	✓	✓	✓
Colour	Finish	Colour Options			
Colour	<i>Painted</i>	Antique White V140 Arctic Snow Plain PS103-P Ivory Plain PS207-P Shaded Grey P305 Silver Button P304 White V186	Antique White V140 Arctic Snow Plain PS103-P Ivory Plain PS207-P Shaded Grey P305 Silver Button P304 White V186	Antique White V140 Arctic Snow Plain PS103-P White V186	Antique White V140 Arctic Snow Plain PS103-P White V186

Blind Type		Single Cellular													
		Single Cellular Blinds Are Available In 25mm, 38mm Or 45mm												Skylight Cellular Blinds Are Available In 38mm Single Cell Only	
		Corded			Cordless			Clutch			Motorised			Skylight	
Operation Type		Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	Cordless Standard	Motorised Standard
Size		Blade Sizes													
25mm		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
38mm		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
45mm		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		Window Types													
Standard		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Side By Side		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner A Butt		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner A Thru		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner B Butt		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner B Thru		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bay A		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bay B		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bay C		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		Blind Heights													
Minimum Blind Height	25mm	200mm	300mm	200mm	200mm	300mm	200mm	200mm	300mm	200mm	200mm	200mm	200mm	N/A	N/A
Maximum Blind Height		2500mm	2500mm	2500mm	2100mm	2100mm	2100mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	N/A	N/A
Minimum Blind Height	38mm	200mm	300mm	200mm	200mm	300mm	200mm	200mm	300mm	200mm	200mm	200mm	300mm	600mm	
Maximum Blind Height		3600mm	3600mm	3600mm	2100mm	2100mm	2100mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	2100mm	2100mm
Minimum Blind Height	45mm	200mm	300mm	200mm	200mm	300mm	200mm	200mm	300mm	200mm	200mm	200mm	N/A	N/A	
Maximum Blind Height		3600mm	3600mm	3600mm	2100mm	2100mm	2100mm	3000mm	300mm	3000mm	3000mm	3000mm	3000mm	N/A	N/A
		Maximum Total Square Metres Per Blind													
25mm Blind		7.5m ²	4.56m ²	7.5m ²	5.04m ²	5.04m ²	5.04m ²	7.5m ²	6.4m ²	7.32m ²	7.5m ²	7m ²	7.5m ²	N/A	N/A
38mm Blind		10.8m ²	5.5m ²	10.8m ²	5.04m ²	5.04m ²	5.04m ²	9m ²	6.4m ²	7.32m ²	9m ²	7m ² Blackout & Translucent 7m ² Blackout & Lattice 5.50m ² Blackout & Woven	9m ²	5.04m ²	5.04m ²
45mm Blind		10.8m ²	5.5m ²	10.8m ²	5.04m ²	5.04m ²	5.04m ²	9m ²	6.4m ²	7.32m ²	9m ²	7m ² Blackout & Translucent 7m ² Blackout & Lattice 5.50m ² Blackout & Woven	9m ²	N/A	N/A
		Blind Widths													
Minimum Blind Width		200mm	450mm	450mm	250mm	550mm	550mm	300mm	570mm	570mm	710mm (Battery) 620mm (Powered With Adapter)	910mm - 1200mm (Battery Wand Control) 850mm - 1000mm (Powered With Adapter)	910mm - 1200mm (Battery Wand Control) 850mm - 1000mm (Powered With Adapter)	450mm	710mm (Battery) 620mm (Powered With Adapter)
Maximum Blind Width		3000mm	3000mm	3000mm	2400mm	2400mm	2400mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	2400mm	2400mm
		Fitting Method													
Face Fit		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Recess Fit		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		Head Rail/Fascia/Pelmet Options													
Fascia/Pelmet Standard Or Option		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Colours		Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour
Fabric Insert		x	x	x	x	x	x	x	x	x	x	x	x	x	x
		Special Options Available													
Door Cutouts		x	x	x	x	x	x	x	x	x	x	x	x	x	x
Multiple Blinds		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	x
Suitable For Wet Areas		x	x	x	x	x	x	x	x	x	x	x	x	x	x
Motorisation Information		<p><i>The Motorised Options are:</i></p> <p>Battery Operated Motor with Wand or Remote. Battery Operated Blinds use 8 x AA Batteries per Blind. These are not recommended for frequent use as the batteries may require regular changing. The batteries will need replacing according to the frequency of use and are not rechargeable. Motorised Battery options are not recommended for high window area's (due to the requirements to change batteries).</p> <p>Powered Operated Motor With Power Adapter (Hardwired Motor) with Wand or Remote. These use a 240V Mains Plug and will require a power point/socket close to the Blind. The Blinds will need a continuous power source to operate.</p> <p>Rechargeable Battery Operated Motor With Power Adapter with Wand or Remote. These use a 240V Mains Plug and will require a power point/socket close to the Blind when recharging the battery. This option is not available for Skylight Motorised Blinds.</p>													
Notes		<p>* Clutch Day Night & Top Down Bottom Up, One Control Cord minimum widths are: 600mm (Height < 2000mm), 700mm (Height ≥ 2000mm).</p> <p>† Motorised Day Night & Motorised Top Down, Bottom Up Minimum Widths: 910mm (Battery - Simple Touch Wand) 1200mm (Battery - Simple Touch Wireless Remote) 850mm (Powered Operated Motor With Power Adapter - Simple Touch Wand) 1000mm (Powered Operated Motor With Power Adapter - Simple Touch Wireless Remote)</p> <p>‡ Motorised Skylight Side Channels available in White only.</p>													

Blind Type	Single Cellular													Skylight Cellular Blinds Are Available In 38mm Single Cell Only	
	Single Cellular Blinds Are Available In 25mm, 38mm Or 45mm														
	Corded			Cordless			Clutch			Motorised			Skylight		
Operation Type	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	Cordless Stadar	Motorised Standard	
Selling Features	Smaller Headbox Insulation Ideal For Smaller Drops	Light Filtering & Blockout Configuration Smaller Headbox Insulation Ideal For Smaller Drops	Increased Level Of Control & Privacy Smaller Headbox Insulation Ideal For Smaller Drops	No Chains Or Cords Easy Operation Child Safe Insulation	Light Filtering & Blockout Configuration No Chains Or Cords Easy Operation Child Safe Insulation	Increased Level Of Control & Privacy No Chains Or Cords Easy Operation Child Safe Insulation	Clutch Assisted Operation Insulation	Light Filtering & Blockout Configuration Clutch Assisted Operation Insulation	Increased Level Of Control & Privacy Clutch Assisted Operation Insulation	Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Light Filtering & Blockout Configuration Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Increased Level Of Control & Privacy Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Great Solution For Skylight Windows No Chains Or Cords Easy Operation Child Safe Insulation Easy To Reach Extendable Pole Available	The Ultimate Solution For Hard-To-Reach Skylight Windows Easy Operation Motorised Remote No Chains Or Cords Child Safe Insulation	
Advantages	Insulative Properties Keeps Homes Both Cooler In Summer & Warmer In Winter	Fade Resistant	Child Safe	Dust Resistant	Mould Resistant	Repels Moisture	PVC Free								
Fabric Options	<p>Blockout Standard 25mm, 38mm & 45mm Single Cell Only - Cotton 25mm & 38mm Single Cell Only - Alabaster, Avocado, Black, Bordeaux, Cocoa, Fawn, Federal Blue, Gray Sheen, Jean Blue, Ocher, Onion, Pink Flamingo, Pongee, Royal Purple 38mm Single Cell Only - Anthracite, Aqua Glass, Buff Yellow, Cloak Gray, Crystal Pink, Dark Chocolate, Gray Ridge, Ironstone, Orion Blue, Roycroft Bottle Green, Sticks & Stones, White Dove 45mm Single Cell Only - Antique Red, Battle Of Bordeaux, Fresh Brew, In The Navy, Poppysseed, Stormy Sky</p> <p>Blockout Bamboo Print 38mm Single Cell Only - Antique Pewter, Avocado, Dark Chocolate, Dark Gray B, Gray Sheen, Jean Blue, Pongee, Pongee, Royal Gray, Sticks & Stones</p> <p>Blockout Woodgrain 45mm Single Cell Only - Amazing Gray, Gray Matters, Tony Taupe, Accessible Beige, Gray Screen</p> <p>Blockout Woodgrain Linen 45mm Single Cell Only - Blanched Almond A, Dawn Gray, Silver Gray, Light Walnut, Coral Black</p> <p>Blockout Marble 45mm Single Cell Only - Worldly Gray, Passive, Amazing Worldly Gray, Gray Ponder, Gray Online</p> <p>Blockout Sala 45mm Single Cell Only - Stone Harbor, Stormy Gray, Argos White, Gray White, Passive White</p> <p>Translucent Standard 25mm, 38mm & 45mm Single Cell Only - Cotton 25mm & 38mm Single Cell Only - Agate Red, Alabaster, Avocado, Biscuit, Black, Bordeaux, Cocoa, Cream, Fawn, Grey Sheen, Jean Bue, Marine Blue, Ocher, Onion, Pink Flamingo, Pongee, Roseate, Royal Gray, Royal Purple, Snow White, Spring Green, Stone Red, Tan, Terra Cotta, Water Green, White Dove, Wisteria 38mm Single Cell Only - Anthracite, Antique Pewter, Cloak Gray, Cyberspace, Dark Chocolate, Ironstone, Pier, Roycroft Bottle Green, Roycroft Mist Gray, Sticks & Stones, Warm Cocoa 45mm Single Cell Only - Antique Red, Battle Of Bordeaux, Fresh Brew, In The Navy, Poppysseed, Salamander, Silhouette, Silken Peacock, Stormy Sky</p> <p>Translucent Bamboo Print 38mm Single Cell Only - Antique Pewter, Avocado, Dark Chocolate, Dark Gray B, Gray Sheen, Jean Blue, Pongee, Royal Gray, Sticks & Stones</p> <p>Translucent Crepe Woven 38mm Single Cell and 45mm Single Cell Only - Cotton, Cornsilk A, Fawn A, Mink A, Chocolate, Espresso A, Royal Gray A, Light Aquamarine, Light Olive Green, Fire Brick A, Tumbleweed, Sangria A, Acacia Haze, Wild Ginger, Navy, Gray Moss, Plebian Blue, Stallion, Gourmet Chocolate, Anthracite</p> <p>Translucent Crush 38mm Single Cell Only - Cocoa, Cotton, Fawn, White Dove, Winter White</p> <p>Translucent Linen 38mm Single Cell Only - Agate Red, Avocado, Cocoa, Jean Blue, Royal Gray, Royal Purple</p> <p>Translucent Lux-Linen 45mm Single Cell Only - Chantilly Lace, Cotswold, Cotton, Hazy Skies, Royal Gray A, Taos Taupe</p> <p>Translucent Marble 45mm Single Cell Only - Amazing Worldly Gray, Gray Online, Gray Ponder, Passive, Worldly Gray</p> <p>Translucent Paisley</p> <p>Translucent Sala 45mm Single Cell Only - Argos White, Gray White, Passive White, Stone Harbour, Stormy Gray</p> <p>Translucent Sheer 25mm & 38mm Single Cell Only - Anthracite, Avocado, Black, Alabaster, Cocoa, Cotton, Fawn, Gray Sheen, Pink Flamingo, Snow White 45mm Single Cell Only - Alabaster, Cocoa, Cotton, Grey Sheen</p> <p>Translucent Sheer A 38mm Single Cell Only - Cotton, Alabaster, Gray Sheen, Snow White</p> <p>Translucent Slub Woven 38mm Single Cell Only - Alabaster, Black, Cocoa, Cotton, Gray Sheen</p> <p>Translucent Thatched 25mm & 38mm Single Cell Only - Avocado, Cocoa, Fawn, Pongee, Terra Cotta</p> <p>Translucent Woodgrain 45mm Single Cell Only - Accessible Beige, Amazing Gray, Gray Matters, Gray Screen, Tony Taupe</p> <p>Translucent Woodgrain Linen 45mm Single Cell Only - Blanched Almond A, Dawn Gray, Silver Gray, Light Walnut, Coral Black</p> <p>Translucent Woven 25mm & 38mm Single Cell Only - Avocado, Cocoa, Cotton, Fawn, Onion 38mm Single Cell Only - Anthracite, Antique Pewter, French Press, Ironstone, White Dove</p>														
Day Night Option Available															
Day Night Colours	Day Night Can Be Ordered With Any Combination Of The Same Cell Size Blockout & Translucent Colours.														

Blind Type		Cell-In-Cell Cellular											Double Cellular												
		Cell-In-Cell Cellular Blinds Are Available In 45mm Cell Size Only											Double Cellular Blinds Are Available In 38mm												
		Corded			Cordless			Clutch			Motorised			Corded			Cordless			Clutch			Motorised		
Operation Type		Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up
Size	Blade Sizes																								
25mm																									
38mm																									
45mm																									
	Window Types																								
Standard																									
Side By Side																									
Corner A Butt																									
Corner A Thru																									
Corner B Butt																									
Corner B Thru																									
Bay A																									
Bay B																									
Bay C																									
	Blind Heights																								
Minimum Blind Height	25mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Maximum Blind Height	25mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Minimum Blind Height	38mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	200mm	600mm	200mm	600mm	600mm	600mm	600mm	600mm	600mm	600mm	600mm	600mm	600mm
Maximum Blind Height	38mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2500mm	2500mm	2500mm	2100mm	2100mm	2100mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm
Minimum Blind Height	45mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Maximum Blind Height	45mm	2100mm	2100mm	2100mm	2100mm	2100mm	2100mm	2100mm	2100mm	2100mm	2100mm	2100mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Maximum Total Square Metre's Per Blind																								
25mm Blind		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
38mm Blind		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7.5m ²	4.56m ²	7.5m ²	5.04m ²	5.04m ²	5.04m ²	7.5m ²	6.4m ²	7.32m ²	4.75m ² Blockout 7m ² Translucent	4.50m ²	5.0m ² Blockout 7.0m ² Translucent	
45mm Blind		6.3m ²	3.8m ²	6.3m ²	4.04m ²	4.04m ²	4.04m ²	6.3m ²	5.2m ²	6.3m ²	4.5m ²	4.6m ²	4.6m ²	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	Blind Widths																								
Minimum Blind Width		200mm	450mm	450mm	250mm	550mm	550mm	300mm	570mm	570mm	710mm (Battery) 620mm (Powered With Adapter)	910mm - 1200mm (Battery) 850mm - 1000mm (Powered With Adapter)	910mm - 1200mm (Battery) 850mm - 1000mm (Powered With Adapter)	200mm	450mm	450mm	250mm	550mm	550mm	300mm	570mm	570mm	710mm (Battery) 620mm (Powered With Adapter)	910mm - 1200mm (Battery) 850mm - 1000mm (Powered With Adapter)	910mm - 1200mm (Battery) 850mm - 1000mm (Powered With Adapter)
Maximum Blind Width		3000mm	3000mm	3000mm	2400mm	2400mm	2400mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	2400mm	2400mm	2400mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm
	Fitting Method																								
Face Fit																									
Recess Fit																									
	Head Rail/Fascia/Pelmet Options																								
Fascia/Pelmet Standard Or Option		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Colours		Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour
Fabric Insert		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	Special Options Available																								
Door Cutouts		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Multiple Blinds																									
Suitable For Wet Areas		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Motorisation Information	<p>The Motorised Options are:</p> <p>Battery Operated Motor with Wand or Remote. Battery Operated Blinds use 8 x AA Batteries per Blind. These are not recommended for frequent use as the batteries may require regular changing. The batteries will need replacing according to the frequency of use and are not rechargeable. Motorised Battery options are not recommended for high window area's (due to the requirements to change batteries).</p> <p>Powered Operated Motor With Power Adapter (Hardwired Motor) with Wand or Remote. These use a 240V Mains Plug and will require a power point/socket close to the Blind. The Blinds will need a continuous power source to operate.</p> <p>Rechargeable Battery Operated Motor With Power Adapter with Wand or Remote. These use a 240V Mains Plug and will require a power point/socket close to the Blind when recharging the battery.</p>																								
Notes	<p>* Clutch Day Night & Top Down Bottom Up, One Control Cord minimum widths are; 600mm (Height < 2000mm), 700mm (Height ≥ 2000mm).</p> <p>Motorised Day Night & Motorised Top Down, Bottom Up Minimum Widths:</p> <p>910mm (Battery - Simple Touch Wand)</p> <p>850mm (Powered Operated Motor With Power Adapter - Simple Touch Wand)</p> <p>1000mm (Powered Operated Motor With Power Adapter - Simple Touch Wireless Remote)</p>																								

Blind Type	Cell-In-Cell Cellular												Double Cellular											
	Cell-In-Cell Cellular Blinds Are Available In 45mm Cell Size Only												Double Cellular Blinds Are Available In 38mm											
Operation Type	Corded			Cordless			Clutch			Motorised			Corded			Cordless			Clutch			Motorised		
	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up
Selling Features	<p>Selling Features</p> <p>Smaller Headbox Superior Insulation Ideal For Smaller Drops</p> <p>Light Filtering & Blockout Configuration</p> <p>Increased Level Of Control & Privacy</p> <p>No Chains Or Cords Easy Operation Child Safe Superior Insulation</p> <p>Light Filtering & Blockout Configuration</p> <p>Increased Level Of Control & Privacy</p> <p>No Chains Or Cords Easy Operation Child Safe Superior Insulation</p> <p>Clutch Assisted Operation Superior Insulation</p> <p>Light Filtering & Blockout Configuration</p> <p>Increased Level Of Control & Privacy</p> <p>Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Superior Insulation</p> <p>Light Filtering & Blockout Configuration</p> <p>Increased Level Of Control & Privacy</p> <p>Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Superior Insulation</p> <p>Smaller Headbox Increased Insulation Ideal For Smaller Drops</p> <p>Light Filtering & Blockout Configuration</p> <p>Increased Level Of Control & Privacy</p> <p>No Chains Or Cords Easy Operation Child Safe Superior Insulation</p> <p>Light Filtering & Blockout Configuration</p> <p>Increased Level Of Control & Privacy</p> <p>No Chains Or Cords Easy Operation Child Safe Superior Insulation</p> <p>Clutch Assisted Operation Increased Insulation</p> <p>Light Filtering & Blockout Configuration</p> <p>Increased Level Of Control & Privacy</p> <p>Clutch Assisted Operation Increased Insulation</p> <p>Light Filtering & Blockout Configuration</p> <p>Increased Level Of Control & Privacy</p> <p>Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Superior Insulation</p> <p>Light Filtering & Blockout Configuration</p> <p>Increased Level Of Control & Privacy</p> <p>Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Superior Insulation</p>																							
Advantages	<p>Advantages</p> <p>Insulative Properties Keeps Homes Both Cooler In Summer & Warmer In Winter</p> <p>Fade Resistant</p> <p>Child Safe</p> <p>Dust Resistant</p> <p>Mould Resistant</p> <p>Repels Moisture</p> <p>PVC Free</p>																							
Fabric Options	<p>Fabric Options</p> <p>Blockout Standard: 45mm Cell-In-Cell - Cotton, Taupe B, Beige B, Ivory A, Classic Gray, Blue Wind, Gray Storm, Black</p> <p>Translucent Standard: 45mm Cell-In-Cell - Cotton, Taupe B, Beige B, Ivory A, Classic Gray, Blue Wind, Gray Storm, Black</p> <p>Cell-In-Cell Bamboo Translucent: 45mm Cell-In-Cell - Sticks & Stones, Antique Pewter</p> <p>Cell-In-Cell Bamboo Blockout: 45mm Cell-In-Cell - Sticks & Stones, Antique Pewter</p> <p>38mm Double Cell - Alabaster, Cotton, Jean Blue</p> <p>38mm Double Cell - Agate Red, Alabaster, Avocado, Black, Cocoa, Cotton, Cream, Gray Sheen, Ironstone, Jean Blue, Musk, Pongee, Rosegate, Royal Purple, Sangria, Snow White, Stone Red, Sweetmint, Water Green, Wisteria</p>																							
Day Night Option Available																								
Day Night Colours	Day Night Can Be Ordered With Any Combination Of The Same Cell Size Blockout & Translucent Colours.																							

Product	Transition Blind																	
Blind Type	Multi Shade														Triple Shade			
Custom Made Blind Range	Privacy/Blockout Standard ¹	Privacy/Blockout Woven ¹	Semi Blockout Grain	Semi Blockout Textured	Privacy Textured	Privacy Grain	Privacy Large	Jacquard Weave	Premium Blockout	Premium Blockout Woven	Premium Room Darkening	Premium Woven Room Darkening	Textured	Eco Friendly	Standard	Semi Blockout	Privacy Standard	Jacquard Weave
Window Types																		
Standard	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Side By Side	✓*	✓*	✓*	✓*	✓*	✓*	✓*	✓*	✓*	✓*	✓*	✓*	✓*	✓*	✓*	✓*	✓*	✓*
Corner A Butt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner A Thru	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner B Butt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner B Thru	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bay A	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bay B	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bay C	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Blind Heights																		
Minimum Blind Height	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm
Maximum Blind Height	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm
Blind Widths																		
Minimum Blind Width	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm
Motorised Minimum Blind Width	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm
Maximum Blind Width	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm
Maximum Window Width For Single Blind Option	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm
Fitting Method																		
Face Fit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Recess Fit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Head Box Options																		
Beige	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Black	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Dark Brown	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Grey	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ivory	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Light Brown	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
White	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fabric Insert Option	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bottom Rail Options																		
Bottom Rail Type	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Square Profile With Fabric Insert	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Shuttle Oval Profile	Shuttle Oval Profile	Shuttle Oval Profile
Beige	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Black	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Dark Brown	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Grey	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ivory	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Light Brown	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
White	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Special Options Available																		
Door Cutters	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Motorisation	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Multiple Blinds	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Notes	¹ Previously called Blockout Standard, now called Privacy Standard. ² Previously called Blockout Woven, now called Privacy Woven. * Side By Side Transition Blinds will be made with manufacturing tolerances. * Motorisation is available with a 1 channel remote, or 2, 5 and 15 channels by special request.																	

Product	Transition Blind																		
Blind Type	Multi Shade														Triple Shade				
Custom Made Blind Range	Privacy/Blockout Standard	Privacy/Blockout Woven	Semi Blockout Grain	Semi Blockout Textured	Privacy Textured	Privacy Grain	Privacy Large	Jacquard Weave	Premium Blockout	Premium Blockout Woven	Premium Room Darkening	Premium Woven Room Darkening	Textured	Eco Friendly	Standard	Semi Blockout	Privacy Standard	Jacquard Weave	
Selling Features	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Woven Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Semi Blockout Fabric Grain Pattern	Excellent Light & Privacy Control Compact & Neat Window Covering Semi Blockout Fabric Textured Pattern	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Textured Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Grain Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Weave Fabric	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Woven Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Room Darkening Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Room Darkening Fabric Woven Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Room Darkening Fabric Textured Pattern	Excellent Light & Privacy Control Compact & Neat Window Covering Large Range Of Colour Options Textured Pattern	Excellent Light & Privacy Control Compact & Neat Window Covering Reduce Heat & Glare Made From 87% Recycled Yarn Content	Maintain Privacy While Allowing Light	Maintain Privacy While Allowing Light	Maintain Privacy While Allowing Light	Maintain Privacy While Allowing Light
Fabric Material Properties																			
Finish	Blockout Standard	Blockout Woven	Semi Blockout Grain	Semi Blockout Textured	Privacy Textured	Privacy Grain	Privacy Large	Jacquard Weave	Premium Blockout	Blockout Woven	Premium Room Darkening	Premium Woven Room Darkening	Textured	Eco Friendly	Standard	Semi Blockout	Privacy Standard	Jacquard Weave	
Composition	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester (87% Recycled Yarn Content)	70% Polyester & 30% RM	100% Polyester	100% Polyester	100% Polyester	
Colour Fastness	7 to 8	6 to 8	6 to 7	6 to 7	6 to 7	6 to 7	6 to 7	6 to 8	6 to 7	7 to 8	6 to 7	6 to 7	7 to 8	4 to 5	7 to 8	7 to 8	7 to 8	7 to 8	
Fabric Weight Per m	163g (+/- 5%)	227g (+/- 5%)	173g (+/- 5%)	109g (+/- 5%)	172g (+/- 5%)	184g (+/- 5%)	200g (+/- 5%)	132g (+/- 5%)	193g (+/- 5%)	172g (+/- 5%)	140g (+/- 5%)	140g (+/- 5%)	120g (+/- 5%)	118g (+/- 5%)	207g (+/- 5%)	209g (+/- 5%)	470g (+/- 5%)	211g (+/- 5%)	
Advantages																			
Insulative Properties <small>Keeps Homes Both Cooler In Summer & Warmer In Winter</small>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Fade Retardant	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	
Dust Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Mould Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Repels Moisture	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Colours																			
Colour	Almond BL002 Bark BL912 Chalk BL901 Ginger BL905 Iron Ore BL904 Midnight BL913 Musk BL903 Otter BL907 Steel BL911	Bonsai B1007 Blacken B1008 Cherrywood B1011 Fossil B1003 Mercury B1005 Meringue B1001 Onyx B1012 Sorbet B1004 Spin Sugar B1002 Thistle B1009 Walnut B1010	Cloud BL4801 Dove BL4802 Hazy BL4805 Iron BL4806 Oat BL4803 Stone BL4804	Ashen BL5207 Bone BL5204 Chiffon BL5206 Cream BL5203 Daisy BL5201 Hazel BL5205 Leather BL5211 Ocean BL5209 Pale BL5202 Royal BL5210 Smoky BL5208	Coffee BL5000 Coin BL5004 Lace BL5002 Linen BL5003 Porcelain BL5001 Shadow BL5006	Biscuit BL5802 Bright Silver BL5801 Honey BL5803 Jet Black BL5808 Sea BL5805 Spruce BL5806 Steel Blue BL5807 Steel Grey BL5804	Blonde BL4602 Dust BL4604 Frost BL4601 Pebble BL4611 Snow BL4600	Cappuccino LV105 Maple LV104 Polar LV101 Rhodium LV103 Slate LV107 Soot LV106 Straw LV102	Champagne BL3004 Dark Pebble BL3007 Dark BL3005 Oak BL3006 Oatmeal BL3003 Silver BL3001 Warm Grey BL3002	Cold Metal BL2004 Desert Sand BL2003 Espresso BL2008 Honeycomb BL2006 Latte BL2002 Natural BL2001 Slate BL2005 Walnut BL2007	Chocolate BL212 Cotton BL201 Grey BL207 Macadamia BL202 Metal BL208 Sand BL203 Taupe BL210	Ash B512 Autumn B505 Haze B514 Ivory B501 Light Bark B504 Marshmallow B511 Mocha B506 Peacock B503 Safari B513 Sandstone B502 Storm B515	Acorn B113 Alabaster B102 Baby Blue B120 Baby Pink B116 Blue Fizz B106 Charcoal B112 CheeseCake B114 Chinchilla B110 Earth B111 Grape B115 Ivory B121 Lime B108 Marble B109 Mint B119 Mocha B122 Peach B103 Pink Fizz B105 Platinum B125 Pumice B107 Rustic B118 Smoke B124 Snowy B101 Tan B117 Violet B104	Frosted GRS101 Caramel GRS102 Stormy Grey GRS103	Blue Lagoon S607 Chocolate S611 Desert S605 Eggshell S603 Ghost White S601 Popped Corn S602 Purple S609 Titanium S606	Beige SP102 Lead SP103 Powder SP101 Umber SP104	Buttermilk SP1002 Pearl SP1001 Powder SP1003 Wood SP1004	Order SH206 Coconut SH201 Fawn SH203 Graphite SH205 Havemut SH202 Soft Grey SH204	