



PACIFIC
WHOLESALE DISTRIBUTORS

Custom Made Blinds Manual



**Venetians
Cellulars
Transitions
Roma Shades**

September 2025

Version 2025.4

T +61 2 9680 7999

E info@pacificwholesale.com.au | **W** www.pacificwholesale.com.au

Contents

1.	Introduction	3
2.	Custom Made Blinds	4
3.	Custom Made Venetian Blinds	5
4.	Custom Made Cellular Blinds.....	11
5.	Custom Made Transition Shades	30
6.	Custom Made Roma Shades.....	37
10.	Sales Aids	47
11.	Custom Made Blinds Remake Process	49
12.	Custom Made Blinds Questions & Answers	52
13.	Custom Made Blinds Reference Chart	53

The **Pacific Wholesale Distributors Terms & Conditions** can be viewed here;
[Pacific Wholesale Distributors Australia Terms & Conditions](#)

1. Introduction

The Custom Made Blinds Range offers an extensive range of window furnishing options to suit any application, with a wide range of product, material, and colour choices.

Elegant and stylish Custom Made Blinds will add value to a home and will enhance the living spaces. The vast range of Custom Made Blinds ensures an easy solution for all applications. With the added advantage of being energy efficient, which helps to keep homes cooler in summer and warmer in winter.

Supporting this great range are swatches and sales aids that can be used by all sales and showroom staff when promoting the Custom Made Blind range, please refer to [Sales Aids](#).



2. Custom Made Blinds

What are Custom Made Blinds?

- Custom Made Blinds offer a range of solutions for window coverings.
- Custom Made Blinds have been designed to be aesthetically pleasing following the latest trends and colours.
- Custom Made Blinds are made to your specifications to ensure a perfect fit for every application.
- Custom Made Blinds come with safety devices to comply with Australian Child Safety Standards.

Custom Made Blinds Range:


All Custom Made Blinds offer the above advantages with specific features according to the product types as follows:

- ✓ Venetian Blinds
 - 50mm and 63mm Venetians
 - 50mm and 63mm PS Privacy Venetians
- ✓ Cellular Blinds
 - 25mm Single Cell
 - 38mm Single and Double Cell
 - 45mm Single Cell
 - 45mm Cell-In-Cell
- ✓ Transition Shades
 - Multi Shades
 - Triple Shades

3. Custom Made Venetian Blinds

3.1 50mm & 63mm PS Venetian Blinds

- The 50mm and 60mm PS Venetian Blind slats are manufactured from compressed polystyrene; this has been tested to withstand temperatures of up to 75 Degrees. (*PS Slat withstands much higher temperatures than PVC*).
- The 50mm and 63mm PS Venetian Blind uses a 51.5mm x 57.5mm roll formed steel painted head rail. The end mounts and centre brackets are made of steel to provide strength, and are painted to match the colour of the head rail.
- 2.2mm non-stretch cord is provided for slat rotation.
- Slat tilting is controlled by a solid cast body wand tilter with a strong metal tilt drive insert. A metal bodied cord lock is also used to ensure product longevity.
- PS slats are water resistant making them ideal for wet areas, and are also resistant to chipping and cracking.
- To ensure privacy, the PS Venetian Blind is manufactured using a 42mm pitched ladder braid, which creates a generous overlap of the slats when the blind is closed.
- Ladder braid, plastic components have all been colour matched to the slat.
- An 85mm decorative fascia with concealed metal mounting clips is standard with PS Venetian blinds.
- A trapezoid bottom rail provides improved closure.
- Clear polycarbonate hold-down clips are provided as an option, to stabilise the bottom rail in the window.




For details on the Colours for Venetians slat/blades, please refer to the [Custom Made Blind Reference Chart](#)

3.2 50mm & 63mm PS Venetian Blinds Options & Parts


Hold Down Clips

- Holds down clips made from reinforced polycarbonate plastic and are optional at no extra cost.
- Holds down clips are an ideal option for venetian blinds that are used on doors and windows which can be opened. They will help prevent the blinds from swinging due to the wind.



Bottom Rails

- All PS and Privacy venetians blinds have a unique trapezoid shaped bottom rail which assists with smoother tilting and closing operation.







Fascia

- A standard 85mm decorative fascia is supplied with PS and PS Privacy venetian blinds. These come with concealed metal mounting clips.
- Common fascia's are also available when installing two or more blinds together in the same opening.
- The maximum length for a single fascia is 2700mm. Fascias longer than 2700mm will be supplied as separate pieces, which can be connected with a metal joiner supplied.

Safety Features

- All venetian blinds will have a colour matched plastic breakaway safety tassel as part of lift cord system. This safety tassel is designed to break apart to stop a loop from forming which is a strangulation hazard. This complies with Child Safety Regulations.
- All Venetian blinds are supplied with clear polycarbonate cord cleats to tie off the cord when the blinds are raised.
- Warning labels are also attached to the blinds to alert consumers to the possible risks in the blind operation. This complies with Child Safety Regulations.
- The installer is required by law to ensure all safety devices are installed correctly and they must also attach a signed sticker or tag as per "Fitter Requirements" by law.




3.3 50mm & 63mm PS Venetian Blinds Stack Heights

Below are the standard stack heights for each blind drop.


Blind Drop	Stack Height
500mm	104mm
1000mm	144mm
1500mm	184mm
2000mm	224mm
2500mm	264mm
3000mm	304mm

3.4 50mm & 63mm PS Privacy Venetian Blinds

- The 50mm and 63mm PS Privacy Blind offers all the benefits of the 50mm and 63mm PS Venetian blind range.
- The 50mm and 63mm PS Privacy Blind has no punch holes in the slat, and the ladder runs on the outer edge of the slats. This design provides greater privacy and light filtering to the standard PS Venetian Blinds.



STANDARD VENETIAN BLIND compared to PRIVACY VENETIAN BLIND



For details on the Colours for Venetians slat/blades, please refer to the [Custom Made Blind Reference Chart](#)

3.5 Cut Outs – Only for PS Venetians

If a cut out is required, please specify the height from the bottom of the door or frame to the top and bottom of the cut out. If the cut out is difficult, or more than one cut out on each side is required, then a clear drawing will be required.

Please ensure all cells for the cut-out options have been completed before sending through the order.



Gross Open Width	Gross Open Height
2200	2000

Cut Out	Cut Out Height Left	Cut Out Width Left	Cut Out Height Right	Cut Out Width Right
Yes			1100	30

- A. Overall Blind Height
- B. Overall Blind Width
- C. Depth of Cut Out
- D. Cut Out Width

3.6 Selling Tips

- Venetian Blinds are ideal in a situation where windows are left open to allow ventilation, as they provide control over light and privacy, without damage to the blind. They wipe clean and are stable in a breeze with hold-downs.
- Always check that there is a position where cords can be tied off for Child Safety.
- In the reveal, minimum depth required is 60mm (65 for 63mm blade) plus 12-15mm for the Fascia.
- If space is tight, the fascia can be ordered longer to either fit into the quirk, or with returns, to be installed as semi-reveal.
- Venetian Blinds will not achieve total light block out, especially tall/large blinds. The longer the blind, the more light will seep in, when closed.
- Venetian Blinds close better one way – usually down.
- They are not made to be stacked every day. They should be pulled up to a stacked position and released again every 2 months or so, as regular maintenance.
- Avoid ordering single blinds that exceed approx. 4m². Large blinds place stress on the mechanisms and on the operator as they are heavy. All large blinds should be supported when raised or lowered.
- Small blinds may have lift cords on the opposite side of the head rail from the tilt cords.
- PS contains stabilisers, however over a period of exposure, PS may discolour in direct sunlight.
- Venetian Blinds are better if installed in a reveal aesthetically and as components are covered, therefore not as exposed to dust, salt air, atmospheric moisture and toxins.
- 63mm Venetian Blinds can give the appearance of a shutter from outside the home, which is a good option where the budget is tight.

4. Custom Made Cellular Blinds

4.1 Features and Benefits

Style

Cellular Blinds have a modern clean-line aesthetic, offering a fashionable look which will compliment most décor styles. Aesthetic highlights include:

- A wide range of colours and textures to choose from across various levels of light control, with three cell sizes and options for Single Cell, Double Cell and Cell-In-Cell options.
- Minimal stacking heights, looking neat and maximizing light into the room when stacked.
- Head Rail, Mid-rail (for TDBU and Day/Night) and Bottom Rails are powder coated to match, no fabric inserts are used.
- Default powder coated rails and cords are matched within a shade or two of blind fabric colour.
- Alternative rail colours may be specified when ordering.
- All wands and safety devices are transparent.
- Side Channels available for 25mm and 38mm Standard Cordless Cellulars in White/Snow White, Ivory/Classic White, Gray/Earl Gray and Black.
- Motorised Blind configuration options include Power Supply (Battery, Rechargeable Battery, Rechargeable USB-C and Hardwired) and Control Type (Wand and Remote).
- Cellular Blinds and Remotes conform to Child Safety Regulations.

Function

- Superior insulation, both for heat/cold (refer to following R value section), light and sound. Benefits of energy cost savings, environmental sustainability and multi-faceted comfort for the consumer.
- Four operating control choices, to suit different openings, lifestyle and budget.
- Flexible ventilation and privacy control, in particular the Top Down Bottom Up option.
- Translucent (Semi Opaque) or Block-out (Opaque) options.
- Block-out fabrics are light blocking. Gaps between reveal and blind are small allowing only minimal light leakage, therefore these blinds are considered to be Room Darkening.
- Side Channels available for recessed openings to prevent light leakage.
- Accommodate both small and large openings. Sizes vary according to control option and cell size.
- 100% Polyester is easy to clean.

For details on textures and colours for Cellular Blinds please refer to the [Custom Made Blind Reference Chart](#)

4.2 Sustainability and R Value




Increasingly, informed consumers are shopping for window furnishings that deliver energy savings in addition to aesthetics and functionality. Energy is saved when temperature transfer is minimised, be it hot or cold, between the outside and inside of buildings.

R and its metric version RSI value, describe how effective a material is at resisting heat flow by conduction. The higher the R Value, the slower the rate of heat/cold transfer through the material, therefore the better the insulation property, and the higher the energy saving. Glass for example, has a low R-Value.

It is widely accepted and proven that well fitted Cellular blinds are very effective at reducing heat/cold transfer; this is because air pockets are very efficient insulators. Performance varies depending on the size of the cell, and the number of layers that can create pockets of air. Please see R values of OPC Cellular blinds in the following chart:

CELL SIZE	FABRIC	RSI Value (m2K)/W	R Value (ft2·°F·hr)/Btu
38	Single Cell Translucent	0.82	4.64
38	Single Cell Blockout	1.16	6.57
38	Double Cell Translucent	0.87	4.92
38	Double Cell Blockout	1.19	6.75
25	Single Cell Translucent	0.55	3.10
25	Single Cell Blockout	0.77	4.36
45	Single Cell Translucent	0.5	2.84
45	Single Cell Blockout	0.43	2.46
45	Cell-In-Cell Translucent	0.59	3.36
45	Cell-In-Cell Blockout	0.5	2.84

4.3 Cell Configuration



25mm Cellular Blinds

- Have small unobtrusive bottom rails, requiring only 27mm clear reveal space for recess fit.
- Available in Single Cell only.
- Available in Block-out and Translucent, in a wide range of colours and textures.
- Side Channels available in Standard Corded and Cordless operation to help reduce light (only available in White/Snow White, Ivory/Classic White, Gray/Earl Gray and Black).
- Please see section 4.7 below for Top Rail depth and bracket allowances, which vary depending on operation.

38mm and 45mm Cellular Blinds

- Have unobtrusive bottom rails, requiring 47mm clear reveal space for 38mm recess fit and requiring 54mm clear reveal space for 45mm recess fit.
- Available in 38mm and 45mm Single Cell, 38mm Double Cell and 45mm Cell-In-Cell
- Available in both Block-out and Translucent Fabrics, in a wide range of colours and textures.
- Side Channels available in Standard Single Cell 38mm Corded and Cordless operation to help reduce light (only available in White/Snow White, Ivory/Classic White, Gray/Earl Gray and Black).
- Please see section 4.6 below for Top Rail depth and bracket allowances, which vary depending on operation.
- The Rechargeable USB-C Operated Motor is only available for 45mm Single and Cell-In-Cell Cellulars.
- 38mm Single Cellular fabric can be selected for Rechargeable USB-C Operated Motor, however the head rail will remain the 45mm size and the bottom rail will suit the 38mm size.

For details on textures and colours please refer to the [Custom Made Blind Reference Chart](#)


4.4 Control Options

Cellular Blinds have a range of options to suit operation requirements:

- Corded Control
- Clutch Control
- Cordless
- Motorised – Battery Operated with either Wand Control or Remote Control (batteries not included)
- Motorised – Rechargeable Battery-Operated Motor with either Wand Control or Remote Control
- Motorised – Rechargeable USB-C Operated Motor with Wand and Remote Control (1.5m USB-C to USB-C charger is supplied)
- Motorised – Powered Operated Motor with Power Adapter (Hardwired Motor) with either Wand Control or Remote Control
- Skylight – Cordless
- Skylight - Motorised


■ **Standard Cord Control**

- Cord lock system that raises or lowers the bottom rail
- Cord Installation must meet child safety rules
- Supplied child safety devices are transparent
- No surcharges on standard blind
- Top Down Bottom Up and Day/Night Available
- Side Channels available for 25mm and 38mm Standard Cellulars




■ **Clutch Control**

- Continuous looping cord
 - Pull down the front of the cord to raise the blind.
 - Pull down the back of the cord to lower the blind
- Cord Installation must meet child safety rules
- Supplied child safety devices are transparent
- Clutch cord will be supplied as Cotton/White, unless specified otherwise
- Surcharge applies
- Top Down Bottom Up and Day/Night Available with 2 cords.




■ **Cordless Control**

- The ultimate child safe solution with no visible cords
- Use the blind handle (optional on the bottom rail to raise or lower)
- The blind will stay in the desired position
- Surcharge applies
- 25mm, 38mm and 38mm Double Cell maximum width 2400mm
- Maximum drop 2100mm
- Top Down Bottom Up and Day/Night Available
- Side Channels available for 25mm and 38mm Standard Cellul




■ Motorised – Wand/Remote Control

- Available in either battery, rechargeable battery, rechargeable USB-C, and power adaptor solutions (*For Battery Operated Blinds, the 8 x AA Batteries are not included*)
- Raise or lower the blind with a touch of a button on the wand or remote control
- Surcharge applies
- Remote has 15 channels
- 2m or 3m wired extension cables for Hardwired are available on Request




■ Skylight - Cordless

- A great solution for Skylight windows
- The ultimate child safe solution with no visible cords
- Use the blind handle on the bottom rail to open/close blind and the blind will stay in the desired position
- Available in 38mm Single cell only
- Surcharge applies
- Supplied with wire guides running through the fabric
- Supplied with magnets on the bottom rail for a secure close
- Must have fixing points for the headrail and bottom rail, therefore can only be installed as a recess fit application
- An Extendable Pull Stick is available to order, upon request
Extendable pull stick size from 914.4mm - 1676.4mm



■ Skylight – Motorised

- The ultimate solution for hard-to-reach Skylight windows
- Open or Close the blind with a touch of a button on a remote control
- Must be supplied with side channels to hold rails and fabric
- Side channels supplied in white only
- Motor operated by a power adapter – constant power needed
- Available in 38mm Single cell only
- Surcharge applies
- Remote has 15 channels
- Standard operation only
- Must have fixing points on all 4 sides of blind




4.5 Configuration Options

In addition to Standard Cellular Blinds, there are several configuration options that offer greater functionality:


A. Top Down Bottom Up

- Allows the blind to be raised from the bottom and/or lowered from the top, providing superior privacy and light control.
- Available in Corded, Clutch, Motorised and Cordless control systems.
- A middle rail (same rail as a bottom rail) is fitted immediately below Headrail to facilitate the Top Down option
- **Corded** operates with cord locks on both the left and right sides of the Headrail, with an option on the order form to choose which side will operate the middle (Top Down) and bottom rails (Bottom Up) respectively. On the order form:
 - Top Left, Bottom Right means the Left cord controls the middle rail (Top Down)
 - Top Right, Bottom Left means the Right cord controls the middle rail (Top Down)
- **Clutch** operates with one cord on both the left and right sides of the blind
- Order form codes are:
 - LR means cord controlling middle rail (Top Down) is on the left
 - RL means cord controlling middle rail (Top Down) is on the right


For Size details please refer to the [Custom Made Blind Reference Chart](#).



Cordless



'TOP DOWN'



'BOTTOM UP'

B. Day/Night

Two blinds (usually a Translucent and Block-out) are fitted one above the other on the same headrail, with a middle rail (same rail as a bottom rail) between these blinds.

'DAY' – allows the Translucent blind to show.

'NIGHT' – allows the Blockout blind to show.

- Either blind, or a combination of these blinds can be selected to cover the window at any given time. This gives total flexibility, control and functionality
- Day Blind can be ordered to be positioned on the top, or the bottom; visa versa for the Night Blind.
- Available in Corded, Cordless, Motorised and Clutch control systems.
- Charged as two blinds (selecting the correct fabric type price grid) with an additional surcharge.

Corded operates with a cord lock on both left and right sides of the headrail, with an option on order forms to choose which side will operate the Day and Night Blinds respectively:

Top Left, Bottom Right means the Left cord controls the middle rail (exposing top blind), the Right cord controls the bottom rail (exposing bottom blind).

Top Right, Bottom Left means the Right cord controls the middle rail (top blind), the Left cord controls the bottom rail (bottom blind).



Clutch operates with one cord on both the left and right sides, or one single cord on one side.

Order form codes are:



- LR means cord operating the higher positioned of the two blinds is on the left
- RL means cord operating the higher positioned of the two blinds is on the right
- L is one control cord on the left, operating all rails on the one single cord
- R is one control cord on the right, operating all rails on the one single cord

For Size details please refer to the [Custom Made Blind Reference Chart](#).



Corded



Clutch



Cordless



C. Side Channels

For Standard Corded and Cordless Cellulars in 25mm and 38mm Single Cell sizes, side channels are now available for recess fit openings to help reduce light. Currently, the following colour options are available:

- White/Snow White
- Ivory/Classic White
- Gray/Earl Gray
- Black

The following deductions will be taken when ordering a Cellular with side channels:

	Headbox	Fabric	Bottom Rail
25mm Corded	-8mm	-8mm	-8mm
25mm Cordless	-8mm	-8mm	-8mm
38mm Corded	-3mm	-15mm	-15mm
38mm Cordless	-3mm	-15mm	-15mm

The factory will take standard deductions when side channels are ordered, Recess NAM must be selected on the order form.

All channels are supplied in 3m lengths which need to be cut-down by the installer, pre-cut channels are not available. The minimum pack size is 4 lengths.

A bottom channel can be requested on the order form, however when Cordless operation type is selected then the bottom handle must be removed to fit correctly.

To reduce light most effectively, pair the side channels with Blockout fabrics in darker shades.

Please note: These side channels are not suitable for skylight operation.



Side channels are not currently available in New Zealand

4.6 Motorised Options

Motorised Blind upper and lower limits are pre-set in the factory and step by step programming instructions are provided to reset or to set favourite positions. There are several Motorised Blind options to consider, including:

Power Supply

- Battery Operated Motor with Wand or Remote. Battery Operated Blinds use 8 x AA Batteries per Blind (batteries not included). These are not recommended for frequent use as the batteries may require regular changing. The batteries will need replacing according to the frequency of use and are not rechargeable. Motorised Battery options are not recommended for high window area's (due to the requirements to change batteries).
- Lithium Rechargeable Battery Operated Motor With Power Adapter with Wand or Remote. These use a 240V Mains Plug and will require a power point/socket close to the Blind when recharging the battery.
- Rechargeable USB-C Operated Motor with Wand and Remote. These use a USB-C cable that is plugged into the bottom of the Wand to be charged. A 1.5m USB-C to USB-C charging cable is supplied, however the plug for the socket will not be provided.
- Powered Operated Motor with Power Adapter (Hardwired Motor) with Wand or Remote. These use a 240V Mains Plug and will require a power point/socket close to the Blind. The Blinds will need a continuous power source to operate.


Control Type

- Wand
- Remote Control
- Wand and Remote Control combination for USB-C Operated Motor


Configuration

- Standard
- Top Down Bottom Up (only available as hardwired motor)
- Day Night (only available as hardwired motor)

Procedure to Replace Batteries



OR




A. Wand

Wands are translucent rods that make the blind's operating switch accessible for the user. Wands are positioned on the left or right of the blind, as ordered. Wands are attached to the headrail and drop between 380mm and 1640mm from the top of the headrail. They have the advantage over a remote control in that they use less energy and are always with the blind.



When the order form does not specify the wand length, the standard wand length will be:

Blind Drop	Wand Length
Drop Less than 2400mm	890mm
Drop More than 2400mm	1640mm





B. Remote Control


Remote Control operation is most commonly used in everyday applications. Users are able to program up to 15 blinds on the same Remote and set a favourite position which allows for seamless operation.



Fig(2-1)




Fig(2-2)



C. USB-C: Wand and Remote Control Combination


The combined Wand and Remote Control option is only available in the Rechargeable USB-C Operated Motor and provides the convenience of the Remote with the energy efficiency of the Wand. The USB-C charging port is located on the bottom of the Wand which is easy to reach with the 1.5m USB-C to USB-C charging cable that is supplied with the blind.

Please note: The plug for the socket is not provided.



4.7 Reveal Depth Required (Face Fit Projection)

The following measurements include the L shaped bracket shown in the photographs below.

25mm Cell	Headrail & Bracket	Photo
Corded Standard	37mm	
Corded Top Down Bottom Up	37mm	
Corded Day/Night	37mm	
Clutch	55mm	
Clutch Top Down Bottom Up	55mm	
Clutch Day/Night	55mm	
Cordless	55mm	
Cordless Top Down Bottom Up	55mm	
Motorised Standard	55mm	
Motorised Top Down Bottom Up	55mm	
Motorised Day/Night	55mm	
38mm Cell	Headrail & Bracket	Photo
Corded Standard	55mm	
Corded Top Down Bottom Up	55mm	
Corded Day/Night	55mm	
Clutch	55mm	
Clutch Top Down Bottom Up	55mm	
Clutch Day/Night	55mm	
Cordless	55mm	
Cordless Top Down Bottom Up	55mm	
Motorised Standard	55mm	
Motorised Top Down Bottom Up	55mm	
Motorised Day/Night	55mm	
45mm Cell	Headrail & Bracket	Photo
Corded Standard	64mm	
Corded Top Down Bottom Up	64mm	
Corded Day/Night	64mm	
Clutch	64mm	
Clutch Top Down Bottom Up	64mm	
Clutch Day/Night	64mm	
Cordless	64mm	
Cordless Top Down Bottom Up	64mm	
Motorised Standard	64mm	
Motorised Top Down Bottom Up	64mm	
Motorised Day/Night	64mm	

The following measurements are rail and Headbox sizes, excluding the mounting bracket:

Blind Operation Type & Rail Sizes	25mm	38mm	45mm
	W x H	W x H	W x H
Head Rail - Standard (corded), Corded Day & Night, Corded Top Down Bottom Up	2.70cm x 1.70cm	4.72cm x 2.95cm	5.40cm x 2.95cm
Head Rail - Cordless, Cordless Top Down Bottom Up, Cordless Day & Night	4.75cm x 4.35cm	4.75cm x 4.35cm	5.40cm x 4.35cm
Head Rail - Clutch, Clutch Top Down Bottom Up, Clutch Day & Night, Motorised	4.75cm x 4.35cm	4.75cm x 4.35cm	5.40cm x 4.35cm
Middle Rail - Day & Night, Top Down Bottom Up for Corded, Clutch, Cordless, Motorised	2.70cm x 1.10cm	4.13cm x 1.10cm	4.72cm x 1.10cm
Bottom Rail - All options (except Skylight)	2.70cm x 1.20cm	4.02cm x 1.60cm	4.72cm x 1.60cm
Head Rail - Cordless Skylight, Wireless Remote Skylight		4.75cm x 4.35cm	
Middle Rail - Wireless Remote Skylight		4.13cm x 1.60cm	
Bottom Rail - Cordless Skylight		4.13cm x 1.10cm	
Bottom Rail - Wireless Remote Skylight		4.75cm x 4.35cm	

4.8 Cellular Blinds Stack Heights

Stack heights are relatively small across the Cellular range and are therefore generally unobstructive when installed in an opening. These heights will vary between cell size, fabric type and operation. Below are the approximate stack heights for various Cellular blind drops including the bottom rail, fabric and head rail and are based on a 38mm Blockout Cellular with Corded operation:

Blind Drop	Stack Height
500mm	47mm
1000mm	66mm
1500mm	73mm
2000mm	82mm
2500mm	87mm
3000mm	95mm

4.9 Cellular Blinds Cord Length (For Standard Corded Blinds)


Below are the standard cord lengths for each Cellular blind drop. Longer or shorter cords may be supplied on request.

Blind Drop	Chain Length
Up to 849mm	425mm
850 – 1199mm	425mm ~ 600mm
1200 – 1499mm	600mm ~ 750mm
1500 – 1799mm	750mm ~ 900mm
1800 – 2299mm	900mm ~ 1150mm
Over 2300mm	Half of the Blind Drop

4.10 Hold Down Clips



Hold-down clips made from reinforced polycarbonate plastic and are optional at no extra cost. They will help prevent the blinds from swinging due to motion. Hold-down clips are available for Face Fit blinds only.

Cellular Blinds are not designed to be in use directly in front of open windows with a breeze coming in. Hold-down clips are an ideal option for fixed openings or for TDBU Cellular blinds that are mounted on doors and windows which can be opened allowing a breeze in the area that is free of fabric.



4.11 Safety Features

- Corded Cellular blinds are supplied with clear polycarbonate cord cleats to tie off the cord when the blinds are raised
- Clutch Cellular Blinds are supplied with a cord guide which secures the cord
- Warning labels are attached to the blinds to alert consumers to the possible risks in the blind operation - this complies with Child Safety Regulations



4.12 Selling Tips

- Cellular Blinds are subtle and attractive, available in a range of colours and textures to match any décor.
- Cellular Blinds are extremely efficient insulators, they have been proven to help control temperature, light and sound much more effectively than other blinds and curtains.
- Cellular Blinds are slim and unobtrusive when stacked.
- Cellular Blinds can be fitted into both small and large spaces - minimum clear reveal depth to accommodate the bottom rail is 27mm.
- They wipe clean, are colour-fast and hold their shape.
- Top Down Bottom Up Cellular blinds offer flexibility of privacy at the bottom and ventilation at the top.
- The rear of all Cellular blinds are white.
- Always check that there is a position where cords can be tied off for Child Safety.

5. Custom Made Transition Shades

- Transition Shades allow the control of sunlight and privacy without having to raise the blind.
- Transition Shades offer two different ranges:
 - Multi Shade Transition Shade Range
 - Triple Shade Transition Range
- The Transition range offers a variety of fabric types.
- The fabrics are available in a variety of finishes and offer an extensive range of colours.
- The headbox, chain control, bottom rail and chain are available in a variety of colours to suit any decor.
- Stainless steel chain options are available.
- Fabric inserts are an option for the headbox, allowing the matching fabric to be inserted as a feature.

The Transition Shade range consists of a comprehensive range of fabrics. For details on all the fabric types, colours and options please refer to the [Custom Made Blind Reference Chart](#).




5.1 Transition Shades

Options & Parts

Headbox

- The headbox is available in:
 1. Black
 2. Dark Brown
 3. Light Brown
 4. Grey
 5. Beige
 6. Ivory
 7. White



- The headbox is available with a fabric insert, which allows the matching fabric to be inserted as a feature. This is recommended.

Chain Controls

- Chain Controls are available in White, Ivory, Beige, Grey, Light Brown, Dark Brown or Black.


Chain

- Chain colour will be matched to the headbox colour unless Stainless Steel is selected.
- Chain is available in White, Ivory, Beige, Grey, Light Brown, Dark Brown, Black or Stainless Steel.

Recess Bracket (for Headbox)



Topside of Bracket



Underside of Bracket



Face Fit Bracket

Bottom Rail


- When Jacquard Weave Shades are ordered, the bottom rail will be supplied as the Square profile with fabric insert. The bottom rail and end caps will be supplied in black or white only. The fabric will be inserted as a feature.



- When Triple Shade Semi Blockout, Triple Shade Privacy Standard and Triple Shade Jacquard Weave are ordered, the bottom rail will be supplied as the Shuttle Oval profile. The bottom rail and end caps will be supplied to match the headbox (either in White, Ivory, Beige, Grey, Light Brown, Dark Brown or Black).



- For all other fabric types, the bottom rail will be supplied as the Trapezium profile. The bottom rail and end caps will be supplied to match the headbox (either in White, Ivory, Beige, Grey, Light Brown, Dark Brown or Black). Note the white bottom rail in the photographs below is not the default for this fabric colour.



Blind Dimensions

For minimum and maximum widths and heights please refer to the [Custom Made Blind Reference Chart](#).

Maximum width and height is dependent on the fabric and style type chosen.

5.2 Motorised Multi Shades and Triple Shades

Transitions are motorised using an energy saving, patented, low power tubular motor, powered by a rechargeable lithium battery. The battery will last 4-6 months between charges, assuming the motor is operated for 1 minute per day. Recharging takes 4 hours to fully charge the battery. The blind is operated by a 5 Channel remote, therefore 5 blinds can be operated by one remote. Limits are pre-programmed, therefore further programming is usually not required. If preferred, in addition to fully up and fully down, 4 additional positions can be pre-programmed for ease of use. For this reason, clear, diagrammatic programming instructions are provided with each delivered blind.

Motorisation is available with a 1 channel remote, or 2, 5 and 15 channels by special request.



A small screw driver is required to open the battery compartment on the remote, to prevent a child from accessing the button battery.

Remotes are supplied in White as default






Black remotes available by special request

5.3 Safety Features

All Transition Shades are supplied with clear cord hold down clips so the chain will be secure when the Shades are raised.

Warning labels are also attached to the Shades to alert consumers to the possible risks in the Shade's operation. This complies with Child Safety Regulations.



5.4 Chain Length

Below are the standard chain lengths for each blind drop.


Please note: if required, a specific chain length can be specified when ordering.

Blind Drop	Chain Length
Up to 849mm	500mm
850 – 1199mm	750mm
1200 – 1499mm	1000mm
1500 – 1799mm	1200mm
1800 – 2299mm	1500mm
Over 2300mm	2000mm

5.5 Selling Tips Multi Shade Transition Range

Multi Shades are similar to a Roller Blind but with significant added benefits.

- Each layer of the double layer of fabric with alternate sheer and solid stripes is adjusted relative to the other layer, to give fingertip control over light and privacy.
- The blind can be ordered standard or reverse roll
- The pelmet-like Headbox with fabric insert is elegant and stylish
- Order “Side by Side” if more than one blind is ordered for the same room, or if more than one blind will be seen together from the outside. To match the stripes, side by side blinds must be the same drop.
- Fabric is dust, mould and moisture resistant polyester, with 6-8 Colour Fastness Ratings.
- The gaps between the reveal and blind are minimal to reduce light gaps.
- Multi Shades are not block-out blinds. The format of these blinds can allow daylight to filter between the layers of fabric and some light to filter on the edges.
- Occasionally single stray threads may become apparent in transit. These may be safely trimmed by the installer using sharp scissors.
- Our Multi Shade ranges include;
 - Multi Shade Privacy Standard
 - Multi Shade Privacy Woven
 - Multi Shade Semi Blockout Grain
 - Multi Shade Semi Blockout Textured
 - Multi Shade Privacy Textured
 - Multi Shade Privacy Luxe
 - Multi Shade Privacy Grain
 - Multi Shade Privacy Textured Grain
 - Multi Shade Privacy Large
 - Multi Shade Privacy Natural
 - Multi Shade Jacquard Weave
 - Multi Shade Premium Blockout
 - Multi Shade Premium Blockout Woven
 - Multi Shade Premium Room Darkening
 - Multi Shade Premium Woven Room Darkening
 - Multi Shade Textured
 - Multi Shade Eco Friendly



For fabric colours, types, options and specifications please refer to the [Custom Made Blind Reference Chart](#).

5.6 Selling Tips Triple Shade Transition Range

- Triple Shade is a three-dimensional window furnishing which combines some of the best features of Roller Blinds and Venetian Blinds to control privacy and light.
- Triple Shade offers both form and function, suiting most décor styles due to the romantic sheer softening straight horizontal lines.
- The horizontal heavier fabric slats tilt inside sheer fabric on the front and back.
- The blind rolls up and down in the closed position.
- The tilt is controlled when the blind is fully down in the opening, using the same chain as the raise and lower functions.
- The headbox is a small elegant curve shape with fabric inserts.
- Triple Shade is available in a range of colour ways, with toning Head Box, Chain and Bottom Rail.
- Triple Shade Fabric is dust, mould and moisture resistant polyester with 6-8 Colour Fastness Ratings.
- The gaps between the reveal and blind are minimal to reduce light gaps.
- Triple Shade blinds are not block-out due to semi-opaque fabric and format of the blind.
- Our Triple Shade ranges include;
 - Triple Shade standard
 - Triple Shade Semi Blockout
 - Triple Shade Privacy Standard
 - Triple Shade Jacquard Weave



For fabric colours, types, options and specifications please refer to the [Custom Made Blind Reference Chart](#).

6.1 Custom Made Roma Shades

Available in four distinct fabric ranges to suit any home's aesthetic, Roma Shades provide a polished finish to any room while maintaining excellent light control and privacy.

6.2 Options & Parts

Standard operation on a Roma Shade is a chain control which is matched as closely as possible to the fabric colour chosen.

Chains are available in White, Beige, Light Coffee, Khaki, Grey, Dark Coffee, Black and Stainless Steel (surcharges apply).

Below are the standard chain lengths for each blind drop however, a specific chain length can be specified when ordering.

Blind Drop	Chain Length
Up to 849mm	500mm
850 – 1199mm	750mm
1200 – 1499mm	1000mm
1500 – 1799mm	1200mm
1800 – 2299mm	1500mm
Over 2300mm	2000mm

Please Note: The head rail and accessories of a Roma Shade are available in white only.

Brackets

Only one type of bracket is available for Roma Shades regardless of Recess or Face Fit installation. The same bracket is used for motorised Roma Shades.



Construction

The fabric of a Roma Shade is composed of 100% Polyester allowing for a soft, luxurious feel. The pockets of fabric are split by a fibreglass baton with a 280mm spacing between each pocket. The batons are equipped with easily adjustable clips on the back of the blind to help fine-tune the fabric when necessary.

Roma Shades are fitted with a head and bottom rail composed of an aluminium alloy that suits the contemporary aesthetic of the blind. As the rails are only available in white, the fabric covers the metal to provide a seamless look.

6.3 Motorised Roma Shades

Roma Shades are available in a motorised operation for an easy and efficient way to control the light in your home.

Motorised Roma Shades are available with 1-channel, 2-channel, 5-channel and 15-channel remotes to suit your customer's needs. All remotes are only available in white.



6.4 Safety Features

All Roma Shades are provided with clear hold down clips to secure the chain during installation, this is in line with Child Safety Regulations.

Please note that in accordance with safety legislation, the installation of these products must adhere to the following procedures to avoid creating a possible strangulation hazard for children:

- Check there are no loose cords that a child can reach from the floor, cot, bed or by climbing furniture
- Tie any cords out of reach
- Move any furniture that a child can use to climb on to access operational cords
- Do not remove any child safety locks, or warning tags as per the below image




7. Measuring

Please note; when blinds are ordered near the maximum size specifications, the weight can affect the operation of the blind.

7.1 Recess Fit

Recess Fit

- ✓ The blind is to be installed in the recess or reveal of the opening.
- ✓ When measuring in a recess it is important to measure both the width and the drop at three points (*please see below*). The reason for taking three measurements in each direction is to allow for any problem that may occur if the window is out of square. The **smallest measurement is the one that is required**.



Width Measurements

Measurements taken at the top, centre and bottom of the opening and the **smallest of these three measurements will be the width measurement**.

Drop Measurements


Measurements taken from the left, centre and right sides of the opening and the **smallest of these three measurements will be the drop measurement**.

As per any blind, you can make your own measuring deductions. Ensure that you supply the finished **ACT** (Actual Size) on your order/worksheet. If you would like the factory to make the allowances mark your order **NAM** (**No Allowances Made**) and the factory will make standard industry deductions, depending on the product ordered.

7.2 Face Fit

Face Fit

- ✓ The blind is to be installed on the face/outside surface or architrave surrounding the window.



Width Measurement

Measure from the outside edge to the outside edge of the architrave across the width of the window. On a window opening where there is no architrave or window surround, be sure that you measure the blind 100mm above the window opening and that you extend 50mm either side to ensure that light gaps are minimised.

Drop Measurement

Measure vertically from the top of the architrave to the bottom of the architrave, or to the desired finished length. Where the window is not a full-length window, the width and drop measurements are taken as the finished or actual size of the blind.

As per any blind, you can make your own measuring deductions. Ensure that you supply the finished **ACT (Actual Size)** on your order/worksheet. If you would like the factory to make the allowances mark your order **NAM (No Allowances Made)** and the factory will deduct 10mm off the drop for a face fit blind.

Please note: The standard return on a Venetian Blind fascia is a 67mm as an internal measurement. The smallest return is a 25mm internal measurement. Unless otherwise requested, all returns will be made at the standard size (67mm). If returns are required to go back to the wall surface, then the architrave depth measurement should be noted on the order form.

e.g.: Standard return (67mm) + 20mm architrave depth = 87mm.

8 Ordering Process

All orders for Custom Made Blinds **MUST** be submitted electronically using the latest version of Pacific Wholesale Distributors Custom Made Blinds Order Forms.

References to the Custom Made Blinds Order Forms will be made throughout this manual. If you do not have the latest version of Pacific Wholesale Distributors Custom Made Blinds Order Forms, please contact the office at support@pacificwholesale.com.au and request a copy today.

Please see an example of the Pacific Wholesale Distributors Custom Made Blinds Order Forms on the following pages:

9 Special Requirement Windows & Options



There is a large variety of options that can be supplied for windows with special requirements. Some of these include: Bay Windows, Corner Windows, and Cut Outs for Venetian Blinds. Every requirement is different due to the product type and the application. This section will help to outline the details and special requirements needed to manufacture these types of blinds.

9.1 Bay Window



Refer to the diagrams below. When measuring a bay window. Measure in the position indicated by the red arrows. Deductions taken to ensure the blinds fit vary, depending on where the opening is measured, whether it is the Thru or Butt blind, where the blind is to be fitted, and the bracket size or type. It is assumed that Bay Windows are standard 135° angles. Order each blind as a separate item. Indicate each blind clearly on the worksheet and order them as NAM, so the necessary deductions will be made by the factory.

To ensure that there is a suitable fixing point for the safety cleat, it is suggested that the controls for Blind A and C are placed on the outside of the window, and for Blind B ensure a mullion/skirting board is accessible, if the control type includes cords.

Face Fit – measured at the back of the bracket



Recess Fit – measured at the front of the recess



Bay Window Order Form

The below Bay Window worksheet can be found on our order form.
Please make sure this form is completed when ordering this window type.



PACIFIC
WHOLESALE DISTRIBUTORS

CMB BAY WORKSHEET

Please check all the necessary information
is on the Order before submitting.

STORE NAME: 0

ACCOUNT NAME: 0

WORKSHEET # / PO #: 0


DATE: 0/01/1900

PHONE: +61 2 8850 9301

FAX: + 61 2 9680 7488

EMAIL TO: cmborders@pacificwholesale.com.au

ENQUIRIES: cmborders@pacificwholesale.com.au




Room Location	Product	Recess / Face	Allowance ACT / NAM	If Recess: Front/Back Measure	Angle (°)	Measurements (mm)					
						A	B	C	D	E	Drop

9.2 Corner Window


Refer to the diagrams below. When measuring a corner window, measure in the position indicated by the red arrows. Deductions taken to ensure the blinds fit vary, depending on where the opening is measured, whether it is the Thru or Butt, where the blind is to be fitted, and the bracket size or type. It is assumed that Corner Windows are 90o angles. Order each blind as a separate item. Indicate each blind clearly on the worksheet and order them as NAM, so the necessary deductions will be made by the factory.

To ensure that there is a suitable fixing point for the safety cleat, it is suggested that the controls are not placed in the corner of the window.

Face Fit – measured at the back of the bracket



Recess - Front of Recess



Corner Window Order Form

The “Thru” and “Butt” window worksheet can be found on our order form. Please make sure this form is completed when ordering this window type.



CMB CORNER WORKSHEET

STORE NAME: 0

ACCOUNT NAME: 0

WORKSHEET # / PO #: 0

DATE: 0/01/1900

Please check all the necessary information is on the Order before submitting.


PHONE: +61 2 8850 9301

FAX: + 61 2 9680 7488

EMAIL TO: cmborders@pacificwholesale.com.au

ENQUIRIES: cmborders@pacificwholesale.com.au

LEFT HAND CORNER (LH)



D - "Thru" Blind


A - "Butt" Blind

RIGHT HAND CORNER (RH)



D - "Thru" Blind

A - "Butt" Blind



Room Location	Product	Left Hand Or Right Hand	Recess / Face	Allowance ACT / NAM	Butt / Thru	If Recess: Front/Back Measure	Measurements (mm)		
							A	B	Drop

46

10.1 Sales Aids

Swatches

We have introduced a range of Sales Aids and swatches that will assist sales people when promoting the Custom-Made Blind Range.

These can be ordered by emailing your order to support@pacificwholesale.com.au

An electronic Sales Aids order form is available.

Please email support@pacificwholesale.com.au and request a Sample Swatches order form to be emailed.

Please see below for the options available.

10.2 50mm and 63mm PS Venetian

\$POA each



10.3 Cellular Blinds Folder

\$POA each



Includes:

- 10.3.1 Cellular Blind Cell samples.
- 10.3.2 Fabric swatches (all available textures and colours).
- 10.3.3 Product information which includes control and functional design options.

10.4 Transition Shades Folder

\$POA each




Includes:

- 10.4.1 Transition Shades fabric swatches (all available textures and colours).

11.1 Custom Made Blinds Remake Process

In the event of a Custom Made Blind being received with a defect, the following information must be emailed to support@pacificwholesale.com.au

1. A copy of the original order form.
2. A new order form, clearly showing the blind(s) that need remaking. Please specify that the order is a **remake** – failure to do so may result in the original order being placed as a new order at full charge.
3. A detailed description specifying exactly what the concern is and exactly what blind or component needs remaking. Failure to clearly specify this information may result in a longer lead time.
4. Supporting photographs illustrating any concerns. For example – if the blind supplied was cut to short, then you must provide photographs which show a tape measure being held against the blind, to clearly illustrate the size it was supplied at.



11.2 Care and Maintenance

Proper care and maintenance will increase the life of your investment.

CAUTION:

Never use harsh cloths, harsh abrasives, chlorine or ammonia-based chemicals or cleaners on the Blinds surfaces as they may affect their appearance, longevity and warranty.

Please note: to avoid creating a possible strangulation hazard for children, any corded internal window covering must be installed in such a way that a loose cord cannot form a loop 220mm or longer at a height of less than 1600mm above floor level.

Please also note: in accordance with this safety legislation, the installation of these products must adhere to the following procedures to avoid creating a possible strangulation hazard for children:

- Check there are no loose cords that a child can reach from the floor, cot, bed or by climbing furniture
- Tie any cords out of reach
- Move any furniture that a child can use to climb on to access operational cords
- Do not remove any child safety locks, or warning tags as per the below image.



11.3 Venetian Blinds

Venetian Blinds should be raised and lowered at least once every 2 months to ensure the mechanisms are working properly. Excessive raising and lowering of Venetian Blinds will place unnecessary strain on components and cause premature wear.

Venetian Blinds are designed to be tilted to filter incoming light and closed for privacy. Venetian Blinds should be dusted regularly using a clean soft cloth, feather duster or a vacuum cleaner with a brush attachment to remove accumulated dust. To clean, move along the slats, with the blind in the lowered position, tilt slats (*not entirely closed*) first one way and then tilt the other way to dust both sides and to ensure you reach the top and bottom surfaces of the slats.

If spraying insecticides or any harmful chemicals the blinds must be placed in a raised position. These chemicals **must not** come in contact with the blinds.

Any moving, sliding or pivoting parts should be sprayed using a food grade silicone spray, do not use any abrasive petroleum lubrications.

11.4 Cellular Blinds

Cellular Blinds should be dusted regularly using a clean soft cloth, feather duster or a vacuum cleaner with a brush attachment to remove accumulated dust. Tougher stains can be removed using a neutral soap on a damp cloth.

If spraying insecticides or any harmful chemicals the blinds must be placed in a raised position. These chemicals **must not** come in contact with the blinds.

Any moving, sliding or pivoting parts should be sprayed using a food grade silicone spray, do not use any abrasive petroleum lubrications. Ensure that silicone spray does not come into direct contact with the fabric as this could cause permanent staining.

11.5 Transition Shades

Transition Shades should be dusted regularly down both sides of the blade, with a soft clean cloth, feather duster or a vacuum cleaner with a brush attachment to remove all accumulated dust. Other stains or marks can be removed using a neutral soap on a damp cloth.

If spraying insecticides or any harmful chemicals the blinds must be placed in a raised position. These chemicals **must not** come in contact with the blinds.

Any moving, sliding or pivoting parts should be sprayed using a food grade silicone spray, do not use any abrasive petroleum lubrications. Ensure that silicone spray does not come into direct contact with the fabric as this could cause permanent staining.

12 Custom Made Blinds Questions & Answers

Q: What is NAM?

A: No Allowance Made – this means you provide the opening size when ordering your blinds and the factory will make the deductions required. Please refer to the [Ordering and Measuring Process](#).

Q: What is ACT?

A: Actual Size – this means you have made the necessary deductions when ordering your blinds and the factory will make no deductions. Please refer to the [Ordering and Measuring Process](#).

Q: Can I order a different sized operating Chain or Wand?

A: Yes. If you require a longer or shorter wand, then please specify this in the “Special Comments” section of your order form.

Q: Can I split the controls for Venetian Blinds?

A: Yes, you can have controls split. This is recommended for easier access and operation of the blinds. Specify what side out you would like each control on at the time of placing your order.

Q: Do I need pictures of faulty goods?

A: Yes, as these are vital facts which the factory requires to support your claim, and they also help to establish what needs to be replaced in order to achieve a quick resolution. Please refer to the [Custom Made Blinds Remake Process](#).

Q: Do you need the goods back once we have replaced them?

A: Not unless requested by Pacific.

Q: What's my lead time on Custom Made Blinds?

A: Usually between 4 and 6 weeks from order confirmation (*i.e. once all information received on the order form is correct and complete without further questions*).

13 Custom Made Blinds Reference Chart

Please refer to the following pages.

	 Custom Made Venetian Blind Range Options Chart V24				
Material	Venetian Blind				
Custom Made Blind Range	50mm PS Slat	50mm PS Privacy Slat	50mm Timber Slat	63mm PS Slat	63mm PS Privacy Slat
Size	Blade Sizes				
50mm	✓	✓	✓		
63mm				✓	✓
	Window Types				
Standard	✓	✓	✓	✓	✓
Side By Side	✓	✓	✓	✓	✓
Corner A Butt	✓	✓	✓	✓	✓
Corner A Thru	✓	✓	✓	✓	✓
Corner B Butt	✓	✓	✓	✓	✓
Corner B Thru	✓	✓	✓	✓	✓
Bay A	✓	✓	✓	✓	✓
Bay B	✓	✓	✓	✓	✓
Bay C	✓	✓	✓	✓	✓
	Blind Heights				
Minimum Blind Height	200mm	200mm	200mm	200mm	200mm
Maximum Blind Height	3000mm	3000mm	3000mm	3000mm	3000mm
	Blinds & Window Widths				
Minimum Blind Width	222mm	222mm	222mm	222mm	222mm
Maximum Blind Width	3000mm	3000mm	2400mm	3000mm	3000mm
Maximum Window Width For Single Blind Option	3000mm	3000mm	2400mm	3000mm	3000mm
	Fitting Method				
Face Fit	✓	✓	✓	✓	✓
Recess Fit	✓	✓	✓	✓	✓
	Fascia/Pelmet Options				
Fascia/Pelmet Standard Or Option	Standard	Standard	Standard	Standard	Standard
Colours	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour
Size	85mm	85mm	85mm	85mm	85mm
	Special Options Available				
Door Cutouts	✓	✓	✓	✓	✓
Multiple Blinds	✓	✓	✓	✓	✓
Suitable For Wet Areas	✓	✓	x	✓	✓
	Additional Options Available				
Other Options	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested

Custom Made Venetian Blind Range Reference Chart V24

Material		Venetian Blind				
Custom Made Blind Range		50mm PS Slat	50mm PS Privacy Slat	50mm Timber Slat	63mm PS Slat	63mm PS Privacy Slat
Selling Features		Wide Range Of Colours	Superior Privacy & Light Shielding	Wide Range Of Colours	Wide Range Of Colours	Superior Privacy & Light Shielding
		Material				
Material		Polystyrene PS	Polystyrene PS	Paulownia Timber	Polystyrene PS	Polystyrene PS
		Advantages				
Termite Proof		✓	✓		✓	✓
Insulative Properties Keeps Homes Both Cooler In Summer & Warmer In Winter		✓	✓	✓	✓	✓
Repels Moisture		✓	✓		✓	✓
Colour	Finish	Colour Options				
Colour	Painted	Bright White Classic White Earl Grey Snow White Super White	Bright White Classic White Earl Grey Snow White Super White	Beechwood Cedar Image Medium Maple Riva Walnut	Snow White Super White	Snow White Super White

The Motorised Options are;

- Battery Operated Motor with Wand or Remote. Battery Operated Blinds use 8 x AA Batteries per Blind (batteries not included). These are not recommended for frequent use as the batteries may require regular charging.
- The batteries will need replacing according to the frequency of use and are not rechargeable.
- Motorised Battery options are not recommended for high window areas (due to the requirement to change batteries).

Rechargeable Lithium Battery Operated Motor With Power Adapter (Wand or Remote).

- These use a 240V Mains Plug and will require a power point/socket close to the Blind when recharging the battery.

Powered Operated Motor With Power Adapter (Hardwired Motor) with Wand or Remote.

- These use a 240V Mains Plug and will require a power point/socket close to the Blind.
- The Blinds will need a continuous power source to operate.

Custom Made Cellular Blind Range Reference Chart V24

Custom Made Cellular Blind Range Options Chart V24

Blind Type		Single Cellular													
		Cell Size - 38mm												Skylight Cellular Blinds Are Available In 38mm Single Cell Only ³	
		Corded			Cordless			Clutch			Motorised			Skylight	
Operation Type		Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	Cordless Standard	Motorised Standard
Size	Blade Sizes														
38mm		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		Window Types													
Standard		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Side By Side		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner A Butt		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗
Corner A Thru		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗
Corner B Butt		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗
Corner B Thru		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗
Bay A		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗
Bay B		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗
Bay C		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗
		Blind Heights													
Minimum Blind Height	38mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	600mm
Maximum Blind Height		3600mm	3600mm	3600mm	2100mm	2100mm	2100mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	2100mm	2100mm
		Maximum Total Square Metre's Per Blind													
38mm Blind		10.8m²	5.5m²	10.8m²	5.1m²	5.1m²	5.1m²	9m²	6.4m²	7.32m²	9m²	7m² Blockout & Translucent 7m² Blockout & Lattice 5.50m² Blockout & Woven	9m²	5.04m²	5.04m²
		Blind Widths													
Minimum Blind Width		200mm	450mm	450mm	250mm	550mm	550mm	300mm	570mm ¹	570mm ¹	710mm (Battery Pack & Rechargeable Battery) 620mm (Powered With Adapter)	850mm - 1000mm (Powered With Adapter) ¹	850mm - 1000mm (Powered With Adapter) ¹	450mm	630mm (Powered With Adapter)
Maximum Blind Width		3000mm	3000mm	3000mm	2400mm	2400mm	2400mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	1800mm	2400mm
		Fitting Method													
Face Fit		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Recess Fit		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		Head Rail/Fascia/Pelmet Options													
Fascia/Pelmet Standard Or Option		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Colours		Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	¹ Matched To Blind Colour
Fabric Insert		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
		Special Options Available													
Door Cutouts		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Multiple Blinds		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗
Suitable For Wet Areas		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Motorisation Information	The Motorised Options are; Battery Operated Motor with Wand or Remote. Battery Operated Blinds use 8 x AA Batteries per Blind (batteries not included). These are not recommended for frequent use as the batteries may require regular changing. The batteries will need replacing according to the frequency of use and are not rechargeable. Motorised Battery options are not recommended for high window areas (due to the requirements to change batteries). This option is not available for Skylight Motorised Blinds. Rechargeable Lithium Battery Operated Motor With Power Adapter with Wand or Remote. These use a 240V Mains Plug and will require a power point/socket close to the Blind when recharging the battery. This option is not available for Skylight Motorised Blinds. Powered Operated Motor With Power Adapter (Hardwired Motor) with Wand or Remote. These use a 240V Mains Plug and will require a power point/socket close to the Blind. The Blinds will need a continuous power source to operate.														
Notes	¹ Clutch Day Night, One Control Cord minimum width is; 600mm (Height < 2000mm), 700mm (Height ≥ 2000mm). Clutch Cord is supplied as Cotton/White, unless specified otherwise. Side Channels for Standard Corded and Cordless Cellulars are supplied in 3m lengths as a minimum pack size of 4. ¹ Motorised Day Night & Motorised Top Down, Bottom Up Minimum Widths; 850mm (Powered Operated Motor With Power Adapter - Simple Touch Wand) 1000mm (Powered Operated Motor With Power Adapter - Simple Touch Wireless Remote) ² Motorised Skylight Side Channels available in White only. ³ Skylight Cellular Blinds are designed to be installed within a recess.														

Custom Made Cellular Blind Range Reference Chart V24

Blind Type	Single Cellular													
	Cell Size - 38mm												Skylight Cellular Blinds Are Available In 38mm Single Cell Only	
	Corded			Cordless			Clutch			Motorised			Skylight	
Operation Type	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	Cordless Standard	Motorised Standard
	Selling Features													
Selling Features	Smaller Headbox Insulation Ideal For Smaller Drops Side Channels Available	Light Filtering & Blockout Configuration Smaller Headbox Insulation Ideal For Smaller Drops	Increased Level Of Control & Privacy Smaller Headbox Insulation Ideal For Smaller Drops	No Chains Or Cords Easy Operation Child Safe Insulation Side Channels Available	Light Filtering & Blockout Configuration No Chains Or Cords Easy Operation Child Safe Insulation	Increased Level Of Control & Privacy No Chains Or Cords Easy Operation Child Safe Insulation	Clutch Assisted Operation Insulation	Light Filtering & Blockout Configuration Clutch Assisted Operation Insulation	Increased Level Of Control & Privacy Clutch Assisted Operation Insulation	Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Light Filtering & Blockout Configuration Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Increased Level Of Control & Privacy Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Great Solution For Skylight Windows No Chains Or Cords Easy Operation Child Safe Insulation Easy To Reach Extendable Pole Available	The Ultimate Solution For Hard-To-Reach Skylight Windows Easy Operation Motorised Remote No Chains Or Cords Child Safe Insulation
	Advantages													
Insulative Properties Keeps Homes Both Cooler In Summer & Warmer In Winter	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fade Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Child Safe	✖	✖	✖	✓	✓	✓	✖	✖	✖	✓	✓	✓	✓	✓
Dust Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mould Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Repels Moisture	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PVC Free	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Fabric Options													
Blockout Standard	Alabaster, Anthracite, Aqua Glass, Avocado, Black, Bordeaux, Buff Yellow, Cloak Gray, Cocoa, Cotton, Crystal Pink, Dark Chocolate, Fawn, Federal Blue, Gray Ridge, Gray Sheen, Ironstone, Jean Blue, Ocher , Onion, Orion Blue, Pink Flamingo, Pongee, Royal Purple, Roycraft Bottle Green, Sticks & Stones, White Dove												Skylight Cellular Blinds Are Available In All 38mm Single Cell Fabric Ranges & Colours Only	
Blockout Bamboo Print	Antique Pewter, Avocado, Dark Chocolate, Dark Gray B, Gray Sheen, Jean Blue, Pongee, Royal Gray, Sticks & Stones													
Translucent Standard	Agate Red, Alabaster, Anthracite, Antique Pewter, Avocado, Biscuit, Black, Bordeaux, Cloak Gray, Cocoa, Cotton, Cream, Cyberspace, Dark Chocolate, Fawn, Gray Sheen, Ironstone, Jean Bue, Marine Blue, Ocher, Onion, Pier, Pink Flamingo, Pongee, Roseate, Royal Gray, Royal Purple, Roycraft Bottle Green, Roycraft Mist Gray, Snow White, Spring Green, Sticks & Stones, Stone Red, Tan, Terra Cotta, Warm Cocoa, Water Green, White Dove, Wisteria													
Translucent Bamboo Print	Antique Pewter, Avocado, Dark Chocolate, Dark Gray B, Gray Sheen, Jean Blue, Pongee, Royal Gray, Sticks & Stones													
Translucent Crepe Woven	Acacia Haze, Anthracite, Chocolate , Cornsilk A, Cotton, Espresso A, Fawn A, Fire Brick A, Gourmet Chocolate, Gray Moss, Light Aquamarine, Light Olive Green, Mink A, Navy, Plebian Blue, Royal Gray A, Sangria A, Stallion, Tumbleweed, Wild Ginger													
Translucent Crush	Cocoa, Cotton, Fawn, White Dove, Winter White													
Translucent Linen	Agate Red, Avocado, Cocoa, Jean Blue, Royal Gray, Royal Purple													
Translucent Paisley	Bordeaux, Cocoa, Fawn, Pongee, Royal Purple													
Translucent Sheer	Alabaster, Anthracite, Avocado, Black, Cocoa, Cotton, Fawn, Gray Sheen, Pink Flamingo, Snow White													
Translucent Sheer A	Cotton, Alabaster, Gray Sheen, Snow White													
Translucent Slub Woven	Alabaster, Black, Cocoa, Cotton, Gray Sheen													
Translucent Thatched	Avocado, Cocoa, Fawn, Pongee, Terra Cotta													
Translucent Woven	Anthracite, Antique Pewter, Avocado, Cocoa, Cotton, Fawn, French Press, Ironstone, Onion, White Dove													
Day Night Option Available														
Day Night Colours	Day Night Can Be Ordered With Any Combination Of The Same Cell Size Blockout & Translucent Colours.													



Blind Type	Single Cellular											
	Cell Size - 45mm											
	Corded			Cordless			Clutch			Motorised		
Operation Type	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up
	Selling Features											
Selling Features	Smaller Headbox Insulation Ideal For Smaller Drops	Light Filtering & Blockout Configuration Smaller Headbox Insulation Ideal For Smaller Drops	Increased Level Of Control & Privacy Smaller Headbox Insulation Ideal For Smaller Drops	No Chains Or Cords Easy Operation Child Safe Insulation	Light Filtering & Blockout Configuration No Chains Or Cords Easy Operation Child Safe Insulation	Increased Level Of Control & Privacy No Chains Or Cords Easy Operation Child Safe Insulation	Clutch Assisted Operation Insulation	Light Filtering & Blockout Configuration Clutch Assisted Operation Insulation	Increased Level Of Control & Privacy Clutch Assisted Operation Insulation	Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Light Filtering & Blockout Configuration Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Increased Level Of Control & Privacy Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation
	Advantages											
Insulative Properties Keeps Homes Both Cooler In Summer & Warmer In Winter	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fade Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Child Safe	✕	✕	✕	✓	✓	✓	✕	✕	✕	✓	✓	✓
Dust Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mould Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Repels Moisture	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PVC Free	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Fabric Options											
Blockout Standard	Antique Red, Bottle Of Bordeaux, Cotton, Fresh Brew, In The Navy, Poppyseed, Stormy Sky											
Blockout Lux-Linen	Chantilly Lace, Cotswold, Cotton, Hazy Skies, Royal Gray A, Taos Taupe											
Blockout Woodgrain	Accessible Beige, Amazing Gray, Gray Matters, Gray Screen, Tony Taupe											
Blockout Woodgrain Linen	Blanched Almond A, Coral Black, Dawn Gray, Light Walnut, Silver Gray											
Blockout Marble	Amazing Worldly Gray, Gray Online, Gray Ponder, Passive, Worldly Gray											
Blockout Sala	Argos White, Gray White, Passive White, Stone Harbor, Stormy Gray											
Translucent Standard	Antique Red, Bottle Of Bordeaux, Cotton, Fresh Brew, In The Navy, Poppyseed, Salamander, Silhouette, Silken Peacock, Stormy Sky											
Translucent Crepe Woven	Acacia Haze, Anthracite, Chocolate, Cornsilk A, Cotton, Espresso A, Fawn A, Fire Brick A, Gourmet Chocolate, Gray Moss, Light Aquamarine, Light Olive Green, Mink A, Navy, Plebian Blue, Royal Gray A, Sangria A, Stallion, Tumbleweed, Wild Ginger											
Translucent Lux-Linen	Chantilly Lace, Cotswold, Cotton, Hazy Skies, Royal Gray A, Taos Taupe											
Translucent Marble	Amazing Worldly Gray, Gray Online, Gray Ponder, Passive, Worldly Gray											
Translucent Sala	Argos White, Gray White, Passive White, Stone Harbour, Stormy Gray											
Translucent Sheer	Alabaster, Cocoa, Cotton, Gray Sheen											
Translucent Woodgrain	Accessible Beige, Amazing Gray, Gray Matters, Gray Screen, Tony Taupe											
Translucent Woodgrain Linen	Blanched Almond A, Coral Black, Dawn Gray, Light Walnut, Silver Gray											
Day Night Option Available												
Day Night Colours	Day Night Can Be Ordered With Any Combination Of The Same Cell Size Blockout & Translucent Colours.											

Custom Made Transition Blind Range Reference Chart V24																						
Product	Transition Blind																					
Blind Type	Multi Shade																	Triple Shade				
Custom Made Blind Range	Privacy/Blockout Standard	Privacy/Blockout Woven	Semi Blockout Grain	Semi Blockout Textured	Privacy Textured	Privacy Luxe	Privacy Grain	Privacy Textured Grain	Privacy Large	Privacy Natural	Jacquard Weave	Premium Blockout	Premium Blockout Woven	Premium Room Darkening	Premium Woven Room Darkening	Textured	Eco Friendly	Standard	Semi Blockout	Privacy Standard	Jacquard Weave	
Selling Features	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Woven Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Semi Blockout Fabric Grain Pattern	Excellent Light & Privacy Control Compact & Neat Window Covering Semi Blockout Fabric Textured Pattern	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Textured Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Marl Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Grain Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Textured Grain Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Weave Fabric	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Woven Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Room Darkening Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Room Darkening Fabric Woven Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Largest Range Of Colour Options Textured Pattern	Excellent Light & Privacy Control Compact & Neat Window Covering Reduce Heat & Glare Made From 87% Recycled Yarn Content	Maintain Privacy While Allowing Light	Maintain Privacy While Allowing Light	Maintain Privacy While Allowing Light	Maintain Privacy While Allowing Light
	Fabric Material Properties																					
Finish	Blockout Standard	Blockout Woven	Semi Blockout Grain	Semi Blockout Textured	Privacy Textured	Privacy Luxe	Privacy Grain	Privacy Textured Grain	Privacy Large	Privacy Natural	Jacquard Weave	Premium Blockout	Blockout Woven	Premium Room Darkening	Premium Woven Room Darkening	Textured	Eco Friendly	Standard	Semi Blockout	Privacy Standard	Jacquard Weave	
Composition	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester (87% Recycled Yarn Content)	70% Polyester & 30% RM	100% Polyester	100% Polyester	100% Polyester	
Colour Fastness	7 to 8	6 to 8	6 to 7	6 to 7	6 to 7	6 to 7	6 to 7	6 to 7	6 to 7	6 to 7	6 to 8	6 to 7	7 to 8	6 to 7	6 to 7	7 to 8	4 to 5	7 to 8	7 to 8	7 to 8	7 to 8	
Fabric Weight Per m	163g (+/- 5%)	227g (+/- 5%)	173g (+/- 5%)	109g (+/- 5%)	172g (+/- 5%)	220g (+/- 5%)	184g (+/- 5%)	291g (+/- 5%)	200g (+/- 5%)	263g (+/- 5%)	132g (+/- 5%)	193g (+/- 5%)	172g (+/- 5%)	140g (+/- 5%)	140g (+/- 5%)	120g (+/- 5%)	118g (+/- 5%)	207g (+/- 5%)	209g (+/- 5%)	470g (+/- 5%)	211g (+/- 5%)	
	Advantages																					
Insulative Properties Keeps Rooms Both Cooler in Summer & Warmer in Winter	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Fade Retardant	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
Dust Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Mould Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Repels Moisture	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Colours																					
Colour	Almond BL902 Bark BL912 Bark BL901 Ginger BL905 Iron Ore BL904 Midnight BL913 Musk BL903 Otter BL907 Steel BL911	Bonoli BL007 Cherrywood BL011 Fossil BL003 Mercury BL005 Meringue BL1001 Onyx BL012 Sorbet BL004 Spun Sugar BL002 Thistle BL009 Walnut BL010	Cloud BL4801 Dove BL4802 Hazy BL4805 Iron BL4806 Out BL4803 Stone BL4804	Ashen BL0207 Bone BL0204 Chiffon BL0206 Cream BL0201 Daisy BL0201 Hazel BL0205 Leather BL0211 Ocean BL0209 Pale BL0202 Royal BL0210 Smoky BL0208	Coffee BL0505 Chromium BK001 Coal BK003 Light Slate BK002	Chestnut BK004 Chromium BK001 Coal BK003 Light Slate BK002	Biscuit BL0802 Bright Silver BL0801 Honey BL0803 Jet Black BL0808 Seal BL0805 Spruce BL0806 Steel Blue BL0807 Steel Grey BL0804	Amber Gold BK104 Brass BK106 Dark Cedar BK108 Fudge BK107 Hazelwood BK105 Light Cream BK103 Raven BK109 Smoke White BK101 Spring BK102	Blonde BL4602 Dust BL4604 Frost BL4601 Pebble BL4611 Snow BL4600	Charcoal Grey BK207 Chrome Grey BK204 Classic Silver BK202 Custard BK205 Dark Brown BK206 Elephant Grey BK203 Intense Black BK208 Pearl Grey BK201	Cappuccino LV105 Maple LV104 Polar LV101 Rhodium LV103 Slate LV107 Soot LV106 Straw LV102	Champagne BL3004 Dark Pebble BL3007 Dark BL3005 Oak BL3006 Cinnamon BL3003 Silver BL3001 Warm Grey BL3002	Cold Metal BL2004 Desert Sand BL2003 Espresso BL2008 Honeycomb BL2006 Latte BL2002 Natural BL2001 Slate BL2005 Walnut BL2007	Chocolate BL212 Cotton BL201 Grey BL207 Macadamia BL202 Metal BL208 Sand BL203 Taupe BL210	Ash BL012 Autumn BL005 Haze BL014 Ivory BL001 Light Bank BL004 Marshmallow BL011 Mocha BL006 Peacock BL003 Safari BL013 Sandstone BL010 Storm BL015	Acorn BL123 Alabaster BL002 Baby Blue BL120 Baby Pink BL116 Blue Fizz BL006 Charcoal BL112 Cheneapple BL114 Chinchilla BL110 Earth BL111 Grass BL115 Haze BL014 Ivory BL001 Lime BL108 Marble BL109 Mint BL119 Mocha BL122 Peach BL103 Pink Fizz BL105 Platinum BL125 Pumice BL107 Rustic BL118 Smoke BL124 Snowy BL101 Tan BL117 Violet BL104	Frosted GR0101 Camel GR0102 Stormy Grey GR0103	Blue Lagoon BL607 Chocolate BL611 Desert BL605 Eggshell BL603 Ghost White BL601 Popcorn Corn BL602 Purple BL609 Titanium BL606	Beige SP102 Leaf SP103 Powder SP101 Umber SP104	Buttermilk SP1002 Pearl SP1001 Pewter SP1003 Wood SP1004	Cedar SH1006 Coconut SH1001 Fawn SH1003 Graphite SH1005 Hazelnut SH1002 Soft Grey SH1004	

Custom Made Roma Shade Range Options Chart V24

Product	Roma Shade			
Custom Made Blind Range	Prati (Semi - Opaque)	Termini (Semi - Opaque)	Monti (Opaque)	Tridente (Opaque)
	Window Types			
Standard	✓	✓	✓	✓
Side By Side	✓	✓	✓	✓
Corner A Butt	✗	✗	✗	✗
Corner A Thru	✗	✗	✗	✗
Corner B Butt	✗	✗	✗	✗
Corner B Thru	✗	✗	✗	✗
Bay A	✗	✗	✗	✗
Bay B	✗	✗	✗	✗
Bay C	✗	✗	✗	✗
	Blind Heights			
Minimum Blind Height	250mm	250mm	250mm	250mm
Maximum Blind Height	3000mm	3000mm	3000mm	3000mm
Minimum Blind Width	400mm	400mm	400mm	400mm
Motorised Minimum Blind Width	550mm	550mm	550mm	550mm
Maximum Blind Width	3000mm	3000mm	3000mm	3000mm
	Blind Widths			
Face Fit	✓	✓	✓	✓
Recess Fit	✓	✓	✓	✓
	Special Options Available			
Door Cutouts	✗	✗	✗	✗
Motorisation	✓	✓	✓	✓
Multiple Blinds	✓	✓	✓	✓
Notes	Motorisation is available with 1, 2, 5 or 15 channel remotes in white. The track, bottom rail and accessories are only available in white. Chain colours available in Beige, Black, Dark Coffee, Grey, Khaki, Light Coffee, White and Stainless Steel (surcharges apply for Stainless Steel)			

  Custom Made Roma Shade Range Reference Chart V24				
Product	Roma Shade			
Custom Made Blind Range	Prati <i>(Semi - Opaque)</i>	Termini <i>(Semi - Opaque)</i>	Monti <i>(Opaque)</i>	Tridente <i>(Opaque)</i>
Selling Features	Chain Control for optimal control of light Easy Installations Head Rail and Bottom Rail wrapped in blind fabric for seamless finish Variety of chain control colours Motorisation available for modern convenience	Chain Control for optimum control of light Easy Installations Head Rail and Bottom Rail wrapped in blind fabric for seamless finish Variety of chain control colours Motorisation available for modern convenience	Thicker fabric for increased privacy Chain Control for optimum control of light Easy Installations Head Rail and Bottom Rail wrapped in blind fabric for seamless finish Variety of chain control colours Motorisation available for modern convenience	Thicker fabric for increased privacy Chain Control for optimum control of light Easy Installations Head Rail and Bottom Rail wrapped in blind fabric for seamless finish Variety of chain control colours Motorisation available for modern convenience
	Fabric Material Properties			
Finish	Semi-Blockout Woven	Textured	Semi-Blockout Grain	Woven
Composition	100% Polyester	100% Polyester	100% Polyester	100% Polyester
Colour Fastness	≥6	≥6	≥6	≥6
Fabric Weight Per m ²	280g (+/- 5%)	162g (+/- 5%)	89g (+/- 5%)	285g (+/- 5%)
	Advantages			
Insulative Properties <i>Keeps Homes Both Cooler In Summer & Warmer In Winter</i>	✓	✓	✓	✓
Fade Retardant	✗	✗	✗	✗
Dust Resistant	✓	✓	✓	✓
Mould Resistant	✓	✓	✓	✓
Repels Moisture	✓	✓	✓	✓
	Colour Range			
Colour	Dark Grey Light Grey Monte Grappa White Sand White	Dark Grey Light Grey Mont Blanc White Night Sand Soft Sand	Grey Sand Trullo White	Dark Grey Light Grey Mount Etna White Night Sand Trullo