



#### **Custom Made Venetian Blind Range Options Chart V24**

Material			Venetian Blind		
Custom Made Blind Range	50mm PS Slat	50mm PS Privacy Slat	50mm Timber Slat	63mm PS Slat	63mm PS Privacy Slat
Size		-	Blade Sizes		
50mm	✓	✓	✓		
63mm				✓	✓
			Window Types		
Standard	✓	✓	✓	✓	✓
Side By Side	✓	✓	✓	✓	✓
Corner A Butt	✓	✓	✓	✓	✓
Corner A Thru	✓	✓	✓	✓	✓
Corner B Butt	✓	✓	✓	✓	✓
Corner B Thru	✓	✓	✓	✓	✓
Вау А	✓	✓	✓	✓	✓
Bay B	✓	✓	✓	✓	✓
Bay C	✓	✓	✓	✓	✓
			Blind Heights		
Minimum Blind Height	200mm	200mm	200mm	200mm	200mm
Maximum Blind Height	3000mm	3000mm	3000mm	3000mm	3000mm
			Blinds & Window Widths		
Minimum Blind Width	222mm	222mm	222mm	222mm	222mm
Maximum Blind Width	3000mm	3000mm	2400mm	3000mm	3000mm
laximum Window Width For Single Blind Option	3000mm	3000mm	2400mm	3000mm	3000mm
			Fitting Method		
Face Fit	<b>✓</b>	<b>✓</b>	✓ ×	<b>✓</b>	<b>√</b>
Recess Fit	· ✓	· ·	· ·	· ·	· ✓
NCCC33 TH		·	Fascia/Pelmet Options	· ·	
Fascia/Pelmet Standard Or Option	Standard	Standard	Standard	Standard	Standard
raselaji elinet standara er option	Standard	Standard	Standard	Standard	Standard
Colours	Matched To Blind Colour				
Size	85mm	85mm	85mm	85mm	85mm
			Special Options Available		
Door Cutouts	<b>✓</b>	<b>✓</b>	· · ·	<b>√</b>	✓
Multiple Blinds	· ✓	· ✓	· ✓	· ✓	· ·
Suitable For Wet Areas	✓	<b>√</b>	×	<b>√</b>	<u> </u>
			Additional Options Available		
Other Options	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested



### **Custom Made Venetian Blind Range Reference Chart V24**

Material				Venetian Blind		
Custom Made Blind Range		50mm PS Slat	50mm PS Privacy Slat	50mm Timber Slat	63mm PS Slat	63mm PS Privacy Slat
Selling Features		Wide Range Of Colours	Superior Privacy & Light Shielding	Wide Range Of Colours	Wide Range Of Colours	Superior Privacy & Light Shielding
				Material		
Material		Polystyrene PS	Polystyrene PS	Paulownia Timber	Polystyrene PS	Polystyrene PS
				Advantages		
Termite Proof		✓	✓		✓	✓
Insulative Properties Keeps Homes Both Cooler In Summer & Warn	ner In Winter	<b>√</b>	<b>√</b>	✓	✓	✓
Repels Moisture		✓	<b>√</b>		<b>√</b>	<b>√</b>
Colour	Finish			Colour Options		
Colour	Painted	Bright White Classic White Earl Grey Snow White Super White	Bright White Classic White Earl Grey Snow White Super White	Beechwood Cedar Image Medium Maple Riva Walnut	Snow White Super White	Snow White Super White



#### **Custom Made Cellular Blind Range Options Chart V24**

PACIFIC WHOLESALE DISTRIBUTOR					Custom Mad	de Cellular Blin	d Range Optio	ons Chart V24				
Blind Type						Single	Cellular					
						Cell siz	e - 25mm					
		Corded			Cordless			Clutch			Motorised	
Operation Type	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard <sup>1</sup>	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up
Size						Blad	e Sizes					
25mm	*	·	*	•	*	*	*	*	•	*	·	,
						Winds	ow Types					
Standard	*	,	*	,	•	•	,	*	•	,	,	,
Side By Side	~	,	*	,	,	,	*	*	,	,	~	,
Corner A Butt	~	,	*	,	,	•	,	•	•	,	*	,
Corner A Thru	*	*	*	*	*	,	*	*	*	*	*	*
Corner B Butt	·	•	*	,	•	*	,	*	*	•	*	,
Corner B Thru		·		•	•	*	· ·	•	•	·	· ·	,
Bay A Bay B	*	*	*	*	,	,	,	*	*	,	,	*
Bay C	*	*	*		*		*				· · · · · · · · · · · · · · · · · · ·	,
.,,							Heights					
						I	ı					
	300mm 25mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm
Maximum Blind Height	2500mm	2500mm	2500mm	2100mm	2100mm	2100mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm
						Maximum Total Sq	uare Metre's Per Blind					
25mm Blind	7.5m²	4.56m²	7.5m²	5.1m²	5.1m²	5.1m²	7.5m²	6.4m²	7.32m²	7.5m²	7m²	7.5m²
						Blind	Widths					
Minimum Blind Width	200mm	450mm	450mm	250mm	550mm	550mm	300mm	570mm *	570mm *	710mm (Battery Pack & Rechargeable Battery)	850mm - 1000mm (Powered With Adapter) <sup>2</sup>	850mm - 1000mm (Powered With Adapter) <sup>2</sup>
										620mm (Powered With Adapter)		
Maximum Blind Width	3000mm	3000mm	3000mm	2400mm	2400mm	2400mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm
				_	_	Fitting	Method		_			
Face Fit	~	~	*	*	~	·	/	·	·	*	<b>~</b>	·
Recess Fit	· ·	✓	<b>*</b>	<b>✓</b>	<b>✓</b>	<b>*</b>	<b>*</b>	✓	<b>✓</b>	<b>*</b>	<b>~</b>	✓
						Head Rail/Fasc	a/Pelmet Options					
Fascia/Pelmet Standard Or Option	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Colours	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour
Fabric Insert	×	×	×	×	x	x	×	×	×	×	×	*
						Special Op	ions Available					
Door Cutouts	×	ж	×	×	x	x	х	×	×	×	×	×
Multiple Blinds	¥	4	¥	1	4	·	4	4	1	*	4	1
Suitable For Wet Areas	×	x	×	*	x	x	×	×	×	×	x	×
	These are not recommended for frequen	Remote. Battery Operated Blinds use 8 × AA Batteries It use as the batteries may require regular changing.										
Motorisation Information	Motorised Battery options are not reco	ling to the frequency of use and are not rechargeable mmended for high window areas (due to the requirer	ment to change batteries).									
	These use a 240V Mains Plug and will re	Motor With Power Adapter with Wand or Remote. equire a power point/socket close to the Blind when r	recharging the battery.									
	Powered Operated Motor With Power A These use a 240V Mains Plug and will re The Blinds will need a continuous power	dapter (Hardwired Motor) with Wand or Remote. equire a power point/socket close to the Blind. r source to operate.										
	* Clutch Day Night, One Control Cord m Clutch Cord is supplied as Cotton/White	inimum width is; 600mm (Height < 2000mm), 700mm, , unless specified otherwise.	n (Height ≥ 2000mm).									
Notes		Cordless Cellulars are supplied in 3m lengths as a min		ntad fraquantly								
	Motorised Day Night & Motorised Top 850mm (Powered Operated Motor With	Power Adapter - Simple Touch Wand)		леч угециениу.								
	1000mm (Powered Operated Motor Wi	th Power Adapter - Simple Touch Wireless Remote)										





Blind Type						Single	Cellular									
							e - 25mm									
		Corded			Cordless			Clutch			Motorised					
Operation Type	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up				
		,		•		Selling	Features			'						
Selling Features	Smaller Headbox Insulation Ideal For Smaller Drops Side Channels Available	Light Filtering & Blockout Configuration Smaller Headbox Insulation Ideal For Smaller Drops	Increased Level Of Control & Privacy Smaller Headbox Insulation Ideal For Smaller Drops	No Chains Or Cords Easy Operation Child Safe Insulation Side Channels Available	Light Filtering & Blockout Configuration No Chains Or Cords Easy Operation Child Safe Insulation	Increased Level Of Control & Privacy No Chains Or Cords Easy Operation Child Safe Insulation	Clutch Assisted Operation Insulation	Light Filtering & Blockout Configuration Clutch Assisted Operation Insulation	Increased Level Of Control & Privacy Clutch Assisted Operation Insulation	Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Light Filtering & Blockout Configuration Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Increased Level Of Control & Privacy Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation				
		Advantages														
Insulative Properties Keeps Homes Both Cooler In Summer & Warmer In Winter	<b>✓</b>															
Fade Resistant	✓	✓	<b>√</b>	✓	✓	✓	✓	✓	✓	✓	<b>√</b>	✓				
Child Safe	×	×	×	<b>✓</b>	✓	✓	×	×	×	<b>✓</b>	✓	✓				
Dust Resistant	✓	<b>✓</b>	<b>✓</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>				
Mould Resistant	<b>✓</b>	<b>✓</b>	<b>√</b>	· ·	<b>✓</b>	<b>✓</b>	· ·	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>√</b>	<b>✓</b>				
Repels Moisture	<b>√</b>	<b>√</b>	<b>√</b>	<b>*</b>	<b>*</b>	<b>√</b>	<b>*</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>*</b>	<b>√</b>				
PVC Free	✓	✓	✓	<b>✓</b>	✓	✓	<b>✓</b>	✓	✓	✓	<b>√</b>	<b>✓</b>				
						Fabric	Options									
Blockout Standard				Alabaster, Avocado	, Black, Bordeaux, Cocoa, C	Cotton, Fawn, Federal Blue,	Gray Sheen, Jean Blue, Oc	her , Onion, Pink Flamingo,	Pongee, Royal Purple							
Translucent Standard	Agate Red	d, Alabaster, Avocado, Bisc	uit, Black, Bordeaux, Cocod	n, Cotton, Cream, Fawn, Gri	ay Sheen, Jean Bue, Marine	e Blue, Ocher, Onion, Pink F	lamingo, Pongee, Roseate,	. Royal Gray, Royal Purple,	Snow White, Spring Green	, Stone Red, Tan, Terra Cot	ta, Water Green, White Do	ove, Wisteria				
Translucent Paisley						Bordeaux, Cocoa, Faw	n, Pongee, Royal Purple									
Translucent Sheer					Anthracite, Avocado, B	Black, Alabaster, Cocoa, Cot	ton, Fawn, Gray Sheen, Pir	nk Flamingo, Snow White								
Translucent Thatched						Avocado, Cocoa, Faw	n, Pongee, Terra Cotta									
Translucent Woven						Avocado, Cocoa, C	otton, Fawn, Onion									
Day Night Option Available																
Day Night Colours					Day Night Can Be Order	ed With Any Combination C	of The Same Cell Size Block	out & Translucent Colours.								



#### **Custom Made Cellular Blind Range Options Chart V24**

WHOLESALE DISTRIBUTORS														
Blind Type							Single	Cellular						
						Cell Siz	e - 38mm						Skylight Cellular Blinds Are A	vailable In 38mm Single Cell Onl
		Corded			Cordless			Clutch			Motorised		s	kylight
Operation Type	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	Cordless Standard	Motorised Standard
Size							Bla	le Sizes						
38mm	,	~	,	•	•	•	·	,	,	*	·	·	· ·	·
							Wind	ow Types						
Standard	· ·	*	,	,	,	,	,		*	*	,		~	
Side By Side				,	,	,				,	~	,	-	· ·
Corner A Butt	~	~	~		•				,	,	*		*	×
Corner A Thru		×		,	,	,				,	*	,	*	×
Corner B Butt	~	~	,	•	•	•	,	•	,	*	*	*	ж	×
Corner B Thru	,	*	*	,	,	,		*	*	,	~	,	*	*
Bay A	,	*	*	,	•	*		•	,	,	*	,	*	×
Вау В	*	*	*	,	,	*	*	*	*	,	~	,	*	×
Вау С	·	~	*	*	*	*	*	*	*	*	*	*	×	×
							Bline	Heights						
Minimum Blind Height 38mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	600mm
Maximum Blind Height	3600mm	3600mm	3600mm	2100mm	2100mm	2100mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	2100mm	2100mm
							Maximum Total So	uare Metre's Per Blind						
38mm Blind	10.8m²	5.5m²	10.8m²	5.1m²	5.1m²	5.1m²	9m²	6.4m²	7.32m²	9m²	7m² Blockout & Translucent 7m² Blockout & Lattice 5.50m² Blockout & Woven	9m²	5.04m²	5.04m²
							Blin	Widths						
										710mm (Battery Pack & Rechargeable				
Minimum Blind Width	200mm	450mm	450mm	250mm	550mm	550mm	300mm	570mm *	570mm *	8attery) 620mm (Powered With Adapter)	850mm - 1000mm (Powered With Adapter) <sup>1</sup>	850mm - 1000mm (Powered With Adapter) <sup>1</sup>	450mm	630mm (Powered With Adap
Maximum Blind Width	3000mm	3000mm	3000mm	2400mm	2400mm	2400mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	1800mm	2400mm
							Fittin	g Method						
Face Fit	·	·	~	,	·	·		·	·	·	·	·	_	4
Recess Fit	·	·			·	·		*	·	-	·	·	·	·
							Head Rail/Fass	ia/Pelmet Options						
Fascia/Pelmet Standard Or Option	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Colours	Matched To Blind Colour	Matched To Slind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	<sup>2</sup> Matched To Blind Colour
Fabric Insert	×	×	×	×	×	×	*	×	×	×	×	×	×	×
							Special Op	tions Available						
Door Cutouts	×	×	×	×	×	×	×	×	×	x	×	×	x	×
Multiple Blinds	·	×	×	·	·	·	*	·	·	-	·	·	~	×
Suitable For Wet Areas	×	×	×	×	×	×	×	×	×	×	×	×	x	×
Motorisation Information	These are not recommended for frequ The batteries will need replacing accon Motorised Battery options are not rec. This option is not available for Skyligh Rechargeable Lithium Battery Operat These use a 240V Mains Plug and will This option is not available for Skyligh	ent use as the batteries may require requi driding to the frequency of use and are not commended for high window areas (due to Motorised Blinds. at Motor With Power Adapter with Wana require a power point/socket close to the Motorised Blinds.	rechargeable.  o the requirements to change batteries).  or Remote.  Blind when recharging the battery.	uded).										
	These use a 240V Mains Plug and will The Blinds will need a continuous pow * Clutch Doy Night, One Control Cord Clutch Cord is supplied as Cotton/Whil Side Channels for Standard Corded and 'Motorised Day Night & Motorised To \$50mm (Powered Operated Motor Wi	minimum width is; 600mm (Height < 2000 te, unless specified otherwise. d Cordless Cellulars are supplied in 3m ler p Down, Bottom Up Minimum Widths; th Power Adapter - Simple Touch Wand) rith Power Adapter - Simple Touch Wirele silable in White only.	Blind.  Damn), 700mm (Height ≥ 2000mm).  sigths as a minimum pack size of 4.											





Blind Type							Single	Cellular								
						Cell Size	e - 38mm							inds Are Available In gle Cell Only		
		Corded			Cordless			Clutch			Motorised		Sky	/light		
Operation Type	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	Cordless Standard	Motorised Standard		
					<u> </u>		Selling	Features								
Selling Features	Smaller Headbox Insulation Ideal For Smaller Drops Side Channels Available	Light Filtering & Blockout Configuration Smaller Headbox Insulation Ideal For Smaller Drops	Increased Level Of Control & Privacy Smaller Headbox Insulation Ideal For Smaller Drops	No Chains Or Cords Easy Operation Child Safe Insulation Side Channels Available	Light Filtering & Blockout Configuration No Chains Or Cords Easy Operation Child Safe Insulation	Increased Level Of Control & Privacy No Chains Or Cords Easy Operation Child Safe Insulation	Clutch Assisted Operation Insulation	Light Filtering & Blockout Configuration Clutch Assisted Operation Insulation	Increased Level Of Control & Privacy Clutch Assisted Operation Insulation	Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Light Filtering & Blockout Configuration Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Increased Level Of Control & Privacy Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Great Solution For Skylight Windows No Chains Or Cords Easy Operation Child Safe Insulation Easy To Reach Extendable Pole Available	The Ultimate Solution For Hard-To-Reach Skylight Windows Easy Operation Motorised Remote No Chains Or Cords Child Safe Insulation		
							Adva	ntages								
Insulative Properties Keeps Homes Both Cooler In Summer & Warmer In Winter	<b>✓</b>	✓	<b>*</b>	~	<b>*</b>											
Fade Resistant	<b>✓</b>	<b>√</b>	·	·	<b>✓</b>											
Child Safe	×	<b>*</b>	*	<b>*</b>												
Dust Resistant	✓	<b>✓</b>	<b>✓</b>	<b>✓</b>	✓											
Mould Resistant	<b>✓</b>															
Repels Moisture																
PVC Free	•	•	•	v	•	*		Options	•	•	•	<b>✓</b>	<b>*</b>	✓		
Blockout Standard Blockout Bamboo Print	Alabaster, Anthracite	, Aqua Glass, Avocado, Bla	ack, Bordeaux, Buff Yellow,				ove			lamingo, Pongee, Royal Pu	urple, Roycroft Bottle Greer	a, Sticks & Stones, White	-			
Translucent Standard	Agate Red, Alabaste	er, Anthracite, Antique Pev	wter, Avocado, Biscuit, Blac			erspace, Dark Chocolate, F een, Sticks & Stones, Stone				amingo, Pongee, Roseate,	, Royal Gray, Royal Purple,	Roycroft Bottle Green,				
Translucent Bamboo Print						rk Chocolate, Dark Gray B, (							-			
Translucent Crepe Woven  Translucent Crush		Acacia Haze, Ant	thracite, Chocolate , Cornsill	к A, LOtton, Espresso A, Fa	uwn A, Fire Brick A, Gourm		ght Aquamarine, Light Ol hite Dove, Winter White	ve Green, Mink A, Navy, I	riebian Biue, Royal Gray A,	. sangria A, Stallion, Tumb	neweea, Wild Ginger			Are Available In All 38mm anges & Colours Only		
Translucent Linen					Aga	te Red, Avocado, Cocoa, Je	an Blue, Royal Gray, Royal	Purple					Single cell I durit N	English Colours Only		
Translucent Paisley						Bordeaux, Cocoa, Faw	n, Pongee, Royal Purple						1			
Translucent Sheer					Alabaster, Anthracite,	Avocado, Black, Cocoa, Cot	ton, Fawn, Gray Sheen, Pi	k Flamingo, Snow White					_			
Translucent Sheer A							ay Sheen, Snow White						-			
Translucent Slub Woven							oa, Cotton, Gray Sheen						-			
Translucent Thatched					Anthracite, Antique Pew		n, Pongee, Terra Cotta	ortena Onica White Davi					_			
Translucent Woven								istone, Union. White i inv								
Translucent Woven  Day Night Option Available					Andirocite, Antique rev	nei, Avocado, cocoa, cono	ii, ruwii, riencii Piess, iio	istone, Onion, white Dov								

PACIFIC WHOLESALE DISTRIBUTORS	<b>OPC</b>				Custom	Made Cellular Blin	d Range Options C	Chart V24				
Blind Type						Single	Cellular					
						Cell Size	- 45mm					
		Corded			Cordless			Clutch			Motorised	
Operation Type	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up
Size						Blade	Sizes					
45mm	,	,	*	*	*	*	*	*	,	*	,	*
						Windo	w Types					
Standard	,	,	*	*	*	*		*	,	*	*	¥
Side By Side		*	*	*	*	*	,	*	*	*		·
Corner A Butt	*	*	*	*	*	*	*	*	,	*	*	*
Corner A Thru	*	*	*	*	*	*	*	*	*	*	•	·
Corner B Butt	•	,	*	*	*	*	*	*	,	*	*	· · · · · · · · · · · · · · · · · · ·
Corner B Thru	*	*	*	,	*	*	*	*	· · · · · · · · · · · · · · · · · · ·	*	*	*
Bay A	*	,		*	*	*	•	*	*	*	•	· ·
Bay C	*	*	· · · · · · · · · · · · · · · · · · ·	*		,	*	,	,	*	•	*
							Heights					
Minimum Blind Height	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm
	5mm 3600mm	3600mm	3600mm	300mm	2100mm	2100mm	3000mm	3000mm	3000mm	300mm	3000mm	300mm
						Maximum Total Squ						
											7m <sup>2</sup> Hodonsk & Transburget	
45mm Blind	10.8m²	5.5m²	10.8m²	5.1m²	5.1m <sup>2</sup>	5.1m <sup>2</sup>	9m²	6.4m²	7.32m²	9m²	7m² Blockout & Translucent 7m² Blockout & Lattice 5.50m² Blockout & Woven	9m²
				_		Blind	Widths					
Minimum Blind Width	200mm	470	470	250mm	550mm					710mm (Battery Pack, Rechargeable Battery & USB-C <sup>1</sup> )	,	,
Minimum Blind Width	ZUUMM	450mm	450mm	25Umm	550mm	550mm	300mm	570mm *	570mm *	620mm (Powered With Adapter)	850mm - 1000mm (Powered With Adapter) <sup>2</sup>	850mm - 1000mm (Powered With Adapter) <sup>2</sup>
Maximum Blind Width	3000mm	3000mm	3000mm	2400mm	2400mm	2400mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm
						Fitting	Method					
Face Fit	<b>√</b>	<b>✓</b>	· ·	<b>✓</b>	<b>✓</b>	×	V	·	<b>✓</b>	<b>✓</b>	·	·
Recess Fit	·	<b>✓</b>	·	·	*	*	*	·	<b>√</b>	·	·	<b>√</b>
						Head Rail/Fascia	s/Pelmet Options		,		I	
Fascia/Pelmet Standard Or Option	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Colours	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour
Fabric Insert	×	×	×	×	×	*	×	×	х	×	×	×
						Special Opti	ons Available					
Door Cutouts	×	×	×	×	×	*	*	×	×	×	×	×
Multiple Blinds	·	·	¥	*	*	·	*	·	·	-	·	· ·
Suitable For Wet Areas	х	х	×	×	×	*	×	×	×	×	×	×
Motorisation Information	These are not recommended for frequent use as the batte The batteries will need replacing according to the frequen	key of use and are not rechargeable. window area's (due to the requirements to change batteries). er Adopter with Wand or Remote. nt/socket close to the Blind when recharging the battery.										

Powered Operated Motor With Power Adapter (Hardwired Motor) with Wand or Remote.
These use a 240V Mains Plug and will require a power point/socket close to the Blind.
The Blinds will need a continuous power source to operate.





Blind Type						Single	Cellular									
						Cell Size	e - 45mm									
		Corded			Cordless			Clutch			Motorised					
Operation Type	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up				
						Selling	Features									
Selling Features	Smaller Headbox Insulation Ideal For Smaller Drops	Light Filtering & Blockout Configuration Smaller Headbox Insulation Ideal For Smaller Drops	Increased Level Of Control & Privacy Smaller Headbox Insulation Ideal For Smaller Drops	No Chains Or Cords Easy Operation Child Safe Insulation	Light Filtering & Blockout Configuration No Chains Or Cords Easy Operation Child Safe Insulation	Increased Level Of Control & Privacy No Chains Or Cords Easy Operation Child Safe Insulation	Clutch Assisted Operation Insulation	Light Filtering & Blockout Configuration Clutch Assisted Operation Insulation	Increased Level Of Control & Privacy Clutch Assisted Operation Insulation	Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Light Filtering & Blockout Configuration Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Increased Level Of Control & Privacy Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation				
		Advantages														
Insulative Properties Keeps Homes Both Cooler In Summer & Warmer In Winter																
Fade Resistant	✓															
Child Safe	×															
Dust Resistant			<b>*</b>								<b>→</b>	<b>✓</b>				
Mould Resistant	<b>√</b>	<b>√</b>	<b>√</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	· ·	<b>√</b>	<b>√</b>	<b>√</b>	<b>*</b>	<b>√</b>				
Repels Moisture PVC Free	<b>√</b>	· ·	<b>✓</b>	· ·	· · · · · · · · · · · · · · · · · · ·	· · ·	<b>✓</b>	<b>✓</b>	<u> </u>	<b>√</b>	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				
rvcriee	•	·	·	, v	•			·	·	•	•	· ·				
						Fabric	Options									
Blockout Standard					Antique Red, Bott	le Of Bordeaux, Cotton, Fre	esh Brew, In The Navy, Pop	pyseed, Stormy Sky								
Blockout Lux-Linen					Chantill	y Lace, Cotswold, Cotton, H	lazy Skies, Royal Gray A, To	aos Taupe								
Blockout Woodgrain					Accessib	le Beige, Amazing Gray, Gro	ay Matters, Gray Screen, 1	Tony Taupe								
Blockout Woodgrain Linen					Blanche	ed Almond A, Coral Black, E	Dawn Gray, Light Walnut, S	Silver Gray								
Blockout Marble					Amazing	Worldly Gray, Gray Online	e, Gray Ponder, Passive, Wo	orldly Gray								
Blockout Sala					Argos	White, Gray White, Passive	White, Stone Harbor, Stor	rmy Gray								
Translucent Standard				Antique Re	d, Bottle Of Bordeaux, Cott	on, Fresh Brew, In The Nav	ry, Poppyseed, Salamander	r, Silhouette, Silken Peacoc	k, Stormy Sky							
Translucent Crepe Woven		Acacia Haze, Ar	nthracite, Chocolate, Corns	ilk A, Cotton, Espresso A, Fo	awn A, Fire Brick A, Gourm	et Chocolate, Gray Moss, L	ight Aquamarine, Light Oli	ve Green, Mink A, Navy, Pl	lebian Blue, Royal Gray A, S	Sangria A, Stallion, Tumble	weed, Wild Ginger					
Translucent Lux-Linen					Chantill	y Lace, Cotswold, Cotton, F	Hazy Skies, Royal Gray A, T	aos Taupe								
Translucent Marble					Amazing	Worldly Gray, Gray Online	e, Gray Ponder, Passive, Wo	orldly Gray								
Translucent Sala					Argos V	White, Gray White, Passive	White, Stone Harbour, Sto	rmy Gray								
Translucent Sheer						Alabaster, Cocoa,	Cotton, Gray Sheen									
Translucent Woodgrain					Accessib	le Beige, Amazing Gray, Gr	ay Matters, Gray Screen, 1	Tony Taupe								
Translucent Woodgrain Linen					Blanche	d Almond A, Coral Black, D	awn Gray, Light Walnut, S	ilver Gray								
Day Night Option Available					1											
Day Night Colours					Day Night Can Be Ordere	ed With Any Combination C	Of The Same Cell Size Block	out & Translucent Colours.								

PACIFI WHOLESALE DISTRIBUT	C C					C	PC			C	Custom N	1ade Cel	lular Bline	d Range	Options	Chart V2	24								
Blind Type							Cell-In-Co	ell Cellular											Double	Cellular					
						Cell-In	-Cell Cellular Blinds Are A	Available In 45mm Cell Si	ze Only										Double Cellular Blinds	Are Available In 38mm					
			Corded			Cordless			Clutch			Motorised			Corded			Cordless			Clutch			Motorised	
Operation Type		Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up
Size			1										Blade	Sizes							1				
25mm																									
38mm 45mm														*	*	*	,	~	*	*	~	*	·	·	<b>~</b>
45111111		<b>√</b>	*	*	,	*	*	4	*	*	*	*	Window	Tunos											
Standard		·			,		,	~	,		,			· · · · · · · · · · · · · · · · · · ·	,				,	,		,	4	· ·	·
Side By Side		·	~	,	,	~		4	~	,	,	-		-	*	~		-	*	~	·	4		·	~
Corner A Butt		*	*	,	,	*		,	,	,	,	,		,	-		,	~	*	*	-	,	,	~	~
Corner A Thru		·	*	*	,	*	*	*	*	,	,	,	*	*	*	*	*	,	*	*	*	*	,	*	~
Corner B Butt  Corner B Thru		· · · · · · · · · · · · · · · · · · ·	· ·	*	*		*		,	*				*		· ·		,	*		· ·	*	*	· ·	· ·
Bay A		•	,	,	,	,			,	•		-		•	,	-		· ·	,	~	· ·		,	*	· ·
Bay B		·		~	~					~		~		~			,	~			~	~	~	~	~
Bay C		·	*	*	*	*	*	,	*	•	*	*	•	*	•	*	*	4	*	-	*	~	*	*	<b>✓</b>
													Blind H	eights											
Minimum Blind Height	- 25mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Maximum Blind Height  Minimum Blind Height		N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A 300mm	N/A 300mm	N/A 300mm	N/A 300mm	N/A 300mm	N/A 300mm	N/A 300mm	N/A 300mm	N/A 300mm	N/A 300mm	N/A 300mm	N/A 300mm
Maximum Blind Height	- 38mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2500mm	2500mm	2500mm	2100mm	2100mm	2100mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm
Minimum Blind Height	45mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Maximum Blind Height		2700mm	2700mm	2700mm	2100mm	2100mm	2100mm	2700mm	2700mm	2700mm	2700mm	2700mm	2700mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			I					I				I	Maximum Total Squa	re Metre's Per Blind							I				
25mm Blind		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
38mm Blind		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7.5m²	4.56m²	7.5m²	5.1m²	5.1m²	5.1m²	7.5m²	6.4m²	7.32m²	5m² Blockout 7m² Translucent	4.50m²	5.0m² Blockout 7.0m² Translucent
45mm Blind		6.3m²	3.8m²	6.3m²	4.04m²	4.04m²	4.04m²	6.3m²	5.2m²	6.3m²	4.6m²	3.8m²	4.6m²	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
													Blind V	Vidths											
Minimum Blind Width		200mm	450mm	450mm	250mm	550mm	550mm	300mm	570mm *	570mm +	710mm (Battery Pack, Rechargeable Battery, and USB-C) 620mm (Powered With Adapter)	850mm - 1000mm (Powered With Adapter) <sup>1</sup>	850mm - 1000mm (Powered With Adapter) <sup>1</sup>	200mm	450mm	450mm	250mm	550mm	550mm	300mm	570mm +	570mm +	710mm (Battery Pack or Rechargeable Lithium) 620mm (Powered With Adapter)	850mm - 1000mm (Powered With Adapter) <sup>1</sup>	850mm - 1000mm (Powered With Adapter) <sup>1</sup>
Maximum Blind Width		3000mm	3000mm	3000mm	2400mm	2400mm	2400mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	2400mm	2400mm	2400mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm
													Fitting N	Method											
Face Fit		<b>~</b>	*	·	~	*	·	·	*	<b>*</b>	~	~	·	·	·	·	~	~	~	·	<b>✓</b>	·	~	·	<b>√</b>
Recess Fit		✓	*	*	<b>*</b>	*	*	*	*	*	*	✓	*	4	*	*	*	✓	*	*	✓	✓	✓	✓	✓
													Head Rail/Fascia,												
Fascia/Pelmet Standard Or Option  Colours	ion	Standard  Matched To Blind Colour	Standard  Matched To Blind Colour	Standard  Matched To Blind Colour	Standard  Matched To Blind Colour	Standard  Matched To Blind Colour	Standard  Matched To Blind Colour	Standard  Matched To Blind Colour	Standard  Motched To Blind Colour	Standard  Matched To Blind Colour	Standard  Matched To Blind Colour	Standard  Matched To Blind Colour	Standard  Motched To Blind Colour	Standard  Matched To Blind Colour	Standard  Matched To Blind Colour	Standard  Motched To Blind Colour	Standard  Matched To Blind Colour	Standard  Matched To Blind Colour	Standard  Motched To Blind Colour						
Fabric Insert		×	*	×	×	×	×	×	×	*	×	×	×	×	*	×	*	×	×	×	×	*	×	×	ж
													Special Optio	ns Available											
Door Cutouts		×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	x	×	*	x	×	×	×	×
Multiple Blinds		✓	~	*	4	~	*	~	*	4	4	4	·	·	*	-	4	·	<b>*</b>	-	<b>✓</b>	~	*	*	✓
Suitable For Wet Areas		* The Motorised Options are;		ж	ж	x	×	×	×	ж	×	×	×	*	×	x	×	×	×	×	×	*	ж	ж	ж
Motorisation information		Battery Operated Motor wi These are not recommende The batteries will need repl Motorised Battery options of Rechargeable Lithium Batte These use a 240V Mains Pli Rechargeable USB-C Opera These use a USB-C cable th	ith Wand or Remote. Batter, ed for frequent use as the batacing according to the frequent are not recommended for his ery Operated Motor With Paug and will require a power pated Motor with Wand & Reratis plugged into the botton able is supplied at 1.5 m length.	ntteries may require regular is uency of use and are not recligh window area's (due to the ower Adapter with Wand or is point/socket close to the Blir mate. In of the Wand to be charged	hargeable. e requirements to change bu Remote. nd when recharging the batti	itteries).																			
		Powered Operated Motor V These use a 240V Mains Pla	With Power Adapter (Hardw ug and will require a power inuous power source to oper	point/socket close to the Blir	emote. nd.																				





WHOLESALE DISTRIBU	UTURS																							
Blind Type						Cell-In-C	Cell Cellular											Double	Cellular					
					Cell-In	-Cell Cellular Blinds Are	Available In 45mm Ce	ell Size Only										Double Cellular Blinds	s Are Available In 381	nm				
		Corded			Cordless			Clutch			Motorised			Corded			Cordless			Clutch			Motorised	
Operation Type	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up
												Sellin	g Features											
Selling Features	Smaller Headbox Superior Insulation Ideal For Smaller Drops	Superior insulation	Increased Level Of Control & Privacy Smaller Headbox Superior Insulation I deal For Smaller Drop	No Chains Or Cords Easy Operation Child Safe Superior Insulation	Light Filtering & Blockout Configuration No Chains Or Cords Easy Operation Child Safe Superior Insulation	Increased Level Of Control & Privacy No Chains Or Cords Easy Operation Child Sofe Superior Insulation	Clutch Assisted Operation Superior Insulation	Light Filtering & Blockout Configuration Clutch Assisted Operation Superior Insulation	Increased Level Of Control & Privacy Clutch Assisted Operation Superior Insulation	Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Superior Insulation	Light Filtering & Blockout Configuration Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Superior Insulation	Increased Level Of Control & Privacy Easy Operation Motorised Wond Control Or Remote No Chains Or Cords Child Safe Superior Insulation	Smaller Headbax Increased Insulation Ideal For Smaller Drops	Increased Insulation	Increased Level Of Control & Privacy Smaller Headbox Increased Insulation Ideal For Smaller Drop.	No Chains Or Cords Easy Operation Child Safe Increased Insulation	Light Filtering & Blockout Configuration No Chains Or Cords Easy Operation Child Safe Increased Insulation	Increased Level Of Control & Privacy No Chains Or Cords Easy Operation Child Sofe Increased Insulation	Clutch Assisted Operation Increased Insulation	Light Filtering & Blockout Configuration Clutch Assisted Operation Increased Insulation	Increased Level Of Control & Privacy Clutch Assisted Operation Increased Insulation	Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Light Filtering & Blockout Configuration Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Increased Level Of Control & Privacy Easy Operation Motorised Wand Control Or Remate No Chains Or Cords Child Safe Insulation
												Adv	vantages											
Insulative Properties Keeps Homes Both Cooler In Summer & Warmer In Winter	~	~	*	,	*	*	,	*	*	•	*	*	*	*	~	*	*	*	*	*	*	*	*	*
Fade Resistant Child Safe	*	×	*	· ·	· ·	· · ·	×	×	×	· ·	· ·	· · · · · ·	*	×	*		· · ·	· · · · · · · · · · · · · · · · · · ·	*	×	×	*	· · · · · · · · · · · · · · · · · · ·	· · ·
Dust Resistant	~	· ·	-	-	·	·	-	·	/	,		·	-	·	*	-	~	·	·	·	·	·	~	*
Mould Resistant	·	· ·	*	-	·	*	*	~	*	-	*	-	-	*	*	-	*	*	*	*	*	·	· ·	·
Repels Moisture  PVC Free	· · · · · · · · · · · · · · · · · · ·	*	· · · · · ·	*	· · ·	· · · · · · · · · · · · · · · · · · ·	*	· · · · · · · · · · · · · · · · · · ·	*		*	· · ·	*	· ·	*		· · ·	· ·	*	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	*	· · · · · · · · · · · · · · · · · · ·	· · ·
							1				•	Fabri	ic Options			1								•
Blockout Standard		45mm Cell-In-Cell - Beige B, Black, Blue Wind, Classic Gray, Cotton, Gray Storm, Ivory A, Taupe B																38mm Double Cell - Ali	abaster, Cotton, Jean Blue					
Translucent Standard					45mm Cell-In-Ce	ll - Beige B, Black, Blue Wind,	Classic Gray, Cotton, Gray St	torm, Ivory A, Taupe B							38mm Double Cell - A	gate Red, Alaboster, Avocad	o, Black, Cocoa, Cotton, Crear	n, Gray Sheen, Ironstone, Jean	Blue, Musk, Pongee, Rose	gate, Royal Purple, Sangrio, Sn	ow White, Stone Red, Sweet	mint, Water Green, Wisteria		
Cell-In-Cell Bamboo Translucent						45mm Cell-in-Ceil - Anti	ique Pewter, Sticks & Stones											,	N/A					
Cell-in-Cell Bamboo Blockout						45mm Cell-in-Cell - Anti	ique Pewter, Sticks & Stones												N/A					
Day Night Option Available  Day Night Colours											Day Night Can Be O	Ordered With Any Combination	n Of The Same Cell Size Blacks	out & Translucent Colours.										

PACIFIC	OPC								Custo	m Made Trans	ition Blind Ran	ge Options Ch	art V24								
Product											Transition Blind										
Blind Type									Multi Shade										Triple	Shade	
Custom Made Blind Range	Privacy/Blockout Standard <sup>1</sup>	Privacy/Blockout Woven <sup>2</sup>	Semi Blockout Grain	Semi Blockout Textured	Privacy Textured	Privacy Luxe	Privacy Grain	Privacy Textured Grain	Privacy Large	Privacy Natural	Jacquard Weave	Premium Blockout	Premium Blockout Woven	Premium Room Darkening	Premium Woven Room Darkening	Textured	Eco Friendly	Standard	Semi Blockout	Privacy Standard	Jacquard Weave
											Window Types						_				
Standard	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	~	*	*	*
Side By Side Corner A Butt	V •	٧٠	· ·	· ·	7.	· · ·	· ·	V +	٧٠	· · ·	V *	· · ·	٧٠	٧٠	V *	٧٠	٧٠	٧٠	v ·	٧٠	V *
Corner A thru	•			•							•	:				· ·		•	•		•
Corner B Butt															-						
Corner 8 Thru														_							
Bay A																					
tary ti																					•
Bay C																				•	
											Blind Heights										
Minimum Blind Height	300mm	300mm	300mm	300mm	300mm	200mm	300mm	200mm	300mm	200mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm
Maximum Blind Height	3000mm	3000mm	3000mm	3000mm	3000mm	2500mm	3000mm	2500mm	3000mm	2500mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm
											Blind Widths										
Minimum Blind Width	150mm	150mm	150mm	150mm	150mm	100mm	250mm	200mm	250mm	200mm	250mm	250mm	150mm	250mm	150mm	250mm	150mm	250mm	150mm	150mm	150mm
Motorised Minimum Blind Width	550mm	550mm	550mm	550mm	550mm	550mm	350mm	550mm	550mm	550mm	550mm	550mm	550mm	350mm	550mm	550mm	550mm	550mm	550mm	550mm	550mm
Maximum Blind Width  Maximum Window Width For Sinele Blind Cetion	2950mm 2950mm	2950mm 2950mm	2950mm 2950mm	2950mm 2950mm	2950mm 2950mm	2950mm 2950mm	2950mm 2950mm	2950mm 2950mm	2950mm 2950mm	2950mm 2950mm	2950mm	2950mm 2950mm	2950mm 2950mm	2950mm 2950mm	2950mm 2950mm	2950mm 2950mm	2950mm 2950mm	2950mm 2950mm	2950mm 2950mm	2950mm 2950mm	2950mm 2950mm
witeining wildow width For Single Baind Opdon	2950MM	250mm	250mm	200000	Zisumi	Journ	zsoumm	200mm	200mm	200mm	2950mm Fitting Method	200000	2/SUMM	200mm	Zisumi	Domin	Zisumi	200mm	Zioumi	Zisumn	ZISUM
Face Fit	~	~	~	· ·	-	,						-	~	-		·	-	~	-		
Recess Fit		-	-	-	-				-	-		-		-		· ·	-	-			
											Head Box Options										1
Beige	~	-	~	· ·				-			,			4	,	*	-	-	-	· ·	
Black	~	-	-	·	-	-		*			-		-	-	-	*		-	-	-	
Dark Srown	~	-	~		-	-		*				~		*	~	*	-	·		-	*
Grey Colour	~	*	*	*	-	*	*	*	*	*	*	-	*	*	*	·	*	·	*	*	*
Ivary	×	~	~	*	*	*	*	*	*	*	×	*	*	*	*	*	*	~	*	~	*
Light Brown	*	*	~	*	*	*	*	*	*	*	*	*	*	*	*	*	*	~	*	~	*
White	*	*	*	*	,	*	~	·	~	· ·	~	*	*	·	4	· · · · · · · · · · · · · · · · · · ·	*	~	~	~	· ·
Fabric Insert Option	*	*	-	*	*	*	*	*	*	*	Bottom Rail Octions	-	*	~	,	*	*	~	*	*	
Bottom Rail Type											Square Profile With Fabric Insert										
Beige	Trapezium Profile	Trapezium Profile	Trapedum Profile	Trapezium Profile	Trapedum Profile	Trapezium Profile	Trapedum Profile	Trapezium Profile	Trapedum Profile	Trapedum Profile	Square Profile With Fabric Insert	Trapedum Profile	Trapezium Profile	Trapecium Profile	Trapezium Profile	Trapecium Profile	Trapezium Profile	Trapecium Profile	Shuttle Oval Profile	Shuttle Oval Profile	Shuttle Oval Profile
Black	~	-	~	-	-	-					,	-	-	-	,	*	-	-	-	-	
Dark Brown	~	-	~	~	-	-		*				-	-	-	,	·	-	-	-		-
Gray Colour	~	,	~	*	-		*	*	*	*		-	*	·	7	*	-	-	~	-	
lvory	~	*	~	*	-	-	*	*	*	*	•	-	*	1	*	*	-	~	-	-	*
Light Brown	×	-	~	*	-	*	*	*	*	*	•	*	¥	¥	~	*	-	¥	~	~	*
White	~	*	~	*	*	*	*	*	*	*	*	*	*	*	*	*	*	~	*	~	
											Special Options Available										
Door Cutouts		•	•					•			•	•	•	•		•	•	•	•	•	
Motorisation	¥ .	· ·	*	· ·			*	Y Y	*	· ·	*	· ·	*	*	7	· ·	· ·	· ·		~	
Multiple Blinds  Notes	Previously called Biockout Standard, no Previously called Biockout Woven, now Side By Side Transition Blinds will be m	v called Privacy Woven.	*	*	*	*	*		,	*	,	,	,	,	, , , , , , , , , , , , , , , , , , ,	· · · · · · · · · · · · · · · · · · ·	•	•	*	, , , , , , , , , , , , , , , , , , ,	
	* Motorisation is available with a 1 char	nnel remote, or 2, 5 and 15 channels by s	pecial request.																		

PACIFIC WHOLESALE DISTRIBUTORS	OPC								Custo	n Made Transi	tion Blind Rang	ge Reference C	hart V24								
Product											Transition Blind										
Blind Type								Mult	ti Shade										Triple	: Shade	
Custom Made Blind Range	Privacy/Blockout Standard	Privacy/Blockout Woven	Semi Blockout Grain	Semi Blockout Textured	Privacy Textured	Privacy Luxe	Privacy Grain	Privacy Textured Grain	Privacy Large	Privacy Natural	Jacquard Weave	Premium Blockout	Premium Blockout Woven	Premium Room Darkening	Premium Woven Room Darkening	Textured	Eco Friendly	Standard	Semi Blockout	Privacy Standard	Jacquard Weave
Selling Features	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Woven Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Semi Blackout Fabric Grain Pattern	Excellent Light & Privacy Control Compact & Neat Window Covering Semi Blackout Fabric Textured Pattern	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Textured Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Folia Marl Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fair Grain Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockouf Fabric Textured Grain Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Febric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neot Window Covering Weave Fabric	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Facility Woven Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Room Darkening Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Room Darkening Fabric Woven Pottern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Largest Range Of Colour Options Textured Pattern	Excellent Light & Privacy Control Compact & Neat Window Covering Reduce Heat & Glare Made From 87% Recycled Yarn Content	Maintain Privacy While Allowing Light	Maintain Privacy While Allowing Light	Maintain Privacy While Allowing Light	Maintain Privacy While Allowing Light
											Fabric Material Properties	•									
Finish	Blockout Standard	Blockout Waven	Semi Blockout Grain	Semi Blockout Textured	Privacy Textured	Privacy Luxe	Privacy Grain	Privacy Textured Grain	Privacy Large	Privacy Natural	Jacquard Weave	Premium Blockout	Blockout Woven	Premium Room Darkening	Premium Woven Room Darkening	Textured	Eco Friendly	Standard	Semi Blockout	Privacy Standard	Jacquard Weave
Composition	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester (87% Recycled Yarn Content)	70% Polyester & 30% RM	100% Polyester	100% Polyester	100% Polyester
Colour Fastness	7 to 8	6 to 8	6 to 7	6 to 7	6 to 7	6 to 7	6 to 7	6 to 7	6 to 7	6 to 7	6 to 8	6 to 7	7 to 8	6 to 7	6 to 7	7 to 8	4 to 5	7 to 8	7 to 8	7 to 8	7 to 8
Fabric Weight Per m-	163g (+/- 5%)	227g (+/- 5%)	173g (+/- 5%)	109g (+/- 5%)	172g (+/- 5%)	220g (+/- 5%)	184g (+/- 5%)	291g (+/- 5%)	200g (+/- 5%)	263g (+/- 5%)	132g (+/- 5%)	193g (+/- 5%)	172g (+/- 5%)	140g (+/- 5%)	140g (+/- 5%)	120g (+/- 5%)	118g (+/- 5%)	207g (+/- 5%)	209g (+/- 5%)	470g (+/- 5%)	211g (+/- 5%)
											Advantages							ı		1	
Insulative Properties  Kerps Homes Both Cooler in Summer & Womer in Winter	*	*	,	*		•	•	•	•	*	*	*	•	*	*	*		*	~	*	*
Fade Retardant	×	*	×	x	×	*	x	*	*	z	x		x	*	×	x	×	x	x	×	×
Dust Resistant	~	*	,	*	,	,	*	•	*	,	,	,	-	*	*	*		,	*	*	·
Mould Resistant	*	•	*	*	,	,	•	*	•	,	· ·	*	-	*	*	,	,	*	*	,	·
Repels Moisture	~	*	*	*	,	•	•	*	•	*	*	1	-	1	*	*	-	*	*	*	✓
											Colours										
Colour	Almond BL902 Back BI312 Chair BL903 From the BL904 Mode BL904 Mode BL903 Other BL907 Seed BL911	Booksi 81007 Bratien 81008 Cherrywood 81011 Frouit 81003 Mercury 91005 Memple 81001 Sorbet 81004 Span Sugar 8100 Thistie 81009 Walnut 81010	Olovel BLABOS, Dove BLABOS Levy BLABOS From BLABOS Oat BLABOS Stone BLABOS	Asher 815307 Store 815204 Chilfon 815206 Crams 815203 Daily 815201 More 815203 Ocean 815209 Pale 815202 Royal 815203 Smoky 815208	Coffee B 15055 Core B 55054 Lace B 55002 Lines B 15033 Prorelain B 15033 Shadow B 15006	Checknut BISQ4 Chromium BISQ3 Coal BISQ3 Light Saler BISQ2	Biscort BLS002 Biget Silver BLB03 Ber Block BLS008 See BLS005 Sonce BLS005 Sonce BLS005 Stee Block BLS007 Stee Gery BLS004	Amber Gold BE104 Brass BE106 Data Ceder BE108 Fudge BE107 Hardened BE103 Staves BE109 Smoke WHA BE105 Sonick WHA BE105	Blonde BL4602 Dust BL4604 From BL4604 Manual Snow BL4600	Charcoal Grey BLDD? Choren Grey BLDD Choren Grey BLDD Cooles BLDS Data Green BLDS Exphant Grey BLDDS Inform BLDS Exphant Grey BLDDS Feat Grey BLDDS Paul Grey BLDDS	Cappurcine LV105 Majaje LV204 Rolar LV205 Robother LV205 Soci LV1205 Straw LV202	Champager B 13004 Dark Pebble B 13007 Dark B 13005 Ods B 13006 Silver B 13001 Warm Grey B 13002	Cold Metal BL2004 Desert Sand BL2005 White Cold Sand Sand Sand Sand Sand Sand Sand San	Chocoline 8L212 Centon 8L201 Macadamin 8L202 Mecadamin 8L202 Sand 8L203 Thope 8L210	Adv. 8532 Austrams 805 Haze 854 Hory 9501 Light Bark 8504 Marchedishw 8513 Peacock 8509 Safar 8533 Sarardstone 8502 Storm 8513	Acoro 8123 Alabater 8102 Baby New 8120 Baby Pele 8120 Bille Fre 1016 Bille Fre 1016 Concesscale 8114 Chenchills 8110 Earth 8111 Cope 8111 Line 8108 Mont 8119 Mont 8119 Pele 8108 Mont 8119 Pele 8108 First 8108 Pele 81	Fronted GRSSD1 Climed GRSSD2 Stormy Gry GRSSD3	Blue Lagoon 5627 Chocolete 5511 Egghel 5623 Gent When 5623 Popped Corn 5602 Popped Corn 5602 Transon 5606	Beign SF102 Lead SF203 Powder SF101 Umber SF104	Post SP 2002 Post SP 2003 Post SP 2003 Wood SP 2004	Code 94005 Coston 94001 Favor 94001 Favor 94005 Hazarbus 54002 Soft Grey 94004





## **Custom Made Roma Shade Range Options Chart V24**

Product	Roma Shade					
Custom Made Blind Range	Prati (Semi - Opaque)	Termini (Semi - Opaque)	Monti (Opaque)	Tridente (Opaque)		
	Window Types					
Standard	✓	✓	4	✓		
Side By Side	✓	✓	✓	✓		
Corner A Butt	×	x	×	x		
Corner A Thru	×	×	×	×		
Corner B Butt	×	x	×	×		
Corner B Thru	×	x	×	×		
Bay A	×	×	×	×		
Bay B	×	×	×	×		
Bay C	×	×	×	×		
	Blind Heights					
Minimum Blind Height	250mm	250mm	250mm	250mm		
Maximum Blind Height	3000mm	3000mm	3000mm	3000mm		
Minimum Blind Width	400mm	400mm	400mm	400mm		
Motorised Minimum Blind Width	550mm	550mm	550mm	550mm		
Maximum Blind Width	3000mm	3000mm	3000mm	3000mm		
	Blind Widths					
Face Fit	✓	✓	4	✓		
Recess Fit	✓	✓	✓	✓		
	Special Options Available					
Door Cutouts	×	x	×	x		
Motorisation	<b>✓</b>	<b>√</b>	✓	✓		
Multiple Blinds	<b>✓</b>	<b>√</b>	✓	✓		
Notes	Motorisation is available with 1, 2, 5 or 15 channel remotes in white. The track, bottom rail and accessories are only available in white. Chain colours available in Beige, Black, Dark Coffee, Grey, Khaki, Light Coffee, White and Stainless Steel (surcharges apply for Stainless Steel)					





#### **Custom Made Roma Shade Range Reference Chart V24**

Product	Roma Shade					
Custom Made Blind Range	Prati (Semi - Opaque)	Termini (Semi - Opaque)	Monti (Opaque)	Tridente ( <i>Opaque</i> )		
Selling Features	Chain Control for optimal control of light Easy Installations Head Rail and Bottom Rail wrapped in blind fabric for seamless finish Variety of chain control colours Motorisation available for modern convenience	Chain Control for optimum control of light Easy Installations Head Rail and Bottom Rail wrapped in blind fabric for seamless finish Variety of chain control colours Motorisation available for modern convenience	Thicker fabric for increased privacy Chain Control for optimum control of light Easy Installations Head Rail and Bottom Rail wrapped in blind fabric for seamless finish Variety of chain control colours Motorisation available for modern convenience	Thicker fabric for increased privacy Chain Control for optimum control of light Easy Installations Head Rail and Bottom Rail wrapped in blind fabric for seamless finish Variety of chain control colours Motorisation available for modern convenience		
	Fabric Material Properties					
Finish	Semi-Blockout Woven	Textured	Semi-Blockout Grain	Woven		
Composition	100% Polyester	100% Polyester	100% Polyester	100% Polyester		
Colour Fastness	≥6	≥6	≥6	≥6		
Fabric Weight Per m-	280g (+/- 5%)	162g (+/- 5%)	89g (+/- 5%)	285g (+/- 5%)		
Advantages						
Insulative Properties Keeps Homes Both Cooler In Summer & Warmer In Winter	4	-	4	<b>~</b>		
Fade Retardant	×	x	×	×		
Dust Resistant	<b>→</b>	4	4	<b>√</b>		
Mould Resistant	<b>→</b>	4	4	<b>√</b>		
Repels Moisture	<b>→</b>	4	4	<b>✓</b>		
Colour Range						
Colour	Dark Grey Light Grey Monte Grappa White Sand White	Dark Grey Light Grey Mont Blanc White Night Sand Soft Sand	Grey Sand Trullo White	Dark Grey Light Grey Mount Etna White Night Sand Trullo		