

Material	Venetian Blind				
Custom Made Blind Range	50mm PS Slat	50mm PS Privacy Slat	50mm Timber Slat	63mm PS Slat	63mm PS Privacy Slat
Size	Blade Sizes				
50mm	✓	✓	✓		
63mm				✓	✓
	Window Types				
Standard	✓	✓	✓	✓	✓
Side By Side	✓	✓	✓	✓	✓
Corner A Butt	✓	✓	✓	✓	✓
Corner A Thru	✓	✓	✓	✓	✓
Corner B Butt	✓	✓	✓	✓	✓
Corner B Thru	✓	✓	✓	✓	✓
Bay A	✓	✓	✓	✓	✓
Bay B	✓	✓	✓	✓	✓
Bay C	✓	✓	✓	✓	✓
	Blind Heights				
Minimum Blind Height	200mm	200mm	200mm	200mm	200mm
Maximum Blind Height	3000mm	3000mm	3000mm	3000mm	3000mm
	Blinds & Window Widths				
Minimum Blind Width	222mm	222mm	222mm	222mm	222mm
Maximum Blind Width	3000mm	3000mm	2400mm	3000mm	3000mm
Maximum Window Width For Single Blind Option	3000mm	3000mm	2400mm	3000mm	3000mm
	Fitting Method				
Face Fit	✓	✓	✓	✓	✓
Recess Fit	✓	✓	✓	✓	✓
	Fascia/Pelmet Options				
Fascia/Pelmet Standard Or Option	Standard	Standard	Standard	Standard	Standard
Colours	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour
Size	85mm	85mm	85mm	85mm	85mm
	Special Options Available				
Door Cutouts	✓	✓	✓	✓	✓
Multiple Blinds	✓	✓	✓	✓	✓
Suitable For Wet Areas	✓	✓	x	✓	✓
	Additional Options Available				
Other Options	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested	Standard Or Common Fascia 67mm Standard Return Or Size As Requested

# Custom Made Venetian Blind Range Reference Chart V25

Material		Venetian Blind				
Custom Made Blind Range		50mm PS Slat	50mm PS Privacy Slat	50mm Timber Slat	63mm PS Slat	63mm PS Privacy Slat
<b>Selling Features</b>		Wide Range Of Colours	Superior Privacy & Light Shielding	Wide Range Of Colours	Wide Range Of Colours	Superior Privacy & Light Shielding
		<b>Material</b>				
Material		Polystyrene PS	Polystyrene PS	Paulownia Timber	Polystyrene PS	Polystyrene PS
		<b>Advantages</b>				
Termite Proof		✓	✓		✓	✓
Insulative Properties <i>Keeps Homes Both Cooler In Summer &amp; Warmer In Winter</i>		✓	✓	✓	✓	✓
Repels Moisture		✓	✓		✓	✓
Colour	Finish	<b>Colour Options</b>				
<b>Colour</b>	<i>Painted</i>	Bright White Classic White Earl Grey Snow White Super White	Bright White Classic White Earl Grey Snow White Super White	Beechwood Cedar Image Medium Maple Riva Walnut	Snow White Super White	Snow White Super White

Material	Internal Aluminium Venetian			
Internal Aluminium Venetian Range	25mm Slat	30mm Slat	35mm Slat	50mm Slat
<b>Profile</b>	<b>Blade Sizes</b>			
C	✓		✓	✓
S	✓		✓	
L	✓	✓		✓
	<b>Control Types</b>			
Cord Lock	✓			✓
Cordless	✓			
Chain Control	✓	✓	✓	
Motorised	✓	✓	✓	✓
	<b>Window Types</b>			
Standard	✓	✓	✓	✓
Side By Side	✓	✓	✓	✓
Corner A Butt	✓	✓	✓	✓
Corner A Thru	✓	✓	✓	✓
Corner B Butt	✓	✓	✓	✓
Corner B Thru	✓	✓	✓	✓
Bay A	✓	✓	✓	✓
Bay B	✓	✓	✓	✓
Bay C	✓	✓	✓	✓
	<b>Blind Heights &amp; Width</b>			
Minimum Blind Height	250mm	250mm	250mm	250mm
Maximum Blind Height	C Cord Lock 3000mm L & S Cord Lock 2000mm C Cordless 2000mm L & S Cordless 1800mm C, L & S Chain 3800mm	L Chain 3800mm	C & S Chain 2300mm	C Pull Cord 3100mm L Pull Cord 3100mm
Minimum Blind Width	C Cord Lock 300mm L & S Cord Lock 300mm C Cordless 300mm L & S Cordless 300mm C, L & S Chain 450mm	L Chain 450mm	C & S Chain 450mm	C Pull Cord 700mm L Pull Cord 800mm
Maximum Blind Width	C Cord Lock 2000mm L & S Cord Lock 2000mm C Cordless 1800mm L & S Cordless 1800mm C, L & S Chain 2800mm	L Chain 2600mm	C & S Chain 2500mm	C Pull Cord 3200mm L Pull Cord 2700mm
	<b>Fitting Method</b>			
Face Fit	✓	✓	✓	✓
Recess Fit	✓	✓	✓	✓
	<b>Headbox Options</b>			
Headbox	Standard	Standard	Standard	Standard
Colours	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour
	<b>Special Options Available</b>			
Door Cutouts	✓	✓	✓	✓
Multiple Blinds	✓	✓	✓	✓
Suitable For Wet Areas	✓	✓	x	✓

Internal Aluminium Venetian Blind

25mm C Blade Colour	25mm L Blade Colour	25mm S Blade Colour	30mm L Blade Colour	35mm C Blade Colour	35mm S Blade Colour	50mm C Blade Colour	50mm L Blade Colour
PWD 18001	PWD 18001	PWD 18001	PWD 18001	PWD 3050	PWD 3050	PWD 3032	PWD 3032
PWD 18002	PWD 18002	PWD 18002	PWD 18007	PWD 3051	PWD 3051	PWD 5001	PWD 5001
PWD 18003	PWD 18003	PWD 18003	PWD 18010	PWD 3500	PWD 3500	PWD 5002	PWD 5002
PWD 18005	PWD 18005	PWD 18005	PWD 18023	PWD 3501	PWD 3501	PWD 5020	PWD 5020
PWD 18006	PWD 18006	PWD 18006	PWD 19001	PWD 3502	PWD 3502	PWD 5116	PWD 5116
PWD 18007	PWD 18007	PWD 18007	PWD 2600	PWD 3503	PWD 3503	PWD 53006	PWD 53006
PWD 18008	PWD 18008	PWD 18008	PWD 2601	PWD 3508	PWD 3508	PWD 53036	PWD 53036
PWD 18009	PWD 18009	PWD 18009	PWD 2602	PWD 3509	PWD 3509	PWD 55002	PWD 55002
PWD 18010	PWD 18010	PWD 18010	PWD 2652	PWD 3510	PWD 3510	PWD 55004	PWD 55004
PWD 18011	PWD 18011	PWD 18011	PWD 9005	PWD 3511	PWD 3511	PWD 55005	PWD 55005
PWD 18012	PWD 18012	PWD 18012	PWD 9007	PWD 3521	PWD 3521	PWD 5601	PWD 5601
PWD 18016	PWD 18016	PWD 18016	PWD 9010	PWD 3522	PWD 3522	PWD 5602	PWD 5602
PWD 18017	PWD 18017	PWD 18017	PWD 9022	PWD 3523	PWD 3523	PWD 5607	PWD 5607
PWD 18021	PWD 18021	PWD 18021		PWD 3552	PWD 3552	PWD 5620	PWD 5620
PWD 18022	PWD 18022	PWD 18022		PWD 3553	PWD 3553	PWD 5665	PWD 5665
PWD 18023	PWD 18023	PWD 18023		PWD 3703	PWD 3703	PWD 59915	PWD 59915
PWD 19001	PWD 19001	PWD 19001		PWD 39006	PWD 39006	PWD 59916	PWD 59916
PWD 19005	PWD 19005	PWD 19005		PWD 39009	PWD 39009		
PWD 19007	PWD 19007	PWD 19007		PWD 8302	PWD 8302		
PWD 21003	PWD 21003	PWD 21003		PWD 8305	PWD 8305		
PWD 21005	PWD 21005	PWD 21005					
PWD 21006	PWD 21006	PWD 21006					
PWD 21007	PWD 21007	PWD 21007					
PWD 21008	PWD 21008	PWD 21008					
PWD 21009	PWD 21009	PWD 21009					
PWD 21010	PWD 21010	PWD 21010					
PWD 2300	PWD 2300	PWD 2300					
PWD 2301	PWD 2301	PWD 2301					
PWD 2306	PWD 2306	PWD 2306					
PWD 2600	PWD 2600	PWD 2600					
PWD 2601	PWD 2601	PWD 2601					
PWD 2602	PWD 2602	PWD 2602					
PWD 2659	PWD 2659	PWD 2659					
PWD 2806	PWD 2901	PWD 2901					
PWD 2807	PWD 2902	PWD 2902					
PWD 2901	PWD 2906	PWD 2906					
PWD 2902	PWD 2907	PWD 2907					
PWD 2906	PWD 6001	PWD 6001					
PWD 2907	PWD 6003	PWD 6003					
PWD 6001	PWD 6007	PWD 6007					
PWD 6003	PWD 6010	PWD 6010					
PWD 6007	PWD 7003	PWD 7003					
PWD 6010	PWD 7006	PWD 7006					
PWD 7003	PWD 9003	PWD 9003					
PWD 7006	PWD 9005	PWD 9005					
PWD 9003	PWD 9006	PWD 9006					
PWD 9005	PWD 9007	PWD 9007					
PWD 9006	PWD 9010	PWD 9010					
PWD 9007	PWD 9011	PWD 9011					
PWD 9010	PWD 9012	PWD 9012					
PWD 9011	PWD 9015	PWD 9015					
PWD 9012	PWD 9016	PWD 9016					
PWD 9015	PWD 9017	PWD 9017					
PWD 9016	PWD 9018	PWD 9018					
PWD 9017	PWD 9019	PWD 9019					
PWD 9018	PWD 9020	PWD 9020					
PWD 9019	PWD 9021	PWD 9021					
PWD 9020	PWD 9022	PWD 9022					
PWD 9022							
PWD 9021							

## Custom Made External Aluminium Venetian Blind Range Options Chart V25

Material	Venetian Blind				
Custom Made Blind Blade Type	C Profile 60mm Blade C60	C Profile 80mm Blade C80	CR Profile 65mm Blade CR65	CR Profile 80mm Blade CR80	ZR Profile 105mm Blade ZR105
	<b>Window Types</b>				
Side By Side	✓	✓	✓	✓	✓
Motorised <sup>1</sup>	✓	✓	✓	✓	✓
	<b>Blind Heights</b>				
Minimum Blind Height	600mm	600mm	600mm	600mm	600mm
Maximum Blind Height	5000mm	5000mm	5000mm	5000mm	5000mm
	<b>Blinds Widths</b>				
Minimum Blind Width	600mm	600mm	600mm	600mm	600mm
Maximum Blind Width	4500mm	4500mm	4500mm	4500mm	4500mm
	<b>Maximum Total Square Metre's Per Blind</b>				
Maximum m <sup>2</sup>	15m <sup>2</sup>	15m <sup>2</sup>	15m <sup>2</sup>	15m <sup>2</sup>	15m <sup>2</sup>
	<b>Fitting Method</b>				
Face Fit	✓	✓	✓	✓	✓
Top Fit	✓	✓	✓	✓	✓
	<b>Fascia/Pelmet Options</b>				
Fascia/Pelmet Standard Or Option	L Profile U Profile No Pelmet	L Profile U Profile No Pelmet	L Profile U Profile No Pelmet	L Profile U Profile No Pelmet	L Profile U Profile No Pelmet
	<b>Special Options Available</b>				
Guide Options <sup>2</sup>	Cable Guide <sup>2</sup>	Cable Guide <sup>2</sup>	Cable Guide <sup>2</sup> Guide Profile	Cable Guide <sup>2</sup> Guide Profile	Guide Profile
Motor Position	Left Right Centre	Left Right Centre	Left Right Centre	Left Right Centre	Left Right Centre
Colour	<b>Colour Options</b>				
Colour	Grey PWD 8 Silver PWD 6	Grey PWD 8 Silver PWD 6	Grey PWD 8 Silver PWD 6	Grey PWD 8 Silver PWD 6	Silver PWD 6
Notes:	<sup>1</sup> A multi-channel and single channel remote is available. Please specify in the order form comments type and quantity required. <sup>2</sup> Cable Guide is supplied in grey				

# Custom Made Cellular Blind Range Options Chart V25

Blind Type		Single Cellular											
		Cell size - 25mm											
		Corded			Cordless			Clutch			Motorised		
Operation Type		Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard <sup>1</sup>	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up
Size		Blade Sizes											
25mm		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		Window Types											
Standard		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Side By Side		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner A Butt		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner A Thru		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner B Butt		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner B Thru		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bay A		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bay B		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bay C		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		Blind Heights											
Minimum Blind Height	25mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm
Maximum Blind Height		2500mm	2500mm	2500mm	2100mm	2100mm	2100mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm
		Maximum Total Square Metre's Per Blind											
25mm Blind		7.5m <sup>2</sup>	4.56m <sup>2</sup>	7.5m <sup>2</sup>	5.1m <sup>2</sup>	5.1m <sup>2</sup>	5.1m <sup>2</sup>	7.5m <sup>2</sup>	6.4m <sup>2</sup>	7.32m <sup>2</sup>	7.5m <sup>2</sup>	7m <sup>2</sup>	7.5m <sup>2</sup>
		Blind Widths											
Minimum Blind Width		200mm	450mm	450mm	250mm	550mm	550mm	300mm	570mm *	570mm *	710mm (Battery Pack & Rechargeable Battery) 620mm (Powered With Adapter)	850mm - 1000mm (Powered With Adapter) <sup>2</sup>	850mm - 1000mm (Powered With Adapter) <sup>2</sup>
Maximum Blind Width		3000mm	3000mm	3000mm	2400mm	2400mm	2400mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm
		Fitting Method											
Face Fit		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Recess Fit		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		Head Rail/Fascia/Pelmet Options											
Fascia/Pelmet Standard Or Option		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Colours		Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour
Fabric Insert		x	x	x	x	x	x	x	x	x	x	x	x
		Special Options Available											
Door Cutouts		x	x	x	x	x	x	x	x	x	x	x	x
Multiple Blinds		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Suitable For Wet Areas		x	x	x	x	x	x	x	x	x	x	x	x
Motorisation Information		<p>The Motorised Options are:</p> <p><b>Battery Operated Motor with Wand or Remote. Battery Operated Blinds use 8 x AA Batteries per Blind (batteries not included). These are not recommended for frequent use as the batteries may require regular changing. The batteries will need replacing according to the frequency of use and are not rechargeable. Motorised Battery options are not recommended for high window areas (due to the requirement to change batteries).</b></p> <p><b>Rechargeable Lithium Battery Operated Motor With Power Adapter with Wand or Remote. These use a 240V Mains Plug and will require a power point/socket close to the Blind when recharging the battery.</b></p> <p><b>Powered Operated Motor With Power Adapter (Hardwired Motor) with Wand or Remote. These use a 240V Mains Plug and will require a power point/socket close to the Blind. The Blinds will need a continuous power source to operate.</b></p>											
Notes		<p>* Clutch Day Night, One Control Cord minimum width is; 600mm (Height &lt; 2000mm), 700mm (Height &gt; 2000mm). Clutch Cord is supplied as Cotton/White, unless specified otherwise.</p> <p>Side Channels for Corded and Cordless Cellulars are supplied in 3m lengths as a minimum pack size of 4.</p> <p><sup>1</sup> 25mm Cordless are not recommended in Standard Blockout and Translucent Woven Fabric as they may not fully retract if they are not operated frequently.</p> <p><sup>2</sup> Motorised Day Night &amp; Motorised Top Down, Bottom Up Minimum Widths; 850mm (Powered Operated Motor With Power Adapter - Simple Touch Wand) 1000mm (Powered Operated Motor With Power Adapter - Simple Touch Wireless Remote)</p>											

# Custom Made Cellular Blind Range Reference Chart V25

Blind Type	Single Cellular											
	Cell Size - 25mm											
	Corded			Cordless			Clutch			Motorised		
Operation Type	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up
	Selling Features											
Selling Features	Smaller Headbox Insulation Ideal For Smaller Drops Side Channels Available	Light Filtering & Blockout Configuration Smaller Headbox Insulation Ideal For Smaller Drops Side Channels Available	Increased Level Of Control & Privacy Smaller Headbox Insulation Ideal For Smaller Drops Side Channels Available	No Chains Or Cords Easy Operation Child Safe Insulation Side Channels Available	Light Filtering & Blockout Configuration No Chains Or Cords Easy Operation Child Safe Insulation Side Channels Available	Increased Level Of Control & Privacy No Chains Or Cords Easy Operation Child Safe Insulation Side Channels Available	Clutch Assisted Operation Insulation	Light Filtering & Blockout Configuration Clutch Assisted Operation Insulation	Increased Level Of Control & Privacy Clutch Assisted Operation Insulation	Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Light Filtering & Blockout Configuration Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Increased Level Of Control & Privacy Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation
	Advantages											
Insulative Properties Keeps Homes Both Cooler In Summer & Warmer In Winter	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fade Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Child Safe	*	*	*	✓	✓	✓	*	*	*	✓	✓	✓
Dust Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mould Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Repels Moisture	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PVC Free	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Fabric Options											
Blockout Standard	Alabaster, Avocado, Black, Bordeaux, Cocoa, Cotton, Fawn, Federal Blue, Gray Sheen, Jean Blue, Ocher, Onion, Pink Flamingo, Pongee, Royal Purple											
Translucent Standard	Agate Red, Alabaster, Avocado, Biscuit, Black, Bordeaux, Cocoa, Cotton, Cream, Fawn, Gray Sheen, Jean Bue, Marine Blue, Ocher, Onion, Pink Flamingo, Pongee, Roseate, Royal Gray, Royal Purple, Snow White, Spring Green, Stone Red, Tan, Terra Cotta, Water Green, White Dove, Wisteria											
Translucent Paisley	Bordeaux, Cocoa, Fawn, Pongee, Royal Purple											
Translucent Sheer	Anthracite, Avocado, Black, Alabaster, Cocoa, Cotton, Fawn, Gray Sheen, Pink Flamingo, Snow White											
Translucent Thatched	Avocado, Cocoa, Fawn, Pongee, Terra Cotta											
Translucent Woven	Avocado, Cocoa, Cotton, Fawn, Onion											
Day Night Option Available												
Day Night Colours	Day Night Can Be Ordered With Any Combination Of The Same Cell Size Blockout & Translucent Colours.											

### Custom Made Cellular Blind Range Options Chart V25

Blind Type		Single Cellular													
		Cell Size - 38mm												Skylight Cellular Blinds Are Available in 38mm Single Cell Only <sup>3</sup>	
		Corded			Cordless			Clutch			Motorised			Skylight	
Operation Type		Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	Cordless Standard	Motorised Standard
Size		Blade Sizes													
38mm		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		Window Types													
Standard		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Side By Side		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner A Butt		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗
Corner A Thru		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗
Corner B Butt		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗
Corner B Thru		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗
Bay A		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗
Bay B		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗
Bay C		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗
		Blind Heights													
Minimum Blind Height	38mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	600mm
Maximum Blind Height		3600mm	3600mm	3600mm	2100mm	2100mm	2100mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	2100mm	2100mm
		Maximum Total Square Metre's Per Blind													
38mm Blind		10.8m <sup>2</sup>	5.5m <sup>2</sup>	10.8m <sup>2</sup>	5.1m <sup>2</sup>	5.1m <sup>2</sup>	5.1m <sup>2</sup>	9m <sup>2</sup>	6.4m <sup>2</sup>	7.32m <sup>2</sup>	9m <sup>2</sup>	7m <sup>2</sup> Blockout & Translucent 7m <sup>2</sup> Blockout & Lattice 5.50m <sup>2</sup> Blockout & Woven	9m <sup>2</sup>	5.04m <sup>2</sup>	5.04m <sup>2</sup>
		Blind Widths													
Minimum Blind Width		200mm	450mm	450mm	250mm	550mm	550mm	300mm	570mm <sup>*</sup>	570mm <sup>*</sup>	710mm (Battery Pack & Rechargeable Battery) 620mm (Powered With Adapter)	850mm - 1000mm (Powered With Adapter) <sup>1</sup>	850mm - 1000mm (Powered With Adapter) <sup>2</sup>	450mm	630mm (Powered With Adapter)
Maximum Blind Width		3000mm	3000mm	3000mm	2400mm	2400mm	2400mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	1800mm	2400mm
		Fitting Method													
Face Fit		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Recess Fit		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		Head Rail/Fascia/Pelmet Options													
Fascia/Pelmet Standard Or Option		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Colours		Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	<sup>1</sup> Matched To Blind Colour
Fabric Insert		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
		Special Options Available													
Door Cutouts		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Multiple Blinds		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗
Suitable For Wet Areas		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Motorisation Information		<p>The Motorised Options are:            Battery Operated Motor with Wand or Remote. Battery Operated Blinds use 8 x AA Batteries per Blind (batteries not included). These are not recommended for frequent use as the batteries may require regular charging.            The batteries will need replacing according to the frequency of use and are not rechargeable.            Motorised Battery options are not recommended for high window areas (due to the requirements to change batteries). This option is not available for Skylight Motorised Blinds.</p> <p>Rechargeable Lithium Battery Operated Motor With Power Adapter with Wand or Remote.            These use a 240V Mains Plug and will require a power point/socket close to the Blind when recharging the battery. This option is not available for Skylight Motorised Blinds.</p> <p>Powered Operated Motor With Power Adapter (Hardwired Motor) with Wand or Remote.            These use a 240V Mains Plug and will require a power point/socket close to the Blind.            The Blinds will need a continuous power source to operate.</p>													
Notes		<p><sup>*</sup> Clutch Day Night, One Control Cord minimum width is; 600mm (Height &lt; 2000mm), 700mm (Height ≥ 2000mm). Clutch Cord is supplied as Cotton/White, unless specified otherwise.</p> <p>Side Channels for Corded and Cordless Cellulars are supplied in 3m lengths as a minimum pack size of 4.</p> <p><sup>1</sup> Motorised Day Night &amp; Motorised Top Down, Bottom Up Minimum Widths;            850mm (Powered Operated Motor With Power Adapter - Simple Touch Wand)            1000mm (Powered Operated Motor With Power Adapter - Simple Touch Wireless Remote)</p> <p><sup>2</sup> Motorised Skylight Side Channels available in White only.</p> <p><sup>3</sup> Skylight Cellular Blinds are designed to be installed within a recess.</p>													

Blind Type	Single Cellular													
	Cell Size - 38mm												Skylight Cellular Blinds Are Available In 38mm Single Cell Only	
	Corded			Cordless			Clutch			Motorised			Skylight	
Operation Type	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	Cordless Standard	Motorised Standard
Selling Features														
Selling Features	Smaller Headbox Insulation Ideal For Smaller Drops Side Channels Available	Light Filtering & Blockout Configuration Smaller Headbox Insulation Ideal For Smaller Drops Side Channels Available	Increased Level Of Control & Privacy Smaller Headbox Insulation Ideal For Smaller Drops Side Channels Available	No Chains Or Cords Easy Operation Child Safe Insulation Side Channels Available	Light Filtering & Blockout Configuration No Chains Or Cords Easy Operation Child Safe Insulation Side Channels Available	Increased Level Of Control & Privacy No Chains Or Cords Easy Operation Child Safe Insulation Side Channels Available	Clutch Assisted Operation Insulation	Light Filtering & Blockout Configuration Clutch Assisted Operation Insulation	Increased Level Of Control & Privacy Clutch Assisted Operation Insulation	Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Light Filtering & Blockout Configuration Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Increased Level Of Control & Privacy Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Great Solution For Skylight Windows No Chains Or Cords Easy Operation Child Safe Insulation Easy To Reach Extendable Pole Available	The Ultimate Solution For Hard-To-Reach Skylight Windows Easy Operation Motorised Remote No Chains Or Cords Child Safe Insulation
Advantages														
Insulative Properties Keeps Homes Both Cooler In Summer & Warmer In Winter	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fade Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Child Safe	x	x	x	✓	✓	✓	x	x	x	✓	✓	✓	✓	✓
Dust Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mould Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Repels Moisture	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PVC Free	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fabric Options														
Blockout Standard	Alabaster, Anthracite, Aqua Glass, Avocado, Black, Bordeaux, Buff Yellow, Cloak Gray, Cocoa, Cotton, Crystal Pink, Dark Chocolate, Fawn, Federal Blue, Gray Ridge, Gray Sheen, Ironstone, Jean Blue, Ocher, Onion, Orion Blue, Pink Flamingo, Pongee, Royal Purple, Roycroft Bottle Green, Sticks & Stones, White Dove													
Blockout Bamboo Print	Antique Pewter, Avocado, Dark Chocolate, Dark Gray B, Gray Sheen, Jean Blue, Pongee, Royal Gray, Sticks & Stones													
Translucent Standard	Agate Red, Alabaster, Anthracite, Antique Pewter, Avocado, Biscuit, Black, Bordeaux, Cloak Gray, Cocoa, Cotton, Cream, Cyberspace, Dark Chocolate, Fawn, Gray Sheen, Ironstone, Jean Bue, Marine Blue, Ocher, Onion, Pier, Pink Flamingo, Pongee, Roseate, Royal Gray, Royal Purple, Roycroft Bottle Green, Roycroft Mist Gray, Snow White, Spring Green, Sticks & Stones, Stone Red, Tan, Terra Cotta, Warm Cocoa, Water Green, White Dove, Wisteria													
Translucent Bamboo Print	Antique Pewter, Avocado, Dark Chocolate, Dark Gray B, Gray Sheen, Jean Blue, Pongee, Royal Gray, Sticks & Stones													
Translucent Crepe Woven	Acacia Haze, Anthracite, Chocolate, Cornsilk A, Cotton, Espresso A, Fawn A, Fire Brick A, Gourmet Chocolate, Gray Moss, Light Aquamarine, Light Olive Green, Mink A, Navy, Plebian Blue, Royal Gray A, Sangria A, Stallion, Tumbleweed, Wild Ginger													
Translucent Crush	Cocoa, Cotton, Fawn, White Dove, Winter White													
Translucent Linen	Agate Red, Avocado, Cocoa, Jean Blue, Royal Gray, Royal Purple													
Translucent Paisley	Bordeaux, Cocoa, Fawn, Pongee, Royal Purple													
Translucent Sheer	Alabaster, Anthracite, Avocado, Black, Cocoa, Cotton, Fawn, Gray Sheen, Pink Flamingo, Snow White													
Translucent Sheer A	Cotton, Alabaster, Gray Sheen, Snow White													
Translucent Slub Woven	Alabaster, Black, Cocoa, Cotton, Gray Sheen													
Translucent Thatched	Avocado, Cocoa, Fawn, Pongee, Terra Cotta													
Translucent Woven	Anthracite, Antique Pewter, Avocado, Cocoa, Cotton, Fawn, French Press, Ironstone, Onion, White Dove													
Day Night Option Available														
Day Night Colours	Day Night Can Be Ordered With Any Combination Of The Same Cell Size Blockout & Translucent Colours.													

Skylight Cellular Blinds Are Available In All 38mm Single Cell Fabric Ranges & Colours Only

### Custom Made Cellular Blind Range Options Chart V25

Blind Type		Single Cellular											
		Cell Size - 45mm											
		Corded			Cordless			Clutch			Motorised		
Operation Type		Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up
Size		Blade Sizes											
45mm		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		Window Types											
Standard		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Side By Side		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner A Butt		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner A Thru		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner B Butt		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner B Thru		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bay A		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bay B		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bay C		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		Blind Heights											
Minimum Blind Height	45mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm
Maximum Blind Height		3600mm	3600mm	3600mm	2100mm	2100mm	2100mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm
		Maximum Total Square Metre's Per Blind											
45mm Blind		10.8m <sup>2</sup>	5.5m <sup>2</sup>	10.8m <sup>2</sup>	5.1m <sup>2</sup>	5.1m <sup>2</sup>	5.1m <sup>2</sup>	9m <sup>2</sup>	6.4m <sup>2</sup>	7.32m <sup>2</sup>	9m <sup>2</sup>	7m <sup>2</sup> Window & Treatment 7m <sup>2</sup> Window & Treat 5.5m <sup>2</sup> Window & Treat	9m <sup>2</sup>
		Blind Widths											
Minimum Blind Width		200mm	450mm	450mm	250mm	550mm	550mm	300mm	570mm *	570mm *	710mm (Battery Pack, Rechargeable Battery & USB-C) 620mm (Powered With Adapter)	850mm - 1000mm (Powered With Adapter) <sup>†</sup>	850mm - 1000mm (Powered With Adapter) <sup>†</sup>
Maximum Blind Width		3000mm	3000mm	3000mm	2400mm	2400mm	2400mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm
		Fitting Method											
Face Fit		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Recess Fit		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		Head Rail/Fascia/Pelmet Options											
Fascia/Pelmet Standard Or Option		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Colours		Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour
Fabric Insert		*	*	*	*	*	*	*	*	*	*	*	*
		Special Options Available											
Door Cutouts		*	*	*	*	*	*	*	*	*	*	*	*
Multiple Blinds		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Suitable For Wet Areas		*	*	*	*	*	*	*	*	*	*	*	*
Motorisation information		<p>The Motorised Options are:</p> <p><b>Battery Operated Motor with Wand or Remote.</b> Battery Operated Blinds use 8 x AA Batteries per Blind (batteries not included). These are not recommended for frequent use as the batteries may require regular changing. The batteries will need replacing according to the frequency of use and are not rechargeable. Motorised battery options are not recommended for high window area's (due to the requirements to change batteries).</p> <p><b>Rechargeable Lithium Battery Operated Motor With Power Adapter with Wand or Remote.</b> These use a 240V Mains Plug and will require a power point/socket close to the Blind when recharging the battery.</p> <p><b>Rechargeable USB-C Operated Motor with Wand &amp; Remote.</b> These use a USB-C cable that is plugged into the bottom of the Wand to be charged. USB-C to USB-C charging cable is supplied at 1.5m length. The plug for the socket will not be provided.</p> <p><b>Powered Operated Motor With Power Adapter (Hardwired Motor) with Wand or Remote.</b> These use a 240V Mains Plug and will require a power point/socket close to the Blind. The Blinds will need a continuous power source to operate.</p>											

Blind Type	Single Cellular											
	Cell Size - 45mm											
	Corded			Cordless			Clutch			Motorised		
Operation Type	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up
	<b>Selling Features</b>											
<b>Selling Features</b>	Smaller Headbox Insulation Ideal For Smaller Drops	Light Filtering & Blockout Configuration Smaller Headbox Insulation Ideal For Smaller Drops	Increased Level Of Control & Privacy Smaller Headbox Insulation Ideal For Smaller Drops	No Chains Or Cords Easy Operation Child Safe Insulation	Light Filtering & Blockout Configuration No Chains Or Cords Easy Operation Child Safe Insulation	Increased Level Of Control & Privacy No Chains Or Cords Easy Operation Child Safe Insulation	Clutch Assisted Operation Insulation	Light Filtering & Blockout Configuration Clutch Assisted Operation Insulation	Increased Level Of Control & Privacy Clutch Assisted Operation Insulation	Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Light Filtering & Blockout Configuration Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation	Increased Level Of Control & Privacy Easy Operation Motorised Wand Control Or Remote No Chains Or Cords Child Safe Insulation
	<b>Advantages</b>											
Insulative Properties Keeps Homes Both Cooler In Summer & Warmer In Winter	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fade Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Child Safe	x	x	x	✓	✓	✓	x	x	x	✓	✓	✓
Dust Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mould Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Repels Moisture	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PVC Free	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	<b>Fabric Options</b>											
Blockout Standard	Antique Red, Bottle Of Bordeaux, Cotton, Fresh Brew, In The Navy, Poppyseed, Stormy Sky											
Blockout Lux-Linen	Chantilly Lace, Cotswold, Cotton, Hazy Skies, Royal Gray A, Taos Taupe											
Blockout Woodgrain	Accessible Beige, Amazing Gray, Gray Matters, Gray Screen, Tony Taupe											
Blockout Woodgrain Linen	Blanched Almond A, Coral Black, Dawn Gray, Light Walnut, Silver Gray											
Blockout Marble	Amazing Worldly Gray, Gray Online, Gray Ponder, Passive, Worldly Gray											
Blockout Sala	Argos White, Gray White, Passive White, Stone Harbor, Stormy Gray											
Translucent Standard	Antique Red, Bottle Of Bordeaux, Cotton, Fresh Brew, In The Navy, Poppyseed, Salamander, Silhouette, Silken Peacock, Stormy Sky											
Translucent Crepe Woven	Acacia Haze, Anthracite, Chocolate, Cornsilk A, Cotton, Espresso A, Fawn A, Fire Brick A, Gourmet Chocolate, Gray Moss, Light Aquamarine, Light Olive Green, Mink A, Navy, Plebian Blue, Royal Gray A, Sangria A, Stallion, Tumbleweed, Wild Ginger											
Translucent Lux-Linen	Chantilly Lace, Cotswold, Cotton, Hazy Skies, Royal Gray A, Taos Taupe											
Translucent Marble	Amazing Worldly Gray, Gray Online, Gray Ponder, Passive, Worldly Gray											
Translucent Sala	Argos White, Gray White, Passive White, Stone Harbour, Stormy Gray											
Translucent Sheer	Alabaster, Cocoa, Cotton, Gray Sheen											
Translucent Woodgrain	Accessible Beige, Amazing Gray, Gray Matters, Gray Screen, Tony Taupe											
Translucent Woodgrain Linen	Blanched Almond A, Coral Black, Dawn Gray, Light Walnut, Silver Gray											
Day Night Option Available												
Day Night Colours	Day Night Can Be Ordered With Any Combination Of The Same Cell Size Blockout & Translucent Colours.											

Blind Type	Cell-In-Cell Cellular												Double Cellular																																		
	Cell-In-Cell Cellular Blinds Are Available In 45mm Cell Size Only																								Double Cellular Blinds Are Available In 38mm																						
	Corded			Cordless			Clutch			Motorised			Corded			Cordless			Clutch			Motorised																									
Operation Type	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up																							
Size	Blade Sizes																																														
25mm																																															
38mm													✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																						
45mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																						
	Window Types																																														
Standard	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																						
Side By Side	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																						
Corner A Butt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																						
Corner A Thru	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																						
Corner B Butt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																						
Corner B Thru	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																						
Bay A	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																						
Bay B	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																						
Bay C	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																						
	Blind Heights																																														
Minimum Blind Height	25mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A																						
Maximum Blind Height		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A																					
Minimum Blind Height	38mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm																						
Maximum Blind Height		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2500mm	2500mm	2500mm	2100mm	2100mm	2100mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm																						
Minimum Blind Height	45mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A																						
Maximum Blind Height		2700mm	2700mm	2700mm	2100mm	2100mm	2100mm	2700mm	2700mm	2700mm	2700mm	2700mm	2700mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A																						
	Maximum Total Square Metre's Per Blind																																														
25mm Blind	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A																						
38mm Blind	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7.5m²	4.56m²	7.5m²	5.1m²	5.1m²	5.1m²	7.5m²	6.4m²	7.32m²	5m² Blockout 7m² Translucent	4.50m²	5.0m² Blockout 7.0m² Translucent																							
45mm Blind	6.3m²	3.8m²	6.3m²	4.04m²	4.04m²	4.04m²	6.3m²	5.2m²	6.3m²	4.6m²	3.8m²	4.6m²	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A																							
	Blind Widths																																														
Minimum Blind Width	200mm	450mm	450mm	250mm	550mm	550mm	300mm	570mm *	570mm *	710mm (Battery Pack, Rechargeable Battery, and USB-C) 620mm (Powered With Adapter) <sup>1</sup>	850mm - 1000mm (Powered With Adapter) <sup>1</sup>	850mm - 1000mm (Powered With Adapter) <sup>1</sup>	200mm	450mm	450mm	250mm	550mm	550mm	300mm	570mm *	570mm *	710mm (Battery Pack or Rechargeable Lithium) 620mm (Powered With Adapter)	850mm - 1000mm (Powered With Adapter) <sup>1</sup>	850mm - 1000mm (Powered With Adapter) <sup>1</sup>																							
Maximum Blind Width	3000mm	3000mm	3000mm	2400mm	2400mm	2400mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	2400mm	2400mm	2400mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm																							
	Fitting Method																																														
Face Fit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																						
Recess Fit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																						
	Head Rail/Fascia/Pelmet Options																																														
Fascia/Pelmet Standard Or Option	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard																						
Colours	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour	Matched To Blind Colour																						
Fabric Insert	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x																						
	Special Options Available																																														
Door Cutouts	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x																						
Multiple Blinds	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																						
Suitable For Wet Areas	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x																						
Motorisation Information	<p>The Motorised Options are:</p> <p><b>Battery Operated Motor with Wand or Remote. Battery Operated Blinds use 8 x AA Batteries per Blind (batteries not included).</b> These are not recommended for frequent use as the batteries may require regular changing. The batteries will need replacing according to the frequency of use and are not rechargeable. Motorised Battery options are not recommended for high window areas due to the requirements to change batteries.</p> <p><b>Rechargeable Lithium Battery Operated Motor With Power Adapter with Wand or Remote.</b> These use a 240V Mains Plug and will require a power point/socket close to the blind when recharging the battery.</p> <p><b>Rechargeable USB-C Operated Motor with Wand &amp; Remote.</b> These use a USB-C cable that is plugged into the bottom of the Wand to be charged. USB-C to USB-C charging cable is supplied at 1.5m length. The plug for the socket will not be provided.</p> <p><b>Powered Operated Motor With Power Adapter (Hardwired Motor) with Wand or Remote.</b> These use a 240V Mains Plug and will require a power point/socket close to the blind. The blinds will need a continuous power source to operate.</p>																																														

Blind Type	Cell-In-Cell Cellular												Double Cellular												
	Cell-In-Cell Cellular Blinds Are Available In 45mm Cell Size Only												Double Cellular Blinds Are Available In 38mm												
Operation Type	Corded			Cordless			Clutch			Motorised			Corded			Cordless			Clutch			Motorised			
	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	Corded Standard	Corded Day Night	Corded Top Down, Bottom Up	Cordless Standard	Cordless Day Night	Cordless Top Down, Bottom Up	Clutch Standard	Clutch Day Night	Clutch Top Down, Bottom Up	Motorised Standard	Motorised Day Night	Motorised Top Down, Bottom Up	
Selling Features	Selling Features																								
	Smaller Headbox Superior Insulation Ideal For Smaller Drops	Light Filtering & Blockout Configuration	Increased Level Of Control & Privacy	No Chains Or Cards Easy Operation Child Safe Superior Insulation	Light Filtering & Blockout Configuration	Increased Level Of Control & Privacy	Clutch Assisted Operation Superior Insulation	Light Filtering & Blockout Configuration	Increased Level Of Control & Privacy	Clutch Assisted Operation Superior Insulation	Clutch Assisted Operation Superior Insulation	Easy Operation Motorised Wand Control Or Remote No Chains Or Cards Child Safe Superior Insulation	Light Filtering & Blockout Configuration Easy Operation Motorised Wand Control Or Remote No Chains Or Cards Child Safe Superior Insulation	Increased Level Of Control & Privacy Easy Operation Motorised Wand Control Or Remote No Chains Or Cards Child Safe Superior Insulation	Smaller Headbox Superior Insulation Ideal For Smaller Drops	Light Filtering & Blockout Configuration	Increased Level Of Control & Privacy	No Chains Or Cards Easy Operation Child Safe Superior Insulation	Light Filtering & Blockout Configuration	Increased Level Of Control & Privacy	Clutch Assisted Operation Superior Insulation	Light Filtering & Blockout Configuration	Increased Level Of Control & Privacy	Easy Operation Motorised Wand Control Or Remote No Chains Or Cards Child Safe Superior Insulation	Light Filtering & Blockout Configuration Easy Operation Motorised Wand Control Or Remote No Chains Or Cards Child Safe Superior Insulation
Insulative Properties Keeps Homes Both Cooler In Summer & Warmer In Winter Fade Resistant Child Safe Dust Resistant Mould Resistant Repels Moisture PVC Free	Advantages																								
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Blockout Standard  Translucent Standard  Cell-In-Cell Bamboo Translucent  Cell-In-Cell Bamboo Blockout	Fabric Options												Fabric Options												
	45mm Cell-In-Cell - Beige B, Black, Blue Wind, Classic Gray, Cotton, Gray Storms, Ivory A, Taupe B												38mm Double Cell - Alabaster, Cotton, Jean Blue												
	45mm Cell-In-Cell - Beige B, Black, Blue Wind, Classic Gray, Cotton, Gray Storms, Ivory A, Taupe B												38mm Double Cell - Agate Red, Alabaster, Avocado, Black, Cocoa, Cotton, Cream, Gray Sheen, Ironstone, Jean Blue, Musk, Pongee, Rosegate, Royal Purple, Sangria, Snow White, Stone Red, Sweetmint, Water Green, Wisteria												
	45mm Cell-In-Cell - Antique Pewter, Sticks & Stones												N/A												
45mm Cell-In-Cell - Antique Pewter, Sticks & Stones												N/A													
Day Night Option Available	Day Night Can Be Ordered With Any Combination Of The Same Cell Size Blockout & Translucent Colours.																								
Day Night Colours																									

Product		Transition Blind																			
Blind Type	Multi Shade																	Triple Shade			
	Privacy/Blockout Standard *	Privacy/Blockout Woven *	Semi Blockout Grain	Semi Blockout Textured	Privacy Textured	Privacy Lure	Privacy Grain	Privacy Textured Grain	Privacy Large	Privacy Natural	Jacquard Woven	Premium Blockout	Premium Blockout Woven	Premium Room Darkening	Premium Woven Room Darkening	Textured	Eco Friendly	Standard	Semi Blockout	Privacy Standard	Jacquard Woven
Window Types																					
Standard	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Side By Side	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner A Bolt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner A Thru	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner B Bolt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Corner B Thru	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ree A	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ree B	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ree C	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Blind Heights																					
Minimum Blind Height	300mm	300mm	300mm	300mm	300mm	200mm	300mm	200mm	300mm	200mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm	300mm
Maximum Blind Height	3000mm	3000mm	3000mm	3000mm	3000mm	2000mm	3000mm	2000mm	3000mm	2000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm	3000mm
Blind Widths																					
Minimum Blind Width	150mm	150mm	150mm	150mm	150mm	100mm	150mm	100mm	150mm	100mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm	150mm
Maximum Minimum Blind Width	350mm	350mm	350mm	350mm	350mm	300mm	350mm	300mm	350mm	300mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm
Maximum Blind Width	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm
Maximum Window Width For Single Blind Option	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm	2950mm
Fitting Method																					
Face Fit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Recess Fit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Head Rail Options																					
Brige	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Black	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Dark Brown	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Grey	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ivory	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Light Brown	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
White	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fabric Insert Option	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bottom Rail Options																					
Bottom Rail Type	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Square Profile With Fabric Insert	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Trapezium Profile	Shuttle Rail Profile	Shuttle Rail Profile
Brige	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Black	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Dark Brown	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Grey	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ivory	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Light Brown	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
White	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Special Options Available																					
Clear Coatings	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mitigation	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Multiple Blinds	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Notes	*Previously called Blockout Standard, now called Privacy Standard. *Previously called Blockout Woven, now called Privacy Woven. *Side By Side Transition Blinds will be made with manufacturing tolerances. *Mitigation is available with a 2 channel rebate, or 2, 3 and 23 channels by special request.																				

Transition Blind																						
Product	Multi Shade																Triple Shade					
Blind Type	Multi Shade																Triple Shade					
Custom Made Blind Range	Privacy/Blockout Standard	Privacy/Blockout Woven	Semi Blockout Grain	Semi Blockout Textured	Privacy Textured	Privacy Luxe	Privacy Grain	Privacy Textured Grain	Privacy Large	Privacy Natural	Jacquard Weave	Premium Blockout	Premium Blockout Woven	Premium Room Darkening	Premium Woven Room Darkening	Textured	Eco Friendly	Standard	Semi Blockout	Privacy Standard	Jacquard Weave	
Selling Features	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Woven Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Semi Blockout Fabric Grain Pattern	Excellent Light & Privacy Control Compact & Neat Window Covering Semi Blockout Fabric Textured Pattern	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Textured Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Marf Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Grain Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Textured Grain Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Weave Fabric	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Blockout Fabric Woven Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Room Darkening Fabric Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Room Darkening Fabric Woven Pattern Reduce Heat & Glare	Excellent Light & Privacy Control Compact & Neat Window Covering Largest Range Of Colour Options Textured Pattern	Excellent Light & Privacy Control Compact & Neat Window Covering Reduce Heat & Glare Made From 87% Recycled Yarn Content	Maintain Privacy While Allowing Light	Maintain Privacy While Allowing Light	Maintain Privacy While Allowing Light	Maintain Privacy While Allowing Light
Fabric Material Properties																						
Finish	Blockout Standard	Blockout Woven	Semi Blockout Grain	Semi Blockout Textured	Privacy Textured	Privacy Luxe	Privacy Grain	Privacy Textured Grain	Privacy Large	Privacy Natural	Jacquard Weave	Premium Blockout	Blockout Woven	Premium Room Darkening	Premium Woven Room Darkening	Textured	Eco Friendly	Standard	Semi Blockout	Privacy Standard	Jacquard Weave	
Composition	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester (87% Recycled Yarn Content)	70% Polyester & 30% RM	100% Polyester	100% Polyester	100% Polyester	
Colour Fastness	7 to 8	6 to 8	6 to 7	6 to 7	6 to 7	6 to 7	6 to 7	6 to 7	6 to 7	6 to 7	6 to 8	6 to 7	7 to 8	6 to 7	6 to 7	7 to 8	4 to 5	7 to 8	7 to 8	7 to 8	7 to 8	
Fabric Weight Per m	163g (+/- 5%)	227g (+/- 5%)	173g (+/- 5%)	109g (+/- 5%)	172g (+/- 5%)	220g (+/- 5%)	184g (+/- 5%)	291g (+/- 5%)	200g (+/- 5%)	261g (+/- 5%)	132g (+/- 5%)	191g (+/- 5%)	172g (+/- 5%)	140g (+/- 5%)	140g (+/- 5%)	120g (+/- 5%)	118g (+/- 5%)	207g (+/- 5%)	209g (+/- 5%)	470g (+/- 5%)	211g (+/- 5%)	
Advantages																						
Insulative Properties <small>Keeps Homes Warm in Winter &amp; Cooler in Summer</small>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Fade Retardant	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	
Dust Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Mould Resistant	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Repels Moisture	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Colours																						
Colour	Almond BL902 Bark BL912 Chalk BL901 Ginger BL905 Iron Ore BL904 Mediterranean BL913 Musk BL903 Olive BL907 Steel BL911	Bonnie BL1007 Bracken BL1008 Cherrywood BL1011 Fossil BL1001 Mercury BL1005 Meringue BL1001 Orchid BL1012 Sorbet BL1004 Spun Sugar BL1002 Thistle BL1005 Walnut BL1010	Cloud BL4801 Dove BL4802 Hazy BL4805 Iron BL4806 Leather BL4811 Out BL4803 Storm BL4804	Ashen BL1207 Bone BL1204 Chiffon BL1206 Cream BL1203 Daisy BL1201 Hazel BL1205 Leather BL1211 Ocean BL1209 Pink BL1202 Royal BL1210 Smoky BL1208	Coffee BL5005 Cocoa BL5004 Lace BL5002 Linen BL5003 Porcelain BL5001 Shadow BL5006	Chestnut BK504 Chromium BK501 Coal BK503 Light Slate BK502	Biscuit BL5802 Bright Silver BL5801 Honey BL5803 Jazz Black BL5808 Seal BL5805 Spruce BL5806 Steel Blue BL5807 Steel Grey BL5804	Amber Gold BK104 Brass BK106 Dark Cedar BK108 Fudge BK107 Hazelnut BK105 Light Cream BK103 Raven BK109 Smoke White BK110 Spring BK101	Blonde BL4602 Dust BL4604 Frost BL4601 Pebble BL4611 Snow BL4600	Charcoal Grey BK207 Chrome Grey BK204 Classic Silver BK202 Cobble BK205 Dark Brown BK206 Elephant Grey BK203 Intense Black BK208 Pearl Grey BK201	Cappuccino LV105 Maple LV104 Polar LV101 Rhinestone LV103 Slate LV107 Soot LV106 Straw LV102	Champagne BL3004 Dark Pebble BL3007 Dark BL3005 Oak BL3006 Onyx BL3003 Silver BL3001 Warm Grey BL3002	Cold Metal BL2004 Desert Sand BL2003 Espresso BL2008 Honeycomb BL2006 Latte BL2002 Natural BL2001 Slate BL2005 Walnut BL2007	Chocolate BL112 Cotton BL101 Grey BL107 Macadamia BL102 Metal BL108 Sand BL103 Taupe BL110	Ash BL112 Autumn BK05 Haze BL114 Ivory BK01 Light Bark BK04 Marshmallow BL111 Mocha BK06 Peacock BK03 Safari BL113 Sandstone BK02 Storm BL115	Frosted GR101 Caramel GR102 Stormy Grey GR103	Blue Lagoon SK007 Chocolate SK11 Desert SK05 Eggshell SK03 Ghost White SK01 Popcorn Corn SK02 Purple SK09 Titanium SK06	Beige SP102 Leaf SP103 Powder SP101 Umber SP104	Buttermilk SP1002 Pearl SP1001 Pewter SP1003 Wood SP1004	Cedar SK106 Coconut SK101 Fawn SK103 Graphite SK105 Hazelnut SK102 Soft Grey SK104		

Blind Type	ClimaCell		
	Chain Control	Cordless	Motorised <sup>1</sup>
Ranges	Window Types		
Chester Opaque	✓	✓	✓
Chester Semi-Opaque	✓	✓	✓
Cumbria Opaque	✓	✓	✓
Cumbria Semi-Opaque	✓	✓	✓
Oxfordshire Opaque	✓	✓	✓
Oxfordshire Semi-Opaque	✓	✓	✓
Richmond Opaque	✓	✓	✓
Richmond Semi-Opaque	✓	✓	✓
Somerset Opaque	✓	✓	✓
Somerset Semi-Opaque	✓	✓	✓
Suffolk Opaque	✓	✓	✓
Suffolk Semi-Opaque	✓	✓	✓
	Blind Heights		
Minimum Blind Height	300mm	450mm	400mm
Maximum Blind Height	3000mm	2200mm	3000mm
	Blind Widths		
Minimum Blind Width	300mm	480mm	635mm
Maximum Blind Width	3000mm	3000mm	3000mm
	Fitting Method		
Face Fit	✓	✓	✓
Recess Fit	✓	✓	✓
	Cassette Options		
Cassette Standard Or Option <sup>2</sup>	Option	Option	N/A
Colours	Matched To Blind Colour	Matched To Blind Colour	N/A
	Special Options Available		
Door Cutouts	✗	✗	✗
Multiple Blinds	✓	✓	✓
Suitable For Wet Areas	✗	✗	✗
Notes	<sup>1</sup> Motorised ClimaCell blinds are only available as rechargeable battery-operated and will require a USB-C cable to charge. The USB-C cable is not supplied with the ClimaCell. <sup>2</sup> Surcharges apply		

# Custom Made ClimaCell Range Reference Chart V25

Blind Type	ClimaCell		
	Chain Control	Cordless	Motorised
	Selling Features		
Selling Features	Ideal For Smaller Drops	Easy Operation No Chains Or Cords Child Safe Telescopic Pole Available for Hard to Reach Areas	Easy Operation No Chains Or Cords Child Safe Motorised With App Or Remote Control
	Advantages		
Child Safe	*	✓	✓
	Fabric Options		
Chester Opaque	Avocado, Black, Cloud C, Cocoa, Cotton, Cream, Garden Stone, Gentle Gray, Gray Sheen, Jean Blue, Pale Gray, Pink Flamingo, Pongee, Simply White, Sticks & Stones, Stone, White Dove, Winter White		
Chester Semi-Opaque	Avocado, Black, Cloud C, Cocoa, Cotton, Cream, Garden Stone, Gentle Gray, Gray Sheen, Jean Blue, Pale Gray, Pink Flamingo, Pongee, Simply White, Sticks & Stones, Stone, White Dove, Winter White		
Cumbria Opaque	Dark Chocolate, Passive White, Pier, Polished Pewter, Pongee, Royal Gray		
Cumbria Semi-Opaque	Dark Chocolate, Passive White, Pier, Polished Pewter, Pongee, Royal Gray		
Oxfordshire Opaque	Accessible Beige, Amazing Gray, Gray Matters, Ironstone, Pale Gray, Pongee		
Oxfordshire Semi-Opaque	Accessible Beige, Amazing Gray, Gray Matters, Ironstone, Pale Gray, Pongee		
Richmond Opaque	Cocoa, Dark Gray B, Gray Sheen, Sticks & Stones, Stone, Winter White		
Richmond Semi-Opaque	Cocoa, Dark Gray B, Gray Sheen, Sticks & Stones, Stone, Winter White		
Somerset Opaque	Black, Gray White, Passive White, Stone Harbor, Vapor Gray, Winter White		
Somerset Semi-Opaque	Black, Gray White, Passive White, Stone Harbor, Vapor Gray, Winter White		
Suffolk Opaque	Federal Blue, Gentire Gray, Pink Flamingo, Pongee, Royal Purple, Water Green		
Suffolk Semi-Opaque	Federal Blue, Gentire Gray, Pink Flamingo, Pongee, Royal Purple, Water Green		

Product	Roma Shade			
Custom Made Blind Range	Prati (Semi - Opaque)	Termini (Semi - Opaque)	Monti (Opaque)	Tridente (Opaque)
	<b>Window Types</b>			
Standard	✓	✓	✓	✓
Side By Side	✓	✓	✓	✓
Corner A Butt	x	x	x	x
Corner A Thru	x	x	x	x
Corner B Butt	x	x	x	x
Corner B Thru	x	x	x	x
Bay A	x	x	x	x
Bay B	x	x	x	x
Bay C	x	x	x	x
	<b>Blind Heights</b>			
Minimum Blind Height	250mm	250mm	250mm	250mm
Maximum Blind Height	3000mm	3000mm	3000mm	3000mm
	<b>Blind Widths</b>			
Minimum Blind Width	400mm	400mm	400mm	400mm
Motorised Minimum Blind Width	550mm	550mm	550mm	550mm
Maximum Blind Width	3000mm	3000mm	3000mm	3000mm
	<b>Blind Widths</b>			
Face Fit	✓	✓	✓	✓
Recess Fit	✓	✓	✓	✓
	<b>Special Options Available</b>			
Door Cutouts	x	x	x	x
Motorisation	✓	✓	✓	✓
Multiple Blinds	✓	✓	✓	✓
Notes	<p>Motorisation is available with 1, 2, 5 or 15 channel remotes in white.            The track, bottom rail and accessories are only available in white.            Chain colours available in Beige, Black, Dark Coffee, Grey, Khaki, Light Coffee, White and Stainless Steel (surcharges apply for Stainless Steel)</p>			

## Custom Made Roma Shade Range Reference Chart V25

Product	Roma Shade			
Custom Made Blind Range	Prati (Semi - Opaque)	Termini (Semi - Opaque)	Monti (Opaque)	Tridente (Opaque)
<b>Selling Features</b>	Chain Control for optimal control of light Easy Installations Head Rail and Bottom Rail wrapped in blind fabric for seamless finish Variety of chain control colours Motorisation available for modern convenience	Chain Control for optimum control of light Easy Installations Head Rail and Bottom Rail wrapped in blind fabric for seamless finish Variety of chain control colours Motorisation available for modern convenience	Thicker fabric for increased privacy Chain Control for optimum control of light Easy Installations Head Rail and Bottom Rail wrapped in blind fabric for seamless finish Variety of chain control colours Motorisation available for modern convenience	Thicker fabric for increased privacy Chain Control for optimum control of light Easy Installations Head Rail and Bottom Rail wrapped in blind fabric for seamless finish Variety of chain control colours Motorisation available for modern convenience
<b>Fabric Material Properties</b>				
Finish	Semi-Blockout Woven	Textured	Semi-Blockout Grain	Woven
Composition	100% Polyester	100% Polyester	100% Polyester	100% Polyester
Colour Fastness	≥6	≥6	≥6	≥6
Fabric Weight Per m <sup>2</sup>	280g (+/- 5%)	162g (+/- 5%)	89g (+/- 5%)	285g (+/- 5%)
<b>Advantages</b>				
<b>Insulative Properties</b> <i>Keeps Homes Both Cooler In Summer &amp; Warmer In Winter</i>	✓	✓	✓	✓
Fade Retardant	✗	✗	✗	✗
Dust Resistant	✓	✓	✓	✓
Mould Resistant	✓	✓	✓	✓
Repels Moisture	✓	✓	✓	✓
<b>Colour Range</b>				
Colour	Dark Grey Light Grey Monte Grappa White Sand White	Dark Grey Light Grey Mont Blanc White Night Sand Soft Sand	Grey Sand Trullo White	Dark Grey Light Grey Mount Etna White Night Sand Trullo